

PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

Procurement of INFRASTRUCTURE PROJECTS

Government of the Republic of the Philippines

*For Project 2024-09i: Construction of NVSU
Cafeteria Building for Bayombong Campus*

Sixth Edition
July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Infrastructure Projects (hereinafter referred to also as the “Works”) through Competitive Bidding have been prepared by the Government of the Philippines for use by all branches, agencies, departments, bureaus, offices, or instrumentalities of the government, including government-owned and/or -controlled corporations, government financial institutions, state universities and colleges, local government units, and autonomous regional government. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

The PBDs are intended as a model for admeasurements (unit prices or unit rates in a bill of quantities) types of contract, which are the most common in Works contracting.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract; (ii) the eligibility requirements of Bidders; (iii) the expected contract duration; and (iv) the obligations, duties, and/or functions of the winning Bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Works to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Infrastructure Projects. However, they should be adapted as necessary to the circumstances of the particular Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, BDS, General Conditions of Contract, Special Conditions of Contract, Specifications, Drawings, and Bill of Quantities are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the names of the Project, Contract, and Procuring Entity, in addition to date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

TABLE OF CONTENTS

Glossary of Terms, Abbreviations, and Acronyms	4
Section I. Invitation to Bid.....	6
Section II. Instructions to Bidders.....	9
1. Scope of Bid.....	10
2. Funding Information	10
3. Bidding Requirements	10
4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	11
5. Eligible Bidders	11
6. Origin of Associated Goods.....	11
7. Subcontracts.....	11
8. Pre-Bid Conference.....	12
9. Clarification and Amendment of Bidding Documents	12
10. Documents Comprising the Bid: Eligibility and Technical Components.....	12
11. Documents Comprising the Bid: Financial Component	13
12. Alternative Bids	13
13. Bid Prices	13
14. Bid and Payment Currencies.....	13
15. Bid Security	14
16. Sealing and Marking of Bids	14
17. Deadline for Submission of Bids	14
18. Opening and Preliminary Examination of Bids	14
19. Detailed Evaluation and Comparison of Bids.....	15
20. Post Qualification	15
21. Signing of the Contract.....	15
Section III. Bid Data Sheet	16
Section IV. General Conditions of Contract.....	18
1. Scope of Contract.....	19
2. Sectional Completion of Works.....	19
3. Possession of Site.....	19
4. The Contractor’s Obligations.....	19
5. Performance Security	20
6. Site Investigation Reports	20
7. Warranty	20

8. Liability of the Contractor	20
9. Termination for Other Causes	20
10. Dayworks	21
11. Program of Work	21
12. Instructions, Inspections and Audits	21
13. Advance Payment	21
14. Progress Payments	21
15. Operating and Maintenance Manuals	22
Section V. Special Conditions of Contract.....	23
Section VI. Specifications	25
Section VII. Drawings	26
Section VIII. Bill of Quantities.....	27
Section IX. Checklist of Technical and Financial Documents	28

ABC – Approved Budget for the Contract.

ARCC – Allowable Range of Contract Cost.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

CDA – Cooperative Development Authority.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

Contractor – is a natural or juridical entity whose proposal was accepted by the Procuring Entity and to whom the Contract to execute the Work was awarded. Contractor as used in these Bidding Documents may likewise refer to a supplier, distributor, manufacturer, or consultant.

CPI – Consumer Price Index.

DOLE – Department of Labor and Employment.

DTI – Department of Trade and Industry.

Foreign-funded Procurement or Foreign-Assisted Project – Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including nonpersonal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r]) **GOP** – Government of the Philippines.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PCAB – Philippine Contractors Accreditation Board.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019) **PSA** – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria.

The IB should be incorporated into the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.

INVITATION TO BID

For Project 2024-09i: Construction of NVSU Cafeteria Building for Bayombong Campus

1. The *Nueva Vizcaya State University*, through the *Special Trust Fund (F164)* intends to apply the sum of Seven Million Eight Hundred Sixty-Six Thousand Eight Hundred Twelve pesos only (*Php7,866,812.00*) being the Approved Budget for the Contract (ABC) to payments under the contract of the project 2024-09i: Construction of NVSU Cafeteria Building for Bayombong Campus. Bids received in excess of the ABC shall be automatically rejected at bid opening.
2. The *Nueva Vizcaya State University* now invites bids for the above Procurement Project. Completion of the Works is required 240 *calendar days*. Bidders should have completed within two (02) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
4. Interested bidders may obtain further information from *Nueva Vizcaya State University* and inspect the Bidding Documents at the address given below from *Mondays to Fridays, 8:00AM to 5:00PM*.
5. A complete set of Bidding Documents may be acquired by interested bidders starting on August 19, 2024 from given address and website/s below *and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Php10,000.00*. The Procuring Entity shall allow the bidder to present its proof of payment for the fees *through electronic means*.

NVSU LANDBANK ACCOUNT No.: 0432-1028-82

6. The *NVSU* will hold a Pre-Bid Conference¹ on *August 27, 2024 @ 9:00am at the Board Room, 3/F New Administration Building, NVSU Bayombong, Campus* and through videoconferencing/webcasting *via Zoom (Meeting ID: 525 793 2135; Password: nvsu@2024)*, which shall be open to prospective bidders.
7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below on or before September 9, 2024 at 8:59am. Late bids shall not be accepted.
8. All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 16.
9. Bid opening shall be on *September 9, 2024 at 9:00am at the Board Room, 3/F New Administration Building, NVSU Bayombong, Campus* and through *via Zoom (Meeting ID: 525 793 2135; Password: nvsu@2024)*. Bids will be opened in the presence of the bidders’ representatives who choose to attend the activity.

10. The *Nueva Vizcaya State University* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised Implementing Rules and Regulations (IRR) of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
11. For further information, please refer to:

DR. MARITESS N. MORTERA
MS. ICY B. PASI-GARCIA
MS. JOVELYN M. GUILLERMO
MS. DIANNE MARGARETH B. TITO
MS. GLAIZA C. SIERRA
MS. LEAH MARRIZE F. BANTA
MR. PEEJAY EDVIE V. BARAL
MR. NORBERT R. CALSE
MR. MICHAEL ANGELO F. PEROLINA
MS. JULIET S. SANCHEZ
UBAC Secretariat

UBAC Office, 3rd floor New Administration Building,
NVSU Bayombong Campus,
Bayombong, Nueva Vizcaya
Tel. No. 078-321-2112-115 (trunkline)
Email address: nvsubacinfra@gmail.com

12. You may visit the website:

For downloading of Bidding Documents: www.nvsu.edu.ph on August 19, 2024.

JONAR I. YAGO
UBAC Chairperson, Infrastructure

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, *Nueva Vizcaya State University* invites Bids for the Construction of NVSU Cafeteria Building for Bayombong Campus. with Project Identification Number *Project 2024-09i*.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as “Project”) is for the construction of Works, as described in Section VI (Specifications).

2. Funding Information

2.1. The GOP through the Special Trust Fund (F164) source of funding as indicated below for *FY2024* in the amount of Seven Million Eight Hundred Eighty-Six Thousand Eight Hundred Twelve pesos only (*Php7,866,812.00*).

2.2. The source of funding is:

[If an early procurement activity, select one and delete others:]

- a. NGA, the National Expenditure Program.
- b. GOCC and GFIs, the proposed Corporate Operating Budget.
- c. LGUs, the proposed Local Expenditure Program.

[If not an early procurement activity, select one and delete others:]

- a. NGA, the General Appropriations Act or Special Appropriations.
- b. GOCC and GFIs, the Corporate Operating Budget.
- c. LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manual and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or invitation to bid by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have inspected the site, determined the general characteristics of the contracted Works and the conditions for this Project, such as the location and the nature of the work; (b) climatic conditions; (c) transportation facilities; (c) nature and condition of the terrain, geological conditions at the site communication facilities, requirements, location and availability of construction aggregates and other materials, labor, water, electric power and access roads; and (d) other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices

The Procuring Entity, as well as the Bidders and Contractors, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

5.2. The Bidder must have an experience of having completed a Single Largest Completed Contract (SLCC) that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC adjusted, if necessary, by the Bidder to current prices using the PSA's CPI, except under conditions provided for in Section 23.4.2.4 of the 2016 revised IRR of RA No. 9184.

A contract is considered to be "similar" to the contract to be bid if it has the major categories of work stated in the **BDS**.

5.3. For Foreign-funded Procurement, the Procuring Entity and the foreign government/foreign or international financing institution may agree on another track record requirement, as specified in the Bidding Document prepared for this purpose.

5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.2 of the 2016 IRR of RA No. 9184.

6. Origin of Associated Goods

There is no restriction on the origin of Goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than fifty percent (50%) of the Project.

The Procuring Entity has prescribed that:
[Select one, delete other/s]

- a. Subcontracting is allowed. The portions of Project and the maximum percentage allowed to be subcontracted are indicated in the **BDS**, which shall not exceed fifty percent (50%) of the contracted Works.
- b. Subcontracting is not allowed.

7.1. *[If Procuring Entity has determined that subcontracting is allowed during the bidding, state:]* The Bidder must submit together with its Bid the documentary requirements of the subcontractor(s) complying with the eligibility criterion stated in **ITB** Clause 5 in accordance with Section 23.4 of the 2016 revised IRR of RA No. 9184 pursuant to Section 23.1 thereof.

7.2. *[If subcontracting is allowed during the contract implementation stage, state:]* The Supplier may identify its subcontractor during the contract implementation stage. Subcontractors identified during the bidding may be changed during the implementation of this Contract. Subcontractors must submit the documentary requirements under Section 23.1 of the 2016 revised IRR of RA No. 9184 and comply with the eligibility criteria specified in **ITB** Clause 5 to the implementing or end-user unit.

7.3. Subcontracting of any portion of the Project does not relieve the Contractor of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Contractor's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address *{[insert if applicable]}* and/or through videoconferencing/webcasting as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents Comprising the Bid: Eligibility and Technical Components

10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.

10.2. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be

accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. For Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

10.3. In joint ventures, a special PCAB License, and registration for the type and cost of the contract for this Project, shall be required. Any additional type of Contractor license or permit shall be indicated in the **BDS**.

10.4. A List of Contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen) assigned to the contract to be bid, with their complete qualification and experience data shall be provided. These key personnel must meet the required minimum years of experience set in the **BDS**.

10.5. A List of Contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership, certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be, must meet the minimum requirements for the contract set in the **BDS**.

11. Documents Comprising the Bid: Financial Component

11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.

11.2. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.

11.3. For Foreign-funded procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Alternative Bids

Bidders shall submit offers that comply with the requirements of the Bidding Documents, including the basic technical design as indicated in the drawings and specifications. Unless there is a value engineering clause in the **BDS**, alternative Bids shall not be accepted.

13. Bid Prices

All bid prices for the given scope of work in the Project as awarded shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances as determined by the NEDA and approved by the GPPB pursuant to the revised Guidelines for Contract Price Escalation guidelines.

14. Bid and Payment Currencies

14.1. Bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids

denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

14.2. *Payment of the contract price shall be made in:*

[Select one, delete other/s]

- a. Philippine Pesos.
- b. *[indicate currency if procurement involves a foreign-denominated bid as allowed by the Procuring Entity, which shall be tradeable or acceptable by the BSP.]*

15. Bid Security

15.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.

15.2. The Bid and bid security shall be valid until *[one hundred twenty (120) calendar days from the bid opening]*. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

16. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission to the given website or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

17. Deadline for Submission of Bids

The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

18. Opening and Preliminary Examination of Bids

18.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

18.2. The preliminary examination of Bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*" using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of 2016 revised IRR of RA No. 9184.

19.2. If the Project allows partial bids, all Bids and combinations of Bids as indicated in the **BDS** shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid Security as required by **ITB** Clause 16 shall be submitted for each contract (lot) separately.

19.3. In all cases, the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184 must be sufficient for the total of the ABCs for all the lots participated in by the prospective Bidder.

20. Post Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS), and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet (BDS)

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause									
5.2	For this purpose, contracts similar to the Project refer to contracts which have the same major categories of work, which shall be: Construction of NVSU Cafeteria Building for Bayombong Campus. <i>[provide description/clarification of what are major categories of work].</i>								
7.1	<i>[Specify the portions of Works and the maximum percentage allowed to be subcontracted, which shall not be significant or material components of the Project as determined by the Procuring Entity.]</i>								
10.3	<i>[Specify if another Contractor license or permit is required.]</i>								
10.4	The key personnel must meet the required minimum years of experience set below: <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;"><u>Key Personnel</u></td> <td style="width: 25%;"><u>General Experience</u></td> <td style="width: 25%;"><u>Relevant Experience</u></td> <td style="width: 25%;"><u>Civil</u></td> </tr> <tr> <td>Engineer</td> <td></td> <td></td> <td></td> </tr> </table>	<u>Key Personnel</u>	<u>General Experience</u>	<u>Relevant Experience</u>	<u>Civil</u>	Engineer			
<u>Key Personnel</u>	<u>General Experience</u>	<u>Relevant Experience</u>	<u>Civil</u>						
Engineer									
10.5	The minimum major equipment requirements are the following: <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;"><u>Equipment</u></td> <td style="width: 33%;"><u>Capacity</u></td> <td style="width: 33%;"><u>Number of Units</u></td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>	<u>Equipment</u>	<u>Capacity</u>	<u>Number of Units</u>					
<u>Equipment</u>	<u>Capacity</u>	<u>Number of Units</u>							
12	<i>[Insert Value Engineering clause if allowed.]</i> Not applicable.								
15.1	The bid security shall be in the form of a Bid Securing Declaration or any of the following forms and amounts: <p style="margin-left: 40px;">a. The amount of not less than One Hundred Fifty-Seven Thousand Three Hundred Thirty-Six pesos and 24/100 only (Php157,336.24) <i>[Insert two percent (2%) of ABC]</i>, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit;</p> <p style="margin-left: 40px;">b. The amount of not less than Three Hundred Ninety-Three Thousand Three Hundred Forty pesos and 60/100 only (Php393,340.60) <i>[Insert five percent (5%) of ABC]</i> if bid security is in Surety Bond.</p>								
19.2	Partial bids are allowed, as follows: <i>[Insert grouping of lots by specifying the items and the quantity for every identified lot.]</i> Not Applicable								
20	<i>[List licenses and permits relevant to the Project and the corresponding law requiring it, e.g. Environmental Compliance Certificate, Certification that the project site is not within a geohazard zone, etc.]</i>								
21	Additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity, such as construction schedule and S-curve, manpower schedule, construction methods, equipment utilization schedule, construction safety and health program (CSHP) approved by the DOLE, and other acceptable tools of project scheduling.								

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Contractor, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. **Scope of Contract**

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

2. **Sectional Completion of Works**

If sectional completion is specified in the **Special Conditions of Contract (SCC)**, references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date shall apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).

3. **Possession of Site**

4.1. The Procuring Entity shall give possession of all or parts of the Site to the Contractor based on the schedule of delivery indicated in the **SCC**, which corresponds to the execution of the Works. If the Contractor suffers delay or incurs cost from failure on the part of the Procuring Entity to give possession in accordance with the terms of this clause, the Procuring Entity's Representative shall give the Contractor a Contract Time Extension and certify such sum as fair to cover the cost incurred, which sum shall be paid by Procuring Entity.

4.2. If possession of a portion is not given by the above date, the Procuring Entity will be deemed to have delayed the start of the relevant activities. The resulting adjustments in contract time to address such delay may be addressed through contract extension provided under Annex "E" of the 2016 revised IRR of RA No. 9184.

4. **The Contractor's Obligations**

The Contractor shall employ the key personnel named in the Schedule of Key Personnel indicating their designation, in accordance with **ITB** Clause 10.3 and specified in the **BDS**, to carry out the supervision of the Works.

The Procuring Entity will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are equal to or better than those of the personnel listed in the Schedule.

5. Performance Security

5.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR.

5.2. The Contractor, by entering into the Contract with the Procuring Entity, acknowledges the right of the Procuring Entity to institute action pursuant to RA No. 3688 against any subcontractor be they an individual, firm, partnership, corporation, or association supplying the Contractor with labor, materials and/or equipment for the performance of this Contract.

6. Site Investigation Reports

The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to in the SCC supplemented by any information obtained by the Contractor.

7. Warranty

7.1. In case the Contractor fails to undertake the repair works under Section 62.2.2 of the 2016 revised IRR, the Procuring Entity shall forfeit its performance security, subject its property(ies) to attachment or garnishment proceedings, and perpetually disqualify it from participating in any public bidding. All payables of the GOP in his favor shall be offset to recover the costs.

7.2. The warranty against Structural Defects/Failures, except that occasioned-on force majeure, shall cover the period from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity. Specific duration of the warranty is found in the SCC.

8. Liability of the Contractor

Subject to additional provisions, if any, set forth in the SCC, the Contractor's liability under this Contract shall be as provided by the laws of the Republic of the Philippines. If the Contractor is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

9. Termination for Other Causes

Contract termination shall be initiated in case it is determined *prima facie* by the Procuring Entity that the Contractor has engaged, before, or during the implementation of the contract, in unlawful deeds and behaviors relative to contract acquisition and implementation, such as, but not limited to corrupt, fraudulent, collusive, coercive, and obstructive practices as stated in **ITB** Clause 4.

10. Dayworks

Subject to the guidelines on Variation Order in Annex “E” of the 2016 revised IRR of RA No. 9184, and if applicable as indicated in the **SCC**, the Dayworks rates in the Contractor’s Bid shall be used for small additional amounts of work only when the Procuring Entity’s Representative has given written instructions in advance for additional work to be paid for in that way.

11. Program of Work

11.1. The Contractor shall submit to the Procuring Entity’s Representative for approval the said Program of Work showing the general methods, arrangements, order, and timing for all the activities in the Works. The submissions of the Program of Work are indicated in the **SCC**.

11.2. The Contractor shall submit to the Procuring Entity’s Representative for approval an updated Program of Work at intervals no longer than the period stated in the **SCC**. If the Contractor does not submit an updated Program of Work within this period, the Procuring Entity’s Representative may withhold the amount stated in the **SCC** from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program of Work has been submitted.

12. Instructions, Inspections and Audits

The Contractor shall permit the GOP or the Procuring Entity to inspect the Contractor’s accounts and records relating to the performance of the Contractor and to have them audited by auditors of the GOP or the Procuring Entity, as may be required.

13. Advance Payment

The Procuring Entity shall, upon a written request of the Contractor which shall be submitted as a Contract document, make an advance payment to the Contractor in an amount not exceeding fifteen percent (15%) of the total contract price, to be made in lump sum, or at the most two installments according to a schedule specified in the **SCC**, subject to the requirements in Annex “E” of the 2016 revised IRR of RA No. 9184.

14. Progress Payments

The Contractor may submit a request for payment for Work accomplished. Such requests for payment shall be verified and certified by the Procuring Entity’s Representative/Project Engineer. Except as otherwise stipulated in the **SCC**, materials and equipment delivered on the site but not completely put in place shall not be included for payment.

15. Operating and Maintenance Manuals

15.1. If required, the Contractor will provide “as built” Drawings and/or operating and maintenance manuals as specified in the **SCC**.

15.2. If the Contractor does not provide the Drawings and/or manuals by the dates stated above, or they do not receive the Procuring Entity’s Representative’s approval, the Procuring Entity’s Representative may withhold the amount stated in the **SCC** from payments due to the Contractor.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Works procured. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC Clause	
2	<i>[If different dates are specified for completion of the Works by section, i.e. “sectional completion,” these dates should be listed here.]</i>
4.1	<i>[Specify the schedule of delivery of the possession of the site to the Contractor, whether full or in part.]</i>
6	The site investigation reports are: <i>[list here the required site investigation reports.]</i> Not Applicable
7.2	<i>[Select one, delete the other.]</i> <i>[In case of permanent structures, such as buildings of types 4 and 5 as classified under the National Building Code of the Philippines and other structures made of steel, iron, or concrete which comply with relevant structural codes (e.g., DPWH Standard Specifications), such as, but not limited to, steel/concrete bridges, flyovers, aircraft movement areas, ports, dams, tunnels, filtration and treatment plants, sewerage systems, power plants, transmission and communication towers, railway system, and other similar permanent structures:]</i> Fifteen (15) years.
10	<i>[Select one, delete the other:]</i> a. Dayworks are applicable at the rate shown in the Contractor’s original Bid.
11.1	The Contractor shall submit the Program of Work to the Procuring Entity’s Representative within <i>seven (7)</i> days of delivery of the Notice of Award.
11.2	The amount to be withheld for late submission of an updated Program of Work is <i>[insert amount]</i> . Not Applicable.
13	The amount of the advance payment is <i>[insert amount as percentage of the contract price that shall not exceed 15% of the total contract price and schedule of payment]</i> . 15% advance payment.
14	<i>[If allowed by the Procuring Entity, state:]</i> Materials and equipment delivered on the site but not completely put in place shall be included for payment. Not Applicable.
15.1	The date by which operating and maintenance manuals are required is <i>[date]</i> . Not Applicable. The date by which “as built” drawings are required is <i>[date]</i> . Upon final billing.
15.2	The amount to be withheld for failing to produce “as built” drawings and/or operating and maintenance manuals by the date required is <i>[amount in local currency]</i> . Not Applicable.

Section VI. Specifications

Notes on Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying or conditioning their Bids. In the context of international competitive bidding, the specifications must be drafted to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of economy, efficiency, and fairness in procurement be realized, responsiveness of Bids be ensured, and the subsequent task of bid evaluation facilitated. The specifications should require that all goods and materials to be incorporated in the Works be new, unused, of the most recent or current models, and incorporate all recent improvements in design and materials unless provided otherwise in the Contract.

Samples of specifications from previous similar projects are useful in this respect. The use of metric units is mandatory. Most specifications are normally written specially by the Procuring Entity or its representative to suit the Works at hand. There is no standard set of Specifications for universal application in all sectors in all regions, but there are established principles and practices, which are reflected in these PBDs.

There are considerable advantages in standardizing General Specifications for repetitive Works in recognized public sectors, such as highways, ports, railways, urban housing, irrigation, and water supply, in the same country or region where similar conditions prevail. The General Specifications should cover all classes of workmanship, materials, and equipment commonly involved in construction, although not necessarily to be used in a particular Works Contract. Deletions or addenda should then adapt the General Specifications to the particular Works.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for goods, materials, and workmanship, recognized international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that goods, materials, and workmanship that meet other authoritative standards, and which ensure substantially equal or higher quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the SCC.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Contract to specific standards and codes to be met by the goods and materials to be furnished, and work performed or tested, the provisions of the latest current edition or revision of the relevant standards and codes in effect shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national, or relate to a particular country or region, other authoritative standards that ensure a substantially equal or higher quality than the standards and codes specified will be accepted subject to the Procuring Entity's Representative's prior review and written consent. Differences between the standards specified and the proposed alternative standards shall be fully described in writing by the Contractor and submitted to the Procuring Entity's Representative at least twenty-eight (28) days prior to the date when the Contractor desires the Procuring Entity's Representative's consent. In the event the Procuring Entity's Representative determines that such proposed deviations do not ensure substantially equal or higher quality, the Contractor shall comply with the standards specified in the documents.

These notes are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final Bidding Documents.

Section VII. Drawings

[Insert here a list of Drawings. The actual Drawings, including site plans, should be attached to this section, or annexed in a separate folder.]

Section VIII. Bill of Quantities

Notes on the Bill of Quantities

Objectives

The objectives of the Bill of Quantities are:

- a. to provide sufficient information on the quantities of Works to be performed to enable Bids to be prepared efficiently and accurately; and
- b. when a Contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed.

In order to attain these objectives, Works should be itemized in the Bill of Quantities in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and content of the Bill of Quantities should be as simple and brief as possible.

Daywork Schedule

A Daywork Schedule should be included only if the probability of unforeseen work, outside the items included in the Bill of Quantities, is high. To facilitate checking by the Entity of the realism of rates quoted by the Bidders, the Daywork Schedule should normally comprise the following:

- a. A list of the various classes of labor, materials, and Constructional Plant for which basic daywork rates or prices are to be inserted by the Bidder, together with a statement of the conditions under which the Contractor will be paid for work executed on a daywork basis.
- b. Nominal quantities for each item of Daywork, to be priced by each Bidder at Daywork rates as Bid. The rate to be entered by the Bidder against each basic Daywork item should include the Contractor's profit, overheads, supervision, and other charges.

Provisional Sums

A general provision for physical contingencies (quantity overruns) may be made by including a provisional sum in the Summary Bill of Quantities. Similarly, a contingency allowance for possible price increases should be provided as a provisional sum in the Summary Bill of Quantities. The inclusion of such provisional sums often facilitates budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises. Where such provisional sums or contingency allowances are used, the SCC should state the manner in which they will be used, and under whose authority (usually the Procuring Entity's Representative's).

The estimated cost of specialized work to be carried out, or of special goods to be supplied, by other contractors should be indicated in the relevant part of the Bill of Quantities as a particular provisional sum with an appropriate brief description. A separate procurement procedure is normally carried out by the Procuring Entity to select such specialized contractors. To provide an element of competition among the Bidders in respect of any facilities, amenities, attendance, etc., to be provided by the successful Bidder as prime Contractor for the use and convenience of the specialist contractors, each related provisional sum should be followed by an item in the Bill of Quantities inviting the Bidder to quote a sum for such amenities, facilities, attendance, etc.

Signature Box

A signature box shall be added at the bottom of each page of the Bill of Quantities where the authorized

Representative of the Bidder shall affix his/her signature. Failure of the authorized representative to sign each and every page of the Bill of Quantities shall be a cause for rejection of his/her bid.

These Notes for Preparing a Bill of Quantities are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final documents.

CONTRACTOR'S HEADINGS

Project: **CONSTRUCTION OF NVSU CAFETERIA BUILDING**
 Location: **NVSU Bayombong Campus, Bayombong, Nueva Vizcaya**
 ABC: **P7,866,812.00**
 Project Duration: **240 CD**

BILL OF QUANTITIES

ITEM	DESCRIPTION OF WORK	%	QTY	UNIT	UNIT COST	AMOUNT
B.3 (1)	Permit and Clearances		1.00	LS		
B.5(1)	Project Billboard/Signboard		1.00	LS		
B.7(1)	Occupational Safety and Health Program		1.00	LS		
800(2)	Clearing and Grubbing		1.00	LS		
803(1)a	Structure Excavation (Common Soil)		99.81	Cu.m.		
804(1)a	Embankment from structure Excavation		39.92	Cu.m.		
804(2)d	Embankment From Borrow by Equipment		457.32	Cu.m.		
804(7)	Gravel Fill		31.67	Cu.m.		
900(1)	Structural Concrete (Footing, RCWF, & SOF (Class A, 28 days)		57.60	Cu.m.		
900(1)	Structural Conc. (TW, Cols., Susp. Slab, Beams, Stairs - Class A, 28 days)		103.78	Cu.m.		
902(1)a1	Reinforcing Steel (Deformed) Grade 40		13,291.37	kgs		
903(2)	Formworks and Falseworks		1.00	LS		
1000(1)	Soil Poisoning		48.00	L		
1001(8)	Sewer Line Works		1.00	LS		
1002(4)	Plumbing Fixtures		1.00	LS		
1002(24)	Cold Waterline Pipes and Fittings		1.00	LS		
1003(2)e	Wall (Aluminum Composite Panel)		38.43	Sq.m		
1003(1)d	Ceiling, Gypsum Board on Metal Frame		210.08	Sq.m.		
1003(1)e	Ceiling, Pre-painted Metal Panel on Metal Frame		69.15	Sq.m.		
1003(12)	Fascia Board, Metal		560.04	Kgs		
1004(2)	Finishing Hardware		1.00	LS		
1008(1)a	Aluminum Glass Window (Sliding Type)		10.46	Sq.m.		
1008(1)c	Aluminum Glass Window (Awning Type)		41.41	Sq.m.		
1008(1)d	Aluminum Glass Window (Fixed Type)		84.59	Sq.m.		
1010(1)	Frames (Jambs, Head and Transom)		9.00	Set		
1043(1)	PVC Doors and Frames		8.16	Sq.m.		
1010(2)b	Door (Wooden Panel)		16.17	Sq.m.		
1007(1)b	Aluminum Framed Glass Door, Swing Type		4.20	Sq.m.		
1007(1)a	Aluminum Framed Glass Door, Sliding Type		22.47	Sq.m.		
1013(2)b	Fabricated Metal Roofing Accessory, (0.551mm) Flashing		74.00	Ln.m.		
1014(1)b2	Pre-painted Metal Sheets(Long Span, Above 0.427mm, Rib Type)		310.20	Sq.m.		
1016(1)a	Water Proofing Cement Base		65.24	Sq.m.		
1018(1)	Glazed Tiles and Trims		307.66	Sq.m.		
1018(2)	Unglazed Tiles		114.49	Sq.m.		
1021(1)	Cement Floor Finish (Plain)		107.93	Sq.m.		
1027(1)	Cement Plaster Finish		774.67	Sq.m.		
1032(1)a	Painting Works (Masonry Painting)		126.14	Sq.m.		
1032(1)c	Painting Works (Steel)		434.29	Sq.m.		
1046(2)a1	CHB Non-Load Bearing (Including RSB), 100mm		72.00	Sq.m.		

1046(2)a2	CHB Non-Load Bearing (Including RSB), 125mm		338.30	Sq.m.		
1047(8)a	Structural Steel, Roof Truss		3,429.78	Kgs		
1047(8)c	Structural Steel (Cladding Frames)		746.18	Kgs		
1047(9)b	Structural Steel, Purlins		1,633.48	Kgs		
1051(1)a	Railing		1.00	LS		
1001(11)	Septic Vault (Concrete)		1.00	LS		
1100(10)	Conduit, Boxes & Fittings (Conduit Works/Conduit Rough-in)		1.00	LS		
1101(33)	Wires and Wiring Devices		1.00	LS		
1102(1)	Panel Board with Main & Branch Breakers		1.00	LS		
1103(1)	Lighting Fixtures		1.00	LS		
1109(1)	Grounding System		1.00	LS		
1111(9)	3 Spool Insulator Secondary Rack		5.00	Sets		
1200(13)a	Exhaust Fan, Ceiling Cassette		4.00	LS		
1200(13)a	Air Conditioning, Package/Split Type		1.00	LS		
1201(7)c	Fire Extinguisher		4.00	Sets		
1208(1)	Fire Alarm System		1.00	LS		

Signed and sealed by:

Civil Engineer
PRC No.: _____ Valid Until: _____
PTR No.: _____ Issued On: _____
Issued at: _____ TIN No.: _____

Submitted by: _____
Contractor's Representative

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Permit and Clearances
 Item No.: B.3(1)
 Unit of Measurement: LS
 Output per Hour: 1 LS

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	1	LS		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Building Permit, Occupancy Permit and other clearances fees including the following:	LS	1.00		
	Fire Safety Evaluation Clearance Fee				
	Brgy. Clearance for Construction Fee				
	Professional Fee				
	Blueprint, 11" x 17"				
	Business Taxes				
	Notarial Fees				
	etc.				
	Scope:				
	Building and Occupancy permits and Clearances.				
	NOTE:				
	Permit shall be issued before construction resume or commence.				
	It shall be posted on the construction Area together with the project billboard and safety signages.				
	Refer to the Building Official the possible cost of the above item for a reasonable bid cost.				
Sub Total (F)					
G.	Direct Unit Cost (E + F)	(E + F)			
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses	15%,12%,10%,8% of G			N/A
I.	Contractor's Profit (CP)	10%, 8% of G			N/A
J.	Value Added Tax (Vat)	5% of (G+H+I)			
K.	Total Unit Cost	(G + H + I + J)			

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Project Billboard/Signboard
 Item No.: B.5(1)
 Unit of Measurement: LS
 Output per Hour: 1 LS

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
a.	Construction Foreman				
b.	Skilled Laborer				
c.	Unskilled Laborer				
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	1	LS		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Marine Plywood (6mm x 1.20m x 2.44m)	pc	1		
	Coco Lumber, 2" x 2" x 8' (10 pcs)	Bd.ft.	26.67		
	Project Sign (Tarpaulin Printed, 4' x 8')	Sq.ft.	32		
	CW Nail, Assorted	kg	0.5		
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Occupational Safety and Health Program
 Item No.: B.7(1)
 Unit of Measurement: LS
 Output per Hour: 1 LS

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	Safety Officer (Part Time)	1	300		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	1	LS		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	PPE (Rental Basis - Rental Unit Cost shall be based on DPWH DO No. 13, S.2018)				
	Safety Helmet	MD	10,781.42		
	Safety Vest	MD	10,781.42		
	Safety Shoes	MD	730.00		
	Safety Gloves	MD	3,557.87		
	Body Harness and Lanyard	MD	2,156.28		
	Rubber Boots	MD	793.00		
	Raincoats	MD	3,234.43		
	Signages & Barricades:				
	PPE Signage (4' x 8')	Set	1		
	Safety First (4'x4')	Set	1		
	Warning Signs (2' x 3')	Set	8		
	Caution Tapes, 100ft	roll	1		
	NOTE: 1. Submit Construction Safety Plan at the Infra. Section before the commence of the construction.				
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		N/A
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Clearing and Grubbing
 Item No.: 800 (2)
 Unit of Measurement: LS
 Output per Hour: 1 LS

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(Php)
A.	Labor				
	Approximate Area to be Cleared 600 sq.m				
	a. Leadman				
	b. Unskilled Laborer				
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	1	LS		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Scope of Work:				
	1. Removal and disposal of Banana trees at the area as directed by the NVSU engineer				
	2. Removal of grass, brushes and other unsuitable materials thereat.				
	NOTE:				
	All bananas shall be uprooted on the location of the building area.				
	All other tree plantation along the road should not be removed or destroyed.				
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Structure Excavation, (Common Soil)
 Item No.: 803(1)a
 Unit of Measurement: cu.m
 Output per Hour: cu.m

	Designation	No of Person/s	No. of Hour/s	Hourly Rate	Amount (PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Unskilled Laborer	3	1		
Sub Total (A)					
	Name and Capacity	No. of Equipt./s	No of Hour/s	Hourly Rate	Total Cost
B.	Equipment				
	Backhoe (0.80 cu.m.)	1	1.00		
	Minor Tools				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour		cu.m		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	SCOPE:				
	1. Excavation of Column Footing, wall footing, footing Tie Beam, and septic tanks, etc.				
	Depth of Footing: = 1.20 m				
	CF-1 (2.15X2.15) = 11.09				
	CF-2(1.80X1.80) = 34.99				
	CF-3(1.30X1.30) = 12.17				
	STF(1.15X1.15) = 3.17				
	FTB = 12.26				
	WF = 9.24				
	Septic tank: = 16.88				
	TOTAL = 99.81 cu.m				
	NOTE:				
	All excavated shall be placed outside the building area or use as fill materials on the building perimeter.				
Sub Total (F)					
G.	Direct Unit Cost (E + F)			(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses			15%,12%,10%,8% of G	
I.	Contractor's Profit (CP)			10%, 8% of G	
J.	Value Added Tax (Vat)			5% of (G+H+I)	
K.	Total Unit Cost			(G + H + I + J)	

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Embankment from Structure Excavation
 Item No.: 804(1)a
 Unit of Measurement: cu.m
 Output per Hour: _____ cu.m

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Unskilled Laborer	3	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	a. Plate Compactor (5HP)	1	0.75		
	b. Backhoe (0.80 cu.m.)	1	0.75		
	Minor Tools				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	cu.m		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	VOLUME OF BACKFILL: 39.92 CU.M				
	SCOPE:				
	1. Back filling of excavated materials on the outside perimeter of the building.				
	NOTE:				
	No excavated soil shall be use for fill materials inside the building area.				
	Back Fill materials shall be compacted using plate compactor following the standard method of compaction.				
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Embankment from Borrow by Equipment
 Item No.: 804(2)d
 Unit of Measurement: cu.m
 Output per Hour: _____ cu.m /Hr.

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Unskilled Laborer	3	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	a. Plate Compactor (5HP)	1	0.75		
	b. Backhoe (0.80 cu.m.)	1	0.75		
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	cu.m /Hr.		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Mixed Sand & Gravel w/ 25% Shrinkage Factor, (Approved Mixture)	Cu.m.	1.25		
	SCOPE:				
	1. Filling of the building area including the access roadway and parking space.				
	BLDG AREA: 412.32 cu.m				
	Access Road: 45.00 cu.m				
	457.32 cu.m				
	NOTE:				
	1. Building fill materials shall be compacted in accordance with standard procedure.				
	2. Unsuitable materials shall not be used for fill. Compact fill materials using proper method.				
	3. Fill materials shall be mixed with the excavated soil.				
Sub Total (F)					
G.	Direct Unit Cost (E + F)			(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Gravel Fill
 Item No.: 804(7)
 Unit of Measurement: cu.m
 Output per Hour: cu.m /Hr.

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Unskilled Laborer	3	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	a. Plate Compactor (5HP)	1	0.50		
	Minor Tools				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour		cu.m /Hr.		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Gravel Bedding (G-2)	cu.m	1.05		
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Structural Concrete (Footing, RCWF, & SOF (Class A, 28 days)
 Item No.: 900(1)
 Unit of Measurement: cu.m
 Output per Hour: _____ cu.m/Hr.

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	1	1		
	c. Unskilled Laborer	4	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	a. One Bagger Mixer	1	1.00		
	Minor Tools				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	Cu.m/Hr.		
E.					
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	a. Screened Gravel, G-1	Cu.m.	1		
	b. Screened Sand, S-1	Cu.m.	0.5		
	c. Portland Cement, 40 kg/bag	Bags	9.03		
	NOTE:				
	1, All concrete works w/ forms shall be provided with concrete spacer				
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Structural Concrete (TW, Cols, Susp. Slab, Beams, Stairs - Class A, 28 days)
 Item No.: 900(1)
 Unit of Measurement: cu.m
 Output per Hour: _____ cu.m/Hr.

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	1	1		
	c. Unskilled Laborer	4	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	a. One Bagger Mixer	2	1.00		
	Minor Tools				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	Cu.m/Hr.		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	a. Screened Gravel, G-1	Cu.m.	1		
	b. Screened Sand, S-1	Cu.m.	0.5		
	c. Portland Cement, 40kg/bag	bags	9.03		
	NOTE:				
	1. All concrete works in this item shall be provided w/ concrete spacer.				
	2. Always use concrete vibrator in every concrete poured on forms.				
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Reinforcing Steel (Deformed), Grade 40
 Item No.: 902(1)a1
 Unit of Measurement: kg
 Output per Hour: _____ kg

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	3	1		
	c. Unskilled Laborer	12	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	a. Bar Cutter	1	0.50		
	b. Bar Bender	1	0.50		
	Minor Tools				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	Kg/Hr.		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	a. Deformed Reinforcing Steel Bar, Grade 40	kg	1		
	b. GI Tie Wire, # 16	kg	0.015		
	Consumables (3% of Materials Cost)				
	NOTE:				
	All RSB to be provided shall be steel Asia w/ proper markings certified by DTL.				
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Formworks and Falseworks
 Item No.: 903(2)
 Unit of Measurement: LS
 Output per Hour: 1 LS

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	Installation				
	a. Leadman				
	b. Skilled Laborer				
	c. Unskilled Laborer				
	Stripping				
	a. Leadman				
	b. Unskilled Laborer				
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Scaffolding Rental wich includes the following: (LS Basis)				
	a. H-Frame, 1.7mx1.20m, w/ diagonal braces, 40pc				
	b. Shoring Jack, 3.8m full extension, 63pcs				
	c. Adjustable U-Head Jack, 0.60m, 80pcs				
	d. Adjustable Base Jack, 0.60m, 80pcs				
	e. GI Pipe, 1-1/2" Ø x 6.0m, 60pcs				
	f. GI Pipe, 1-1/2" Ø x 6.0m, 16pcs				
	g. GI Pipe, 1-1/2" Ø x 6.0m, 32pcs				
	h. GI Pipe, 1-1/2" Ø x 6.0m, 215 pcs				
	i. Tie Rod, 0.60m, 278 pcs				
	j. Round Wing Nut, 560pcs				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	1	LS		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	a. Phenolic Board (0.019 x1.20 x 2.40)-3 uses	pc	102		
	c. Good Lumber- 3 Uses	Bd.ft.	1360		
	c. Consumables (5% of Materials Cost)				
Sub Total (F)					
G.	Direct Unit Cost (E + F)			(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses			15%,12%,10%,8% of G	
I.	Contractor's Profit (CP)			10%, 8% of G	
J.	Value Added Tax (Vat)			5% of (G+H+I)	
K.	Total Unit Cost			(G + H + I + J)	

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Soil Poisoning
 Item No.: 1000(1)
 Unit of Measurement: L
 Output per Hour: _____ L/Hr.

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	1	1		
	c. Unskilled Laborer	2	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor Tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	L/Hr.		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Soil Poisoning (D-Fence Soil Termiside)	L	1		
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Sewer Line Works
 Item No.: 1001(8)
 Unit of Measurement: LS
 Output per Hour: 1 LS

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman				
	b. Skilled Laborer				
	c. Unskilled Laborer				
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor Tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	1	LS		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	PVC Pipe, 100mm dia x 3m, S 1000	pc	15		
	PVC Pipe, 50mm dia x 3m, S 1000	pc	18		
	Elbow, 101mm Ø - 87.5 deg bend	pc	4		
	Elbow, 101mm Ø - 45 deg bend	pc	10		
	Elbow, 50mm Ø - 87.5 deg bend	pc	6		
	Elbow, 50mm Ø - 45 deg bend	pc	6		
	Single Branch Wye, 101mm Ø	pc	10		
	Single Branch Wye, 50mm Ø	pc	10		
	Wye Reducer, 100mm Ø - 50mm Ø	pc	16		
	PVC Tee, 100 mm Ø (For Septic Tank)	pc	6		
	PVC Tee, 50 mm Ø	pc	10		
	Clean Out with cover, 100mm Ø	pc	3		
	Clean Out with cover, 50mm Ø	pc	6		
	PVC P-Trap, 50mm Ø	pc	14		
	Solvent Cement, 400cc	can	6		
	Consumables (3% of material Cost)				
Sub Total (F)					
G.	Direct Unit Cost (E + F)			(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Plumbing Fixtures
 Item No.: 1002(4)
 Unit of Measurement: LS
 Output per Hour: 1 LS

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman				
	b. Skilled Laborer				
	c. Unskilled Laborer				
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor Tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	1	LS		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Water Closet complete w/ fittings and accessories	sets	5		
	Urinal (trough)	sets	3		
	Counter Basin, Grade A, complete w/ fittings & accs.	sets	3		
	Wall Hung Lavatory Including Fitting & acc. (American Std or Eq.)	Sets	5		
	Gate Valve, 32mm Ø	sets	1		
	S.S. 304 Floor Drain, 4" x 4:	sets	8		
	Facial Mirror, 60cm X 80cm (Wood Frame)	pc	3		
	PWD Grab Bar, Stainless	sets	2		
	Faucets, Goose Neck, S.S. 1/2mm Ø	sets	10		
	Soap Holder. BA 39-Titan	sets	6		
	Tissue Paper Holder, Stainless	sets	6		
	Faucet, GV	pc	10		
	Consumables (3% Material Cost)				
Sub Total (F)					
G.	Direct Unit Cost (E + F)			(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%, 12%, 10%, 8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Cold Waterline Pipes and Fittings
 Item No.: 1002(24)
 Unit of Measurement: LS
 Output per Hour: 1 LS

	Designation	No. of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman				
	b. Skilled Laborer				
	c. Unskilled Laborer				
Sub Total (A)					
	Name and Capacity	No. of	No. of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor Tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	1	LS		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	a. PPR Pipe, 32mm Ø x 4m, PN 20	pc	15		
	b. PPR Pipe, 25mm Ø x 4m, PN 20	pc	4		
	c. PPR Pipe, 20mm Ø x 4m, PN 20	pc	7		
	c. PPR Coupling, 32mm Ø	pc	15		
	d. PPR Coupling, 25mm Ø	pc	4		
	e. PPR Tee Reducer, 32mm Ø x 25mm Ø	pc	4		
	f. PPR Female Threaded Tee Reducer, 25mm Ø x 20mm Ø	pc	18		
	g. PPRC Elbow, 20mm Ø	pc	18		
	h. PPRC Cup, 25mm Ø	pc	22		
	i. PPR Feamble Threaded Coupling, 20mm Ø	pc	20		
	j. PPR Gate Valve, 32mm Ø	pc	4		
	k. PPR Gate Valve, 25mm Ø	pc	5		
	l. Union Patente, 32mm Ø	pc	4		
	m. Check Valve, 32mm Ø	pc	2		
	Consumables (5% Labor Cost)				
	NOTE:				
	All excess pipes and fittings shall be turned over to the GSU office.				
Sub Total (F)					
G.	Direct Unit Cost (E + F)			(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses			15%,12%,10%,8% of G	
I.	Contractor's Profit (CP)			10%, 8% of G	
J.	Value Added Tax (Vat)			5% of (G+H+I)	
K.	Total Unit Cost			(G + H + I + J)	

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Wall (Aluminum Composite Panel)
 Item No.: 1003(2)e
 Unit of Measurement: sq.m
 Output per Hour: _____ sq.m

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	1	1		
	c. Unskilled Laborer	2	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor Tools				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	Sq.m		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Aluminum Composite Panel, 3mm x 4' x 8'	Pc	0.347		
	Metal Screws, 3/4" (500pc/box)	pc	12		
	Blind Rivet, 1/8" x 12mm	pc	12		
	Consumables (Sealant)				
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Ceiling Gypsum Board on Metal Frame
 Item No.: 1003(1)d
 Unit of Measurement: sq.m
 Output per Hour: _____ sq.m/Hr.

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	1	1		
	c. Unskilled Laborer	2	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor Tools (10 % of the Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	Sq.m/Hr.		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Gypsum Ceiling Board, 9.0mm thick x 4' x 8', Moisture Resistant	pc	0.37		
	Metal Furring (0.60mm x 19mm x 50mm x 3m)	pc	1.131		
	Carrying Channels (1.0mm x 12mm x 38mm x 3m)	pc	0.37		
	Hanger Bars/Rod	pc	1		
	Channel Clip	pc	6		
	Wall Angle	pc	0.24		
	Rivets	pc	14		
	Metal Screw, 1"	pc	4		
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Ceiling, Pre-painted Metal Panel on Metal Frame
 Item No.: 1003(1)e
 Unit of Measurement: sq.m
 Output per Hour: _____ sq.m/Hr.

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	1	1		
	c. Unskilled Laborer	2	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor Tools (10 % of the Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	Sq.m./Hr.		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Rib Spandrel in Pre-painted Finish, 6" x 8ft	pc	2.175		
	End Moulding, 6" x 8ft	pc	0.85		
	Metal Furring, 0.60mm x 19mm x 50mm x 5m	pc	0.25		
	Carrying Channels (1.0mm x 12mm x 38mm x 5m)	pc	0.08		
	Rivets	pc	14		
	Metal Screw, 1"	pc	4		
	Screw w/ Tox, 1 1.2"	pc	3		
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Fascia Board, Metal
 Item No.: 1003(12)
 Unit of Measurement: kg
 Output per Hour: _____ kg/Hr.

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	0.5		
	b. Skilled Laborer	1	0.5		
	c. Unskilled Laborer	2	0.5		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Welding Machine (Inverter, 300A)	1	0.50		
	Minor Tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	Kg/Hr.		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Structural Steel C-purlins, 1.50mm x 50mm x 150mm - 2 layers	1.00	kg		
	Welding Rod, E6013	0.02	kg		
	Consumables				
Sub Total (F)					
G.	Direct Unit Cost (E + F)			(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Finishing Hardware
 Item No.: 1004 (2)
 Unit of Measurement: LS
 Output per Hour: 1 LS

	Designation	No. of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	Include labor Cost in the installation of doors				
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Include Equipment Rental included in door installation				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	1	LS		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	a. Brass Hinges, 50mmx 101mm	pc	44.00		
	b. Doorknob, Schlage or equivalent	Set	11.00		
	c. Stainless Door Handle, HD (as per sample)	pc	22.00		
	D-4: 4.00 sets				
	D-5: 3.00 sets				
	D-6: 4.00 sets				
	D-7: 2.00 sets				
	13.00 sets				
	52.00				
Sub Total (F)					
G.	Direct Unit Cost (E + F)			(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Aluminum Glass Windows (Sliding Type)
 Item No.: 1008 (1)a
 Unit of Measurement: sq.m
 Output per Hour: _____ sq.m/Hr.

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	1	1		
	c. Unskilled Laborer	1	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	Sq.m/Hr.		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Aluminum Glass Window with complete acc.(Sliding)	Sq.m.	1		
	Consumables (3% of the Materials Cost)				
	W-3: 3.31 Portion of Window 3				
	W-8: 6.28				
	W-9: 0.87				
	TOTAL: 10.46 Sq.m				
Sub Total (F)					
G.	Direct Unit Cost (E + F)			(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses			15%,12%,10%,8% of G	
I.	Contractor's Profit (CP)			10%, 8% of G	
J.	Value Added Tax (Vat)			5% of (G+H+I)	
K.	Total Unit Cost			(G + H + I + J)	

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Aluminum Glass Window (Awning Type)
 Item No.: 1008 (1)c
 Unit of Measurement: sq.m
 Output per Hour: _____ sq.m/Hr.

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	1	1		
	c. Unskilled Laborer	1	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	Sq.m/Hr.		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Aluminum Framed Glass Window w/ compl. acc.(Awning Type)	Sq.m.	1		
	Consumables (3% of the Materials Cost)				
	Area				
	W-1: 2.88				
	W-2: 0.48				
	W-3: 5.56 Portion of W-3				
	W-5: 2.33				
	W-6: 15.76				
	W-7: 14.40				
	TOTAL: 41.41 sq,m				
	NOTE:				
	1. All Aluminum frames shall be powder coated white 1mm thick.				
	2. All window hinges, lock set and accessories shall be Heavy duty.				
Sub Total (F)					
G.	Direct Unit Cost (E + F)			(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Aluminum Glass Window (Fixed Type)
 Item No.: 1008 (1)d
 Unit of Measurement: sq.m
 Output per Hour: _____ sq.m/Hr.

	Designation	No of Person/s	No. of Hour/s	Hourly Rate	Amount (PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	1	1		
	c. Unskilled Laborer	1	1		
Sub Total (A)					
	Name and Capacity	No. of Equipt./s	No of Hour/s	Hourly Rate	Total Cost
B.	Equipment				
	Minor tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	Sq.m/Hr.		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Powder Coated Aluminum Glass Window w/ compl. acc.(Fixed Type)	Sq.m.	1		
	Consumables (3% of the Materials Cost)				
	This include Aluminum framed fixed Glass on adjacent to doors and Windows.				
	Area				
	D-1: 7.95				
	D-2: 23.85				
	D-3: 18.03				
	W-3: 7.50				
	W-4: 0.60				
	W-5: 2.33				
	W-6: 24.33				
	TOTAL: 84.59 sq.m				
	NOTE: All fixed glass shall be framed with 1 3/4" x 4" Aluminum Tubular.				
Sub Total (F)					
G.	Direct Unit Cost (E + F)			(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses			15%,12%,10%,8% of G	
I.	Contractor's Profit (CP)			10%, 8% of G	
J.	Value Added Tax (Vat)			5% of (G+H+I)	
K.	Total Unit Cost			(G + H + I + J)	

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Frames (Jambs, Head and Transom)
 Item No.: 1010 (1)
 Unit of Measurement: set
 Output per Hour: _____ set/Hr

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	2		
	b. Skilled Laborer	1	2		
	c. Unskilled Laborer	1	2		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	Set/Hr.		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Door Jamb, Head and Transoms	Set	1		
	Consumables (5 %)				
	D-4: 4 sets				
	D-5: 3 sets				
	D-7: 2 sets				
	TOTAL: 9.00 sets				
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: PVC Doors and Frames
 Item No.: 1043 (1)
 Unit of Measurement: sq.m
 Output per Hour: _____ sq.m

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	1	1		
	c. Unskilled Laborer	1	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour		Sq.m		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	PVC Doors and Frames	Sq.m.	1		
	Consumables (3% of Material Cost)				
	D - 6: 8.16 sq.m				
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Door (Wooden Panel)
 Item No.: 1010 (2)b
 Unit of Measurement: sq.m
 Output per Hour: _____ sq.m/Hr

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	1	1		
	c. Unskilled Laborer	2	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	Sq.m/Hr		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Wooden Panel Door, Tanguile or Equivalent	Sq.m.	1		
	AREA				
	D-6: 8.16				
	D-5: 5.67				
	D-7: 3.78				
	TOTAL: 16.17 sq.m				
Sub Total (F)					
G.	Direct Unit Cost (E + F)			(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses			15%,12%,10%,8% of G	
I.	Contractor's Profit (CP)			10%, 8% of G	
J.	Value Added Tax (Vat)			5% of (G+H+I)	
K.	Total Unit Cost			(G + H + I + J)	

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Aluminum Framed Glass Door, Swing Type
 Item No.: 1007 (1)b
 Unit of Measurement: sq.m
 Output per Hour: _____ sq.m/Hr

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	1	1		
	c. Unskilled Laborer	1	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	Sq.m/Hr.		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Aluminum Framed Glass Door (Swing Type)	Sq.m.	1		
	Consumables (3% of materials cost)				
	NOTE:				
	Door shall be complete w/ concealed door closer, handle, door lock, threshold and other accessories.				
	Area				
	D-1: 4.20				
	TOTAL: 4.20 sq.m				
Sub Total (F)					
G.	Direct Unit Cost (E + F)			(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Aluminum Framed Glass Door, Sliding Type
 Item No.: 1007 (1)a
 Unit of Measurement: sq.m
 Output per Hour: _____ sq.m/Hr

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	1	1		
	c. Unskilled Laborer	1	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	Sq.m/Hr		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Aluminum Framed Glass Door (Sliding Type)	Sq.m.	1		
	Consumables (3% of materials cost)				
	NOTE:				
	Door shall be complete w/ concealed door closer, handle, door lock, threshold and other accessories.				
	Area				
	D-2: 12.60				
	D-3: 9.87				
	TOTAL: 22.47 sq.m				
Sub Total (F)					
G.	Direct Unit Cost (E + F)			(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses			15%,12%,10%,8% of G	
I.	Contractor's Profit (CP)			10%, 8% of G	
J.	Value Added Tax (Vat)			5% of (G+H+I)	
K.	Total Unit Cost			(G + H + I + J)	

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Fabricated Metal Roofing Accessory (0.551mm) Flashing
 Item No.: 1013 (2)b
 Unit of Measurement: Ln.m
 Output per Hour: _____ Ln.m/Hr

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	1	1		
	c. Unskilled Laborer	1	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	L.m/Hr		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Fabricated Flashing, 0.60mm)	Sq.m.	1.05		
	Blind Rivets	pc	19		
	Consumables (3% of Materials Cost)				
	74.00 Ln.m				
Sub Total (F)					
G.	Direct Unit Cost (E + F)			(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Prepainted Metal Sheets (above 0.427mm, Rib Type, Long Span)
 Item No.: 1014 (1)b2
 Unit of Measurement: sq..m
 Output per Hour: _____ sq.m

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	1	1		
	c. Unskilled Laborer	2	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	Sq.m		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Prepainted Metal Sheets (Long Span, Double Rib Type,0.50mm thk)	Sq.m.	1.05		
	Tekscrew, # 12 x 65mm	pc	10		
	Consumables (3% of Materials Cost)				
	Roof Area: 310.20 sq.m				
Sub Total (F)					
G.	Direct Unit Cost (E + F)			(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Water Proofing Cement Base
 Item No.: 1016 (1)a
 Unit of Measurement: sq.m
 Output per Hour: _____ sq.m

	Designation	No. of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	1	1		
	c. Unskilled Laborer	1	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	Sq.m		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Cement-Based Water Proofing	Sq.m.	1.05		
	NOTE:				
	For the proper execution of this item, refer to the standard specification of DPWH on the link provided.				
	https://www.dpwh.gov.ph/DPWH/sites/default/files/issuances/DO_110_s2017.pdf				
	AREAS @ 2 ND FLOOR:				
	Male:	3.50			
	Female:	3.50			
	Wash area & Walkway:	16.60			
	Balcony Front:	15.10			
	Balcony Rear:	26.44			
	65.24 sq.m				
Sub Total (F)					
G.	Direct Unit Cost (E + F)			(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses			15%,12%,10%,8% of G	
I.	Contractor's Profit (CP)			10%, 8% of G	
J.	Value Added Tax (Vat)			5% of (G+H+I)	
K.	Total Unit Cost			(G + H + I + J)	

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Glazed Tiles & Trims
 Item No.: 1018(1)
 Unit of Measurement: sq.m
 Output per Hour: _____ sq.m

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	5	1		
	c. Unskilled Laborer	5	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor Tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	sq.m		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Glazed Tiles, Approved color	Sq.m.	1.05		
	Portland Cement, 40kg/bag	bags	0.325		
	Sand, Fine Aggregate	Cu.m.	0.026		
	ABC Tile Grout, 2kg/bag	bags	0.125		
	Tile Adhesive (25kg/bag)	bags	0.143		
	Consumables (3% of materials Cost)				
	307.66				
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Unglazed Tiles
 Item No.: 1018(2)
 Unit of Measurement: sq.m
 Output per Hour: _____ sq.m

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	5	1		
	c. Unskilled Laborer	5	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor Tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	sq.m		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Ceramic Unglazed Tiles, approved color	Sq.m.	1.05		
	Portland Cement, 40kg/bag	bags	0.325		
	Sand, Fine Aggregate	cu.m.	0.026		
	Tile Grout, 2kg/bag	bags	0.125		
	Tile Adhesive, 25kg/bag	bags	0.116		
	Consumables (3% of materials cost)				
	114.49				
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Cement Floor Finish (Plain)
 Item No.: 1021(1)
 Unit of Measurement: sq.m
 Output per Hour: _____ sq.m

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	1	1		
	c. Unskilled Laborer	3	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor Tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	sq.m		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Portland Cement, 40kg/bag	bag	0.726		
	Sand, Fine Aggregates	Cu.m.	0.055		
	107.93 Perimeter walkway & ramp				
	TOTAL= 107.93 sq.m				
Sub Total (F)					
G.	Direct Unit Cost (E + F)			(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Cement Plaster Finish
 Item No.: 1027(1)
 Unit of Measurement: sq.m
 Output per Hour: _____ sq.m

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	2	1		
	c. Unskilled Laborer	4	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor Tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	sq.m		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Portland Cement, 40kg/bag	bag	0.33		
	Sand, Fine Aggregate	Cu.m.	0.027		
	47.73 CHB Wall below 1 st flr line				
	338.30 CHB Wall 1 st flr and 2 nd flr				
	388.64 Columns, beams stair and stiffeners				
	Total Area= 774.67 sq.m				
Sub Total (F)					
G.	Direct Unit Cost (E + F)			(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Painting Works (Masonry Painting)
 Item No.: 1032(1)a
 Unit of Measurement: Sq.m
 Output per Hour: _____ sq.m/Hr

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	2	1		
	c. Unskilled Laborer	1	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor Tools				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	Sq.m/Hr		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Concrete Neutralizer	gal	0.02		
	Patching Compound (Skim coat/ Wall Putty)	gal	0.05		
	Concrete Sealer/Primer	gal	0.04		
	Semi Gloss Latex (Two Coat only)	gal	0.08		
	Consumables (5% of Materials Cost)				
	CHB Wall below finish floor line				
	CHB Wall @1 st floor and 2 nd floor				
	113.39 Columns and Beams and 2 nd floor slab				
	Ceiling (Gypsum Board)				
	12.75 Window & Door Edges				
	Total= 126.14				
	NOTE:				
	The area included in this item for the location of aluminum frame installation				
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Painting Works (Steel)
 Item No.: 1032(1)c
 Unit of Measurement: sq.m
 Output per Hour: _____ sq.m/Hr

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	2	1		
	c. Unskilled Laborer	1	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor Tools				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	Sq.m/Hr		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Epoxy Metal Primer	gal	0.04		
	Quick Drying Enamel, approved color	gal	0.1		
	Paint Thinner	gal	0.063		
	Consumables (5% Material Cost)				
	112.80 Trusses				
	147.00 C-purlins & cleats				
	46.80 Fascia boards				
	69.29400 Railing				
	58.40 Cladding Frames				
	Total= 434.29 sq.m				
Sub Total (F)					
G.	Direct Unit Cost (E + F)			(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: CHB Load bearing (including RSB), 100mm
 Item No.: 1046(2)a1
 Unit of Measurement: sq.m
 Output per Hour: _____ sq.m/Hr.

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	2	1		
	c. Unskilled Laborer	3	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	One Bagger Concrete Mixer	1	1.00		
	Minor Tools				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	sq.m/Hr.		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	CHB, 101mm x 230mm x 406mm	pcs	13		
	Portland Cement, 40kg/bag	bag	0.525		
	Sand, Fine Aggregate	Cu.m.	0.05		
	Reinforcing Steel, Deformed Grade 40	kg	2.64		
	GI Tie Wire, # 16	kg	0.05		
	SCOPE:				
	1. Ramp and Walkway lining				
	Total Area: 72.00 sq.m				
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: CHB Load bearing (including RSB), 125mm
 Item No.: 1046(2)a2
 Unit of Measurement: sq.m
 Output per Hour: _____ sq.m/Hr

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	2	1		
	c. Unskilled Laborer	3	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	One Bagger Concrete Mixer	1	1.00		
	Minor Tools				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	sq.m/Hr		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	CHB, 125mm x 230mm x 406mm	pcs	13		
	Portland Cement, 40kg/bag	bag	1.0125		
	Screened Sand, S-1	Cu.m.	0.04		
	Reinforcing Steel, Deformed Grade 40	kg	2.64		
	GI Tie Wire, # 16	kg	0.05		
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Structural Steel, Roof Truss
 Item No.: 1047(8)a
 Unit of Measurement: kg
 Output per Hour: _____ kg/Hr

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	Fabrication	1	1		
	a. Leadman	2	1		
	b. Skilled Laborer	2	1		
	c. Unskilled Laborer				
	Erection	2	0.49		
	a. Skilled Laborer	2	0.49		
	b. Unskilled Laborer	1	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Welding Machine	1	0.75		
	Cutting Outfit	1	0.25		
	Minor Tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	Kg/Hr.		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Structural Steel Truss	kg	1.000		
	Acetylene	kg	0.011		
	Oxygen	kg	0.022		
	Welding Rod, E6013	kg	0.020		
	Consumables (3% of Materials Cost)				
	TC & BC: 2,358.72 AB, 6mm x 50mm x 50mm				
	VM & DM: 534.60 AB, 5mm x 38mm x 38mm				
	CLEATS: 106.92 AB, 5mm x 38mm x 38mm				
	Ceiling Hanger: 429.54 C-Purlins, 1.50mm x 50 x 100mm				
	3,429.78 kg				
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Structural Steel, Cladding Frames
 Item No.: 1047(8)c
 Unit of Measurement: kg
 Output per Hour: _____ kg/Hr.

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	1	1		
	c. Unskilled Laborer	2	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Welding Machine	1	0.75		
	Minor Tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	Kg/Hr.		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Structural Steel, Cladding Frames	kg	1.000		
	Welding Rod, E6013	kg	0.020		
	Consumables (3% of Materials Cost)				
	2.0x50x150: 194.24 Vertical Cladding @right side, 8pcs @4m				
	1.60x50x150: 314.16 Cladding Frame front eleve. 5 sets 22.00				
	1.60x50x50: 128.52 Horizontal frame design on beam 9.00				
	2.0x50x150: 109.26 Trellis in front 3.00				
	746.18 kg				
Sub Total (F)					
G.	Direct Unit Cost (E + F)			(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses			15%,12%,10%,8% of G	
I.	Contractor's Profit (CP)			10%, 8% of G	
J.	Value Added Tax (Vat)			5% of (G+H+I)	
K.	Total Unit Cost			(G + H + I + J)	

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Structural Steel, Purlins
 Item No.: 1047(9)b
 Unit of Measurement: kg
 Output per Hour: _____ kg/Hr.

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	2	1		
	c. Unskilled Laborer	4	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Welding Machine	2	1.00		
	Minor Tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	Kg/Hr.		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Structural Steel Purlins, 1.50mm x 50mm x 75mm	kg	1.05		
	Welding Rod, E6013	kg	0.02		
	Consumables (3% of Materials Cost)				
	L1: 87.90 C-purlins, 1.60mm x 45 x 75mm				
	L2: 1,482.58 "				
	L3: 63.00 "				
	Fascia Board:				
	1,633.48 Kg				
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Railing
 Item No.: 1051(1)a
 Unit of Measurement: LS
 Output per Hour: 1 LS

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman				
	b. Skilled Laborer				
	c. Unskilled Laborer				
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Welding Machine (300A inverter Type)	1			
	Cutting Outfit	1			
	Minor Tools				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	1	LS		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	GI Pipe, Sched. 40 x 1 1/2" Ø x 6.0m	pc	65		
	Tubular Steel, 1.50mm x 50mm x 50mm x 6m	pc	12		
	Tubular Steel, 1.50mm x 32mm x 32mm x 6m	pc	8		
	Welding Rod, E6013, 5kg/box	Box	2		
	Consumables (3% of Material Cost)				
	Scope:				
	1. Ramp Railings				
	2. Walkway Railings				
	3. Porch Railings				
	4. Fire Exit Railings				
	5. Stair Railings				
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Septic Vault (Concrete)
 Item No.: 1001(11)
 Unit of Measurement: LS
 Output per Hour: 1 LS

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	Included in the material cost				
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Included in the material cost				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	1	LS		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Item 900(1) - Manual Mixed Concrete, 3000PSI @ 28 days	Cu.m.	6.73		
	Item 902(1) a1 - Reinforcing Steel Bars, Grade 40	Kg	244.12		
	Item 1027(1)- Cement Plaster Finish	Sq.m.	43.20		
	Item 1046 (2) a1 - Non-Load Bearing CHB, 6" Thick (Including RSB)	Sq.m.	31.50		
	NOTE: Use derived DIRECT UNIT COST in each indicated item				
	SCOPE: Construction of Septic Tank: 1 set 1.50D x 1.50W x 3.0L and 1 Set, 1.80Dx2.0Wx5.0L including 1 Set Grease Trap of 1.20Dx1.20W x 1.20mL.				
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Conduit, Boxes & Fittings (Conduit Works/Conduit Rough-in)
 Item No.: 1100(10)
 Unit of Measurement: LS
 Output per Hour: 1 LS

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman				
	b. Electrician				
	c. Unskilled Laborer				
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor Tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	<u>1</u>	LS		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Rigid Polyvinyl Chloride Pipes (PVC/uPVC):20 mm dia.Thickwall (3m)	pcs	236		
	Rigid Polyvinyl Chloride Pipes (PVC/uPVC):32 mm dia.Thickwall (3m)	pcs	1		
	Rigid Polyvinyl Chloride Pipes (PVC/uPVC):25 mm dia.Thickwall (3)	pcs	46		
	Rigid Polyvinyl Chloride Pipes (PVC/uPVC):40 mm dia.Thickwall (3)	pcs	3		
	Rigid Polyvinyl Chloride Pipes (PVC/uPVC):50 mm dia.Thickwall (3)	pcs	6		
	Weatherhead:50 mm dia.(Entrance cap) with adaptor	pcs	1		
	Junction Box, octagonal, 4"x4", PVC, orange, includes cover	pcs	195		
	Utility Box, 2"x4", deep type, PVC, orange, flush type	pcs	76		
	20mmØ uPVC Male Thread Adaptor w/ Locknut	pcs	6		
	25mmØ uPVC Male Thread Adaptor w/ Locknut	pcs	6		
	32mmØ uPVC Male Thread Adaptor w/ Locknut	pcs	2		
	40mmØ uPVC Male Thread Adaptor w/ Locknut	pcs	2		
	50mmØ uPVC Male Thread Adaptor w/ Locknut	pcs	1		
	32mmØ uPVC Long Elbow	pcs	2		
	40mmØ uPVC Long Elbow	pcs	2		
	50mmØ uPVC Long Elbow	pcs	3		
	400 ml.PVC Solvent	pcs	2		
	Tie Wire #16	kg	2		
Sub Total (F)					

G.	Direct Unit Cost (E + F)	(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses	15%,12%,10%,8% of G	
I.	Contractor's Profit (CP)	10%, 8% of G	
J.	Value Added Tax (Vat)	5% of (G+H+I)	
K.	Total Unit Cost	(G + H + I + J)	

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Wires and Wiring Devices
 Item No.: 1101(33)
 Unit of Measurement: LS
 Output per Hour: 1LS

	Designation	No of	No of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman				
	b. Skilled Laborer				
	c. Unskilled Laborer				
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor Tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	1	LS		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Electric Wire:2.0 mm2 TW/THHN/THWN2,Stranded, copper wire	Ln.m.	1200		
	Electric Wire:3.5 mm2 TW/THHN/THWN2,Stranded, copper wire	Ln.m.	600		
	Electric Wire:5.5 mm2 TW/THHN/THWN2,Stranded, copper wire	Ln.m.	200		
	Electric Wire:8.0 mm2 TW/THHN/THWN2,Stranded, copper wire	Ln.m.	12.00		
	Electric Wire:30 mm2 TW/THHN/THWN2,Stranded, copper wire	Ln.m.	24.00		
	Electric Wire:38 mm2 TW/THHN/THWN2,Stranded, copper wire	Ln.m.	60.00		
	Single Pole Wall Switch on one switch plate	Set	5.00		
	Duplex (2 Single Pole Wall Switches on one switch plate)	Set	13.00		
	Triplex (3 Single Pole Wall Switches on one switch plate)	Set	2.00		
	Three-way Switch	Set	4.00		
	Outlet, duplex, universal with ground and safety shutter	Set	52.00		
	PVC Tape:19 mm dia. x 18 mm	Roll	10.00		
	Rubber Tape/ Friction Tape:19 mm dia. x 227 g	Roll	2.00		
	Solderless Connector, 38mm2, copper, split bolt type	pcs	6.00		
	Electric Wire : 22 mm ² ,ACSR, Polyethylene insulated	Ln.m.	150.00		
Sub Total (F)					

G.	Direct Unit Cost (E + F)	(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses	15%,12%,10%,8% of G	
I.	Contractor's Profit (CP)	10%, 8% of G	
J.	Value Added Tax (Vat)	5% of (G+H+I)	
K.	Total Unit Cost	(G + H + I + J)	

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Panelboard with Main & Branch Breakers
 Item No.: 1102(1)
 Unit of Measurement: LS
 Output per Hour: 1 LS

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman				
	b. Skilled Laborer				
	c. Unskilled Laborer				
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor Tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	1	LS		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	6 branches Panel Board, Center Main, BOLT-ON 3P MAIN AND 3P BRANCHES, w/copper hot and ground busbars	set	1		
	2pc - 30AT Circuit Breaker, 3 Pole				
	2pc - 70AT Circuit Breaker, 3 Pole				
	1pc - 100AT Circuit Breaker, 3 Pole				
	24 branches Panel Board, Center Main, BOLT-ON 3P MAIN AND 2P BRANCHES, w/copper hot and ground busbars	set	1		
	3pcs- 20AT Circuit Breaker, 2 Pole				
	6pcs - 30AT Circuit Breaker, 2 Pole				
	1pc - 70AT Circuit Breaker, 3 Pole				
	12 branches Panel Board, Center Main, BOLT-ON 3P MAIN AND 2P BRANCHES, w/copper hot and ground busbars	set	1		
	6pc - 15AT Circuit Breaker, 2 Pole				
	6pcs - 20AT Circuit Breaker, 2 Pole				
	1pc - 30AT Circuit Breaker, 3 Pole				
	NEMA 3R Enclosure for 2 pole CB	Set	9		
	Circuit Breaker, 2 Pole, 30AT	pcs	6		
	Circuit Breaker, 2 Pole, 30AT	pcs	3		
Sub Total (F)					

G.	Direct Unit Cost (E + F)	(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses	15%,12%,10%,8% of G	
I.	Contractor's Profit (CP)	10%, 8% of G	
J.	Value Added Tax (Vat)	5% of (G+H+I)	
K.	Total Unit Cost	(G + H + I + J)	

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Lighting Fixtures
 Item No.: 1103(1)
 Unit of Measurement: LS
 Output per Hour: 1 LS

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman				
	b. Skilled Laborer				
	c. Unskilled Laborer				
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor Tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	1	LS		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Pinlight, panel surface type, 5watts, LED, downlight, daylight, round	pcs	24		
	Pinlight, panel surface type, 10watts, LED, downlight, daylight, square	pcs	71		
	Pinlight, panel surface type, 20watts, LED, downlight, daylight, round	pcs	1		
	Pinlight, panel surface type, 5watts, LED, downlight, warm white, round	pcs	68		
	Pinlight, panel surface type, 15watts, LED, downlight, warm white, round	pcs	2		
	Outdoor wall lamp, contemporary lighting, black, e27*1 (for 1 bulb), downward	pcs	4		
	LED Bulb, Daylight, 10watts	pcs	4		
	LED mini flood light, 10W, warm white, outdoor, 220V, 60Hz	pcs	4		
	Outdoor wall lamp, contemporary lighting, black, e27*2 (for 2 bulb), downward	pcs	6		
	LED Bulb, Warm white, 10watts	pcs	12		
	Automatic LED Emergency Light-Exit Light Signage Combination, 3W, Automaticlight on when power is down, light time: 90min., 220V, 60Hz	Set	8		
	Twinhead Emergency Lamp, LED lamp,automatic, with built in charger and battery and overcharge protection, battery type : 6V-4.5Ah, charging time : 20-24hr, usage : 17-32Hr	pcs	12		
Sub Total (F)					

G.	Direct Unit Cost (E + F)	(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses	15%,12%,10%,8% of G	
I.	Contractor's Profit (CP)	10%, 8% of G	
J.	Value Added Tax (Vat)	5% of (G+H+I)	
K.	Total Unit Cost	(G + H + I + J)	

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Grounding System
 Item No.: 1109(1)
 Unit of Measurement: LS
 Output per Hour: 1 LS

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	Construction Foreman				
	Skilled Laborer				
	Unskilled Laborer				
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor Tools (10% of Labor cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	1	LS		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Electric Wire:2.0 mm2 TW/THHN/THWN2,Stranded, copper wire	Ln.m.	300		
	Electric Wire:3.5 mm2 TW/THHN/THWN2,Stranded, copper wire	Ln.m.	150		
	Electric Wire:5.5 mm2 TW/THHN/THWN2,Stranded, copper wire	Ln.m.	6		
	Electric Wire:8.0 mm2 TW/THHN/THWN2,Stranded, copper wire	Ln.m.	6		
	Electric Wire:14 mm2 TW/THHN/THWN2,Stranded, copper wire	Ln.m.	10		
	Grounding Rod Copper Clad:16 mm dia. x 3 m	PC	1		
	Grounding Clamps for Electric Wires:14 mm2	pc	1		
Sub Total (F)					
G.	Direct Unit Cost (E + F)			(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: 3 Spool Insulator Secondary Rack
 Item No.: 1111(9)
 Unit of Measurement: set
 Output per Hour: _____ set

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	1		
	b. Skilled Laborer	1	1		
	c. Unskilled Laborer	1	1		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor Tools				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	set		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	5/8' Concrete Anchor Lag screw and expansion Shield	pcs	2		
	insulator, spool, ANSI 53-3, porcelain, 1 3/4"	pcs	3		
	secondary rack, 3 wire, 26", galvanized	pc	1		
Sub Total (F)					
G.	Direct Unit Cost (E + F)			(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses			15%, 12%, 10%, 8% of G	
I.	Contractor's Profit (CP)			10%, 8% of G	
J.	Value Added Tax (Vat)			5% of (G+H+I)	
K.	Total Unit Cost			(G + H + I + J)	

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Exhaust Fan: Ceiling Cassette
 Item No.: 1200(5)a
 Unit of Measurement: set
 Output per Hour: _____ set

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	0.5		
	b. Skilled Laborer	1	0.5		
	c. Unskilled Laborer	1	0.5		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor Tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	set		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Exhaust fan, 12" Standard, wall mounted, 38W	set	1.00		
Sub Total (F)					
G.	Direct Unit Cost (E + F)			(E + F)	
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses			15%,12%,10%,8% of G	
I.	Contractor's Profit (CP)			10%, 8% of G	
J.	Value Added Tax (Vat)			5% of (G+H+I)	
K.	Total Unit Cost			(G + H + I + J)	

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Air Conditioning, Package/Split Type
 Item No.: 1200(13)a
 Unit of Measurement: LS
 Output per Hour: 1 LS

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	Include in the Material Cost				
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Include in the material Cost				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	1	LS		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Furnishing & Installation:				
	Air Conditioning Unit 1.0HP, digital inverter, 220V, 60Hz, full Installation including Condensate Drain System and Refrigerant Piping.	Set	1		
	Air Conditioning Unit 1.50HP, digital inverter, 220V, 60Hz, full Installation including Condensate Drain System and Refrigerant Piping.	Sets	1		
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Fire Extinguisher
 Item No.: 1201(7)c
 Unit of Measurement: set
 Output per Hour: _____ set

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman	1	0.25		
	b. Skilled Laborer	1	0.25		
	c. Unskilled Laborer	1	0.25		
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor Tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	_____	set		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Fire Extinguisher, 10Lb., Dry Chemical, Brand New, (BFP Approved; DTI and ISO Certified)	set	1		
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

DETAILED UNIT PRICE ANALYSIS (DUPA)

Description of Work: Fire Alarm System
 Item No.: 1208(1)
 Unit of Measurement: LS
 Output per Hour: 1 LS

	Designation	No of	No. of	Hourly	Amount
		Person/s	Hour/s	Rate	(PhP)
A.	Labor				
	a. Leadman				
	b. Skilled Laborer				
	c. Unskilled Laborer				
Sub Total (A)					
	Name and Capacity	No. of	No of	Hourly	Total
		Equipt./s	Hour/s	Rate	Cost
B.	Equipment				
	Minor Tools (10% of Labor Cost)				
SUB TOTAL (B)					
C.	Total (A + B)				
D.	Output per Hour	1	LS		
E.	Direct Unit Cost (C/D)				
	Name and Specification	Unit	Quantity	Unit Cost	Amount
F.	Materials				
	Battery operated smoke detector	pcs	15		
	manual pull switch for alarm bell, 220V AC, 60Hz	sets	4		
	alarm bell, 95dB, round, red, 220V AC, 60Hz	sets	4		
Sub Total (F)					
G.	Direct Unit Cost (E + F)		(E + F)		
H.	Overhead, Contingencies & Miscellaneous (OCM) Expenses		15%,12%,10%,8% of G		
I.	Contractor's Profit (CP)		10%, 8% of G		
J.	Value Added Tax (Vat)		5% of (G+H+I)		
K.	Total Unit Cost		(G + H + I + J)		

SUMMARY SHEET

A. LIST OF MATERIALS AND ITS UNIT COST

No.	Description	Unit	Unit Cost
1	Building Permit, Occupancy Permit and other clearances fees	LS	
2	Marine Plywood (6mm x 1.20m x 2.44m)	pc	
3	Coco Lumber, 2" x 2" x 8' (10 pcs)	Bd.ft.	
4	Project Sign (Tarpaulin Printed, 4' x 8')	Sq.ft.	
5	CW Nail, Assorted	kg	
	NOTE: Unit Cost for rental of PPEs shall be based on DPWH D.O. No. 13, s 2018		
6	Safety Helmet	MD	
7	Safety Vest	MD	
8	Safety Shoes	MD	
9	Safety Gloves	MD	
10	Body Harness and Lanyard	MD	
11	Rubber Boats	MD	
12	Raincoats	MD	
13	PPE Signage (4' x 8')	Set	
14	Safety First (4'x4')	Set	
15	Warning Signs (2' x 3')	Set	
16	Caution Tapes, 100ft	roll	
17	Mixed Sand & Gravel w/ 25% Shrinkage Factor, (Approved Mixture)	Cu.m.	
18	Gravel Bedding (G-2)	Cu.m.	
19	Screened Gravel, G-1	Cu.m.	
20	Screened Sand, S-1	Cu.m.	
21	Portland Cement, 40 kg/bag	Bag	
22	Deformed Reinforcing Steel Bar, Grade 40	kg	
23	GI Tie Wire, # 16	kg	
24	Phenolic Board (0.019 x1.20 x 2.40)-3 uses	pc	
25	Good Lumber- 3 Uses	Bd.ft.	
26	Soil Poisoning (D-Fence Soil Termiside)	L	
27	PVC Pipe, 100mm dia x 3m, S 1000	pc	
28	PVC Pipe, 50mm dia x 3m, S 1000	pc	
29	Elbow, 101mm Ø - 87.5 deg bend	pc	
30	Elbow, 101mm Ø - 45 deg bend	pc	
31	Elbow, 50mm Ø - 87.5 deg bend	pc	
32	Elbow, 50mm Ø - 45 deg bend	pc	
33	Single Branch Wye, 101mm Ø	pc	
34	Single Branch Wye, 50mm Ø	pc	
35	Wye Reducer, 100mm Ø - 50mm Ø	pc	
36	PVC Tee, 100 mm Ø (For Septic Tank)	pc	
37	PVC Tee, 50 mm Ø	pc	
38	Clean Out with cover, 100mm Ø	pc	
39	Clean Out with cover, 50mm Ø	pc	
40	PVC P-Trap, 50mm Ø	pc	
41	Solvent Cement, 400cc	can	
42	Water Closet complete w/ fittings and accessories	set	
43	Urinal (trough)	set	
44	Counter Basin, Grade A, complete w/ fittings & accs.	set	
45	Wall Hung Lavatory Including Fitting & acc. (American Std or Eq.)	Set	
46	Gate Valve, 32mm Ø	set	

47	S.S. 304 Floor Drain, 4" x 4:	set	
48	Facial Mirror,60cm X 80cm (Wood Frame)	pc	
49	PWD Grab Bar, Stainless	set	
50	Faucets, Goose Neck, S.S. 1/2mm Ø	set	
51	Soap Holder. BA 39-Titan	set	
52	Tissue Paper Holder, Stainless	set	
53	Faucet, GV	pc	
54	PPR Pipe, 32mm Ø x 4m, PN 20	pc	
55	PPR Pipe, 25mm Ø x 4m, PN 20	pc	
56	PPR Pipe, 20mm Ø x 4m, PN 20	pc	
57	PPR Coupling, 32mm Ø	pc	
58	PPR Coupling, 25mm Ø	pc	
59	PPR Tee Reducer, 32mm Ø x 25mm Ø	pc	
60	PPR Female Threaded Tee Reducer, 25mm Ø x 20mm Ø	pc	
61	PPRC Elbow, 20mm Ø	pc	
62	PPRC Cup, 25mm Ø	pc	
63	PPR Female Threaded Coupling, 20mm Ø	pc	
64	PPR Gate Valve,32mm Ø	pc	
65	PPR Gate Valve, 25mm Ø	pc	
66	Union Patente, 32mm Ø	pc	
67	Check Valve, 32mm Ø	pc	
68	PPR Pipe, 32mm Ø x 4m, PN 20	pc	
69	Aluminum Composite Panel, 3mm x 4' x 8'	Pc	
70	Metal Screws, 3/4" (500pc/box)	pc	
71	Blind Rivet, 1/8" x 12mm	pc	
72	Gypsum Ceiling Board, 9.0mm thick x 4' x 8', Moisture Resistant	pc	
73	Metal Furring (0.60mm x 19mm x 50mm x 3m)	pc	
74	Carrying Channels (1.0mm x 12mm x 38mm x 3m)	pc	
75	Hanger Bars/Rod	pc	
76	Channel Clip	pc	
77	Wall Angle	pc	
78	Metal Screw, 1"	pc	
79	Rib Spandrel in Pre-painted Finish, 6" x 8ft	pc	
80	End Moulding, 6" x 8ft	pc	
81	Screw w/ Tox, 1 1.2"	pc	
82	Structural Steel C-purlins, 1.50mm x 50mm x 150mm - 2 layers	kg	
83	Welding Rod, E6013	kg	
84	Brass Hinges, 50mmx 101mm	pc	
85	Door Knob, Schlage or equivalent	Set	
86	Stainless Door Handle, HD (as per sample)	pc	
87	Aluminum Glass Window with complete acc.(Sliding)	Sq.m.	
88	Aluminum Framed Glass Window w/ compl. acc.(Awning Type)	Sq.m.	
89	Powder Coated Aluminum Glass Window w/ compl. acc.(Fixed Type)	Sq.m	
90	Door Jamb, Head and Transoms	set	
91	PVC Doors and Frames	Sq.m	
92	Wooden Panel Door, Tanguile or Equivalent	Sq.m	
93	Aluminum Framed Glass Door (Swing Type)	Sq.m	
94	Aluminum Framed Glass Door (Sliding Type)	Sq.m	
95	Fabricated Flashing, 0.60mm)	Sq.m	
96	Prepainted Metal Sheets (Long Span, Double Rib Type,0.50mm thk)	Sq.m.	
97	Tekscrew, # 12 x 65mm	pc	
98	Cement-Based Water Proofing	Sq.m.	

99	Glazed Tiles, Approved color	Sq.m	
100	Sand, Fine Aggregate	Cu.m.	
101	ABC Tile Grout, 2kg/bag	bag	
102	Tile Adhesive (25kg/bag)	bag	
103	Ceramic Unglazed Tiles, approved color	Sq.m	
104	Concrete Neutralizer	gal	
105	Patching Compound (Skim coat/ Wall Putty)	gal	
106	Concrete Sealer/Primer	gal	
107	Semi Gloss Latex (Two Coat only)	gal	
108	Glazing Putty	gal	
109	Flat Wall Enamel, Boysen White	gal	
110	Enamel Quick Drying Enamel, Boysen of approved color	gal	
111	Paint Thinner	gal	
112	Epoxy Metal Primer	gal	
113	CHB, 101mm x 230mm x 406mm	pcs	
114	CHB, 125mm x 230mm x 406mm	pcs	
115	Structural Steel Truss	kg	
116	Acetylene	kg	
117	Oxygen	kg	
118	Structural Steel, Cladding Frames	kg	
119	Structural Steel Purlins, 1.50mm x 50mm x 75mm	kg	
120	GI Pipe, Sched. 40 x 1 1/2" Ø x 6.0m	pc	
121	Tubular Steel, 1.50mm x 50mm x 50mm x 6m	pc	
122	Tubular Steel, 1.50mm x 32mm x 32mm x 6m	pc	
123	Welding Rod, E6013, 5kg/box	box	
124	Rigid Polyvinyl Chloride Pipes (PVC/uPVC):20 mm dia.Thickwall (3m)	pc	
125	Rigid Polyvinyl Chloride Pipes (PVC/uPVC):32 mm dia.Thickwall (3m)	pc	
126	Rigid Polyvinyl Chloride Pipes (PVC/uPVC):25 mm dia.Thickwall (3)	pc	
127	Rigid Polyvinyl Chloride Pipes (PVC/uPVC):40 mm dia.Thickwall (3)	pc	
128	Rigid Polyvinyl Chloride Pipes (PVC/uPVC):50 mm dia.Thickwall (3)	pc	
129	Weatherhead:50 mm dia.(Entrance cap) with adaptor	pc	
130	Junction Box, octagonal, 4"x4", PVC, orange, includes cover	pc	
131	Utility Box, 2"x4", deep type, PVC, orange, flush type	pc	
132	20mmØ uPVC Male Thread Adaptor w/ Locknut	pc	
133	25mmØ uPVC Male Thread Adaptor w/ Locknut	pc	
134	32mmØ uPVC Male Thread Adaptor w/ Locknut	pc	
135	40mmØ uPVC Male Thread Adaptor w/ Locknut	pc	
136	50mmØ uPVC Male Thread Adaptor w/ Locknut	pc	
137	32mmØ uPVC Long Elbow	pc	
138	40mmØ uPVC Long Elbow	pc	
139	50mmØ uPVC Long Elbow	pc	
140	400 ml.PVC Solvent	pc	
141	Electric Wire:2.0 mm2 TW/THHN/THWN2,Stranded, copper wire	Ln.m.	
142	Electric Wire:3.5 mm2 TW/THHN/THWN2,Stranded, copper wire	Ln.m.	
143	Electric Wire:5.5 mm2 TW/THHN/THWN2,Stranded, copper wire	Ln.m.	
144	Electric Wire:8.0 mm2 TW/THHN/THWN2,Stranded, copper wire	Ln.m.	
145	Electric Wire:30 mm2 TW/THHN/THWN2,Stranded, copper wire	Ln.m.	
146	Electric Wire:38 mm2 TW/THHN/THWN2,Stranded, copper wire	Ln.m.	
147	Single Pole Wall Switch on one switch plate	Set	
148	Duplex (2 Single Pole Wall Switches on one switch plate)	Set	
149	Triplex (3 Single Pole Wall Switches on one switch plate)	Set	
150	Three-way Switch	Set	
151	Outlet, duplex, universal with ground and safety shutter	Set	
152	PVC Tape:19 mm dia. x 18 mm	Roll	

153	Rubber Tape/ Friction Tape:19 mm dia. x 227 g	Roll	
154	Solderless Connector, 38mm2, copper, split bolt type	pcs	
155	Electric Wire : 22 mm ² ,ACSR, Polyethylene insulated	Ln.m.	
156	6 branches Panel Board, Center Main, BOLT-ON 3P MAIN AND 3P BRANCHES, w/copper hot and ground busbars	set	
157	24 branches Panel Board, Center Main, BOLT-ON 3P MAIN AND 2P BRANCHES, w/copper hot and ground busbars	set	
158	12 branches Panel Board, Center Main, BOLT-ON 3P MAIN AND 2P BRANCHES, w/copper hot and ground busbars	set	
159	NEMA 3R Enclosure for 2 pole CB	Set	
160	Circuit Breaker, 2 Pole, 30AT	pc	
161	Circuit Breaker, 2 Pole, 30AT	pc	
162	Pinlight, panel surface type, 5watts, LED, downlight, daylight, round	pc	
163	Pinlight, panel surface type, 10watts, LED, downlight, daylight, square	pc	
164	Pinlight, panel surface type, 20watts, LED, downlight, daylight, round	pc	
165	Pinlight, panel surface type, 5watts, LED, downlight, warm white, round	pc	
166	Pinlight, panel surface type, 15watts, LED, downlight, warm white, round	pc	
167	Outdoor wall lamp, contemporary lighting, black, e27*1 (for 1 bulb), downward	pc	
168	LED Bulb, Daylight, 10watts	pc	
169	LED mini flood light, 10W, warm white, outdoor, 220V, 60Hz	pc	
170	Outdoor wall lamp, contemporary lighting, black, e27*2 (for 2 bulb), downward	pc	
171	LED Bulb, Warm white, 10watts	pcs	
172	Automatic LED Emergency Light-Exit Light Signage Combination, 3W, Automaticlight on when power is down, light time: 90min., 220V, 60Hz	Set	
173	Twinhead Emergency Lamp, LED lamp,automatic, with built in charger and battery and overcharge protection, battery type : 6V-4.5Ah, charging time : 20-24hr, usage : 17-32Hr	pc	
174	Electric Wire:2.0 mm ² TW/THHN/THWN2,Stranded, copper wire	Ln.m.	
175	Electric Wire:3.5 mm ² TW/THHN/THWN2,Stranded, copper wire	Ln.m.	
176	Electric Wire:5.5 mm ² TW/THHN/THWN2,Stranded, copper wire	Ln.m.	
177	Electric Wire:8.0 mm ² TW/THHN/THWN2,Stranded, copper wire	Ln.m.	
178	Electric Wire:14 mm ² TW/THHN/THWN2,Stranded, copper wire	Ln.m.	
179	Grounding Rod Copper Clad:16 mm dia. x 3 m	PC	
180	Grounding Clamps for Electric Wires:14 mm ²	pc	
181	5/8' Concrete Anchor Lag screw and expansion Shield	Pc	
182	insulator, spool,ANSI 53-3, porcelain, 1 3\4"	pc	
183	secondary rack, 3 wire, 26", galvanized	pc	
184	Exhaust fan, 12" Standard, wall mounted, 38W	Set	
185	Air Conditioning Unit 1.0HP, digital inverter, 220V, 60Hz, full Installation including Condensate Drain System and Refrigerant Piping.	Set	
186	Air Conditioning Unit 1.50HP, digital inverter, 220V, 60Hz, full Installation including Condensate Drain System and Refrigerant Piping.	Set	
187	Fire Extinguisher, 10Lb., Dry Chemical, Brand New, (BFP Approved, DTI and ISO Certified)	Set	
188	Battery operated smoke detector	pc	
189	manual pull switch for alarm bell, 220V AC, 60Hz	set	
190	alarm bell, 95dB, round, red, 220V AC, 60Hz	set	

B. PERSONNEL LABOR RATES

	Designation	Labor Rates per Hour
	Civil Engineer	
	Registered Electrical/Master Electrician	
	Master Plumber	
	Construction Foreman	
	Leadman	
	Skilled Labor (Mason, Carpenter, Electrician, Plumber, etc.)	
	Unskilled Labor	

C. EQUIPMENT RENTAL RATES

	Name & Capacity	Rental Rates per Hour
	Backhoe, 0.80 Cu.m.	
	Dump truck,	
	Plate Compactor	
	Concrete Vibrator	
	One (1) Bagger Mixer	
	Bar Cutter	
	Bar Bender	
	Welding Machine (Inverter Type, 300A)	
	Cutting Outfit (Comp. Acc.)	

Section IX. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided under the rules; **and**
- (d) Special PCAB License in case of Joint Ventures; **and** registration for the type and cost of the contract to be bid; **and**
- (e) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; **or** Original copy of Notarized Bid Securing Declaration; **and**
- (f) Project Requirements, which shall include the following:
- a. Organizational chart for the contract to be bid;
- b. List of contractor's key personnel (*e.g.*, Project Manager, Project Engineers, Materials Engineers, and Foremen), to be assigned to the contract to be bid, with their complete qualification and experience data;
- c. List of contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership or certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be; **and**
- (g) Original duly signed Omnibus Sworn Statement (OSS); **and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- (h) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC).

Class "B" Documents

- (i) If applicable, duly signed joint venture agreement (JVA) in accordance with RA No. 4566 and its IRR in case the joint venture is already in existence; **or** duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- (j) Original of duly signed and accomplished Financial Bid Form; **and**

Other documentary requirements under RA No. 9184

- (k) Original of duly signed Bid Prices in the Bill of Quantities; **and**
 (l) Duly accomplished Detailed Estimates Form, including a summary sheet indicating the unit prices of construction materials, labor rates, and equipment rentals used in coming up with the Bid; **and** (m) Cash Flow by Quarter.

Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

REPUBLIC OF THE
PHILIPPINES)
CITY/MUNICIPALITY
OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
6. *[Select one, delete the rest:]*

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and AwardCommittee (BAC), the

Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree.

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.**

IN WITNESS WHEREOF, I have hereunto set my hand this ____day of ____, 20__ at _____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Performance Securing Declaration (Revised)

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

REPUBLIC OF THE PHILIPPINES)
CITY OF _____) S.S.

PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents] To:
[Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
2. I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years **for the second offense**, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
 - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
 - i. Procuring Entity has no claims filed against the contract awardee;
 - ii. It has no claims for labor and materials filed against the contractor; and
 - iii. Other terms of the contract; or
 - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____ day of [month]
[year] at [place of execution].

*[Insert NAME OF
BIDDER OR ITS AUTHORIZED*

REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant **Jurat**

[Format shall be based on the latest Rules on Notarial Practice]

Bid Form for the Procurement of Infrastructure Projects

[shall be submitted with the Bid]

BID FORM

Date : _____

Project Identification No. : _____

To: *[name and address of Procuring Entity]*

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, declare that:

- a. We have no reservation to the PBDs, including the Supplemental or Bid Bulletins, for the Procurement Project: *[insert name of contract]*;
- b. We offer to execute the Works for this Contract in accordance with the PBDs;
- c. The total price of our Bid in words and figures, excluding any discounts offered below is: *[insert information]*;
- d. The discounts offered and the methodology for their application are: *[insert information]*;
- e. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein and reflected in the detailed estimates,
- f. Our Bid shall be valid within the a period stated in the PBDs, and it shall remain binding upon us at any time before the expiration of that period;
- g. If our Bid is accepted, we commit to obtain a Performance Security in the amount of *[insert percentage amount]* percent of the Contract Price for the due performance of the Contract, or a Performance Securing Declaration in lieu of the the allowable forms of Performance Security, subject to the terms and conditions of issued GPPB guidelines² for this purpose;
- h. We are not participating, as Bidders, in more than one Bid in this bidding process, other than alternative offers in accordance with the Bidding Documents;
- i. We understand that this Bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal Contract is prepared and executed; and
- j. We understand that you are not bound to accept the Lowest Calculated Bid or any other Bid that you may receive.

currently based on GPPB Resolution No. 09-2020

- k. We likewise certify/confirm that the undersigned, is the duly authorized representative of the bidder, and granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for the [Name of Project] of the [Name of the Procuring Entity].

- l. We acknowledge that failure to sign each and every page of this Bid Form, including the Bill of Quantities, shall be a ground for the rejection of our bid.

Name: _____ Legal Capacity: _____ Signature: _____
Duly authorized to sign the Bid for and behalf of: _____
Date: _____

Contract Agreement Form for the Procurement of Infrastructure Projects (Revised)

[not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the Notice of Award]

CONTRACT AGREEMENT

THIS AGREEMENT, made this *[insert date]* day of *[insert month]*, *[insert year]* between *[name and address of PROCURING ENTITY]* (hereinafter called the "Entity") and *[name and address of Contractor]* (hereinafter called the "Contractor").

WHEREAS, the Entity is desirous that the Contractor execute *[name and identification number of contract]* (hereinafter called "the Works") and the Entity has accepted the Bid for *[contract price in words and figures in specified currency]* by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as part of this Agreement, viz.:
 - a. Philippine Bidding Documents (PBDs);
 - i. Drawings/Plans;
 - ii. Specifications;
 - iii. Bill of Quantities;
 - iv. General and Special Conditions of Contract;
 - v. Supplemental or Bid Bulletins, if any;
 - b. Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- c. Performance Security;
- d. Notice of Award of Contract and the Bidder's conforme thereto; and
- e. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. **Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract**

execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.

3. In consideration for the sum of *[total contract price in words and figures]* or such other sums as may be ascertained, *[Named of the bidder]* agrees to *[state the object of the contract]* in accordance with his/her/its Bid.
4. The *[Name of the procuring entity]* agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties thereto have caused this Agreement to be executed the day and year first before written.

[Insert Name and Signature]
[Insert Signatory's Legal Capacity] for:

[Insert Procuring Entity]

[Insert Name and Signature]
[Insert Signatory's Legal Capacity] for:

[Insert Name of Supplier]

Acknowledgment

[Format shall be based on the latest Rules on Notarial Practice]

Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)
CITY OF _____) S.S.

BID SECURING DECLARATION

Project Identification No.: *[Insert number]*

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s
this _____ day of
[month] [year] at [place of execution].

*[Insert NAME OF BIDDER OR ITS
AUTHORIZED REPRESENTATIVE]*

capacity] Affiant

[Insert signatory's legal

Jurat

*[Format shall be based on the latest Rules
on Notarial Practice]*

Republic of the Philippines



Government Procurement Policy Board