

## INVITATION FOR NEGOTIATED PROCUREMENT FOR TWO FAILED BIDDINGS

### *For Project 2025-9E: Supply, Delivery and Installation of Machinery and Laboratory Equipment of NVSU Engineering Programs (Negotiated Procurement on the No Bid Items)*

1. The Nueva Vizcaya State University, through the Trust Fund (EFP) FY2025 intends to apply the sum of One Million Four Hundred Fifty-Eight Thousand Three Hundred Thirty-Three pesos only (Php1,458,333.00) being the Approved Budget for the Contract (ABC) to payments under the contract of the project 2025-9E: Supply, Delivery and Installation of Machinery and Laboratory Equipment of NVSU Engineering Programs (Negotiated Procurement on the No Bid Items). Bids received in excess of the ABC shall be automatically rejected at bid opening.
2. The NVSU-Bids and Award Committee (BAC) for Equipment now invites technically, legally, and financially capable suppliers for the said project.
3. The Procurement procedure for this requirement is Negotiated Procurement for Two Failed Biddings pursuant to Section 35.1 of the Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 12009 or the New Government Procurement Act.
4. The selection of the successful offer shall be based on the best and final offer that will be submitted on the set deadline to the BAC and which would meet the minimum technical specifications required.
5. The interested bidders may obtain further information from the BAC Secretariat at the address given below from January 20, 2026 to February 3, 2026 Monday to Friday, 8:00 AM to 5:00 PM.
6. The NVSU-BAC for Equipment will hold the Negotiation Meeting on January 26, 2026 at 1:30 PM at the Executive Room, New Administration Building and through videoconferencing/webcasting via ZOOM (**Meeting ID: 494 840 6176; Password: nvsu@2025**).
7. Two (2) copies of the proposals (one original and one copy) must be submitted to the BAC for Equipment which must be duly received by the BAC Secretariat through manual submission at UBAC Office, New Administration Building, NVSU Bayombong Campus, Bayombong, Nueva Vizcaya on or before 1:00PM of February 3, 2026. Late submission shall not be accepted.
8. Interested bidders shall submit the following documents in sealed envelopes, labeled as "Negotiated Procurement for Two Failed Biddings", with the title of the procurement project, name of the bidder, address, the contact details of the bidder, addressed to the BAC for Equipment.

#### A. Eligibility and Technical Documents

- a) Valid PhilGEPS Registration Certificate (Platinum Membership), including the Annex/es;
- b) Statement of all its ongoing government and private contracts, including contracts

#weENGAGE #weINNOVATE #weEMPOWER



awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid;

- c) Statement of Bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid. For this purpose, the definition of similar contracts shall refer to Supply of various semi-expendable office equipment which shall be completed within the last 10 years prior to the date of submission of the best and final offer.
- d) Net Financial Contracting Capacity (NFCC) or committed Line of Credit (LoC);
- e) [if applicable] JVA or in the absence of a JVA, duly notarized statements from all potential JV partners stating that they will enter into and abide by the provisions of the JVA in the event that the bid is successful;
- f) Bid Security shall be in the form of a Bid Securing Declaration, and any of the following:
  - 1. The amount of not less than Php29,166.66 [Insert 2% of ABC], if bid security is in cash;
  - 2. The amount of not less than \_\_\_\_\_ [Insert 2% of ABC], if bid security is in cashier's check;
  - 3. The amount of not less than \_\_\_\_\_ [Insert 2% of ABC], if bid security is in manager's check;
  - 4. The amount of not less than \_\_\_\_\_ [Insert 5% of ABC] if bid security is in bank draft;
  - 5. The amount of not less than \_\_\_\_\_ [Insert 5% of ABC] if bid security is in guarantee;
  - 6. The amount of not less than \_\_\_\_\_ [insert 5% of ABC] if bid security is irrevocable LoC; or
  - 7. The amount of not less than Php72,916.65 [insert 5% of ABC] if bid security is Surety Bond.
- g. Conformity with the Schedule of Requirements (Annex "A");
- h. Conformity with the Technical Specifications (Annex "B");
- i. Omnibus Sworn Statement in accordance with Section 54.3 of the IRR of RA12009

**B. Financial Documents**

- a. Bid Form which includes the Bid price;
  - b. Price Schedules
9. The Special Conditions of the Contract (Annex "C") shall form part of the contract. Other conditions of the contract shall be governed by the Implementation of the Rules and Regulations of RA 12009 and other related and applicable laws.
10. The Head of the Procuring Entity reserves the right to reject and all Bids, declare failure of bidding, or not award the contract in accordance with Section 70 of the Implementing Rules and Regulations of RA 12009.

11. For further information, please refer to:

**DR. MARITNESS N. MORTERA**  
**MS. MARY JANE C. TIME**  
**MS. MARY JANE A. DULINAYAN**  
**MS. SHIELA L. BULUSAN**  
**MS. AUSTIN EMBER T. BOBILA**  
**MR. JUNE CARLOS R. VILLACENTINO**  
UBAC Secretariat

UBAC Office, 3<sup>rd</sup> floor New Administration  
Building, NVSU Bayombong Campus,  
Bayombong, Nueva Vizcaya  
Tel. No. 078-321-2112-115 (trunk line)/078-392-1605  
Email address: [bac.equipment@nvsu.edu.ph](mailto:bac.equipment@nvsu.edu.ph)

12. You may visit the website:

For downloading of Bidding Documents: [www.nvsu.edu.ph](http://www.nvsu.edu.ph) on January 20, 2026.

**CARLO F. VADIL**  
UBAC Chairperson, Equipment

## Section VI. Schedule of Requirements

The delivery schedule, expressed in weeks or months, indicates the required delivery date which shall be understood as the date the Good/Equipment are to be delivered to the Supply Unit, NVSU, Bayombong and Bambang Campus.

Item Number	Description	Quantity	Total	Delivery Schedule
3	LABORATORY EQUIPMENT, Desktop for Intelligent	2	148,000.00	30 calendar days
	Robotic Arm -			
	Processor: 13th Gen i7 RAM: 16GRAM			
	External Graphics Card: 12GB Storage: 512GB SSD			
	Monitor: 23-25in			
	Operating System: Windows 11			
	Note: Computer brand must be more than 15 years in the industry			
	Free training/Installation and testing and training of employees/faculty members in the use of the above items.			
	Calibration of all the items/			
	Installation and testing and training			
7	LABORATORY EQUIPMENT, Microcontroller - Starter Learning Kit (Complete Laboratory Equipment Set, (1 bundle=10 sets)	1	59,433.00	30 calendar days
	General Specs:			
	Prototyping Shield			
	Jumper Cables M/M x 30			
	Jumper cables F/M x 10			
	Resistor 220 R x 20			
	Resistor 4.7 K x 20			
	Resistor 10K x 20			
	Resistor 1K x 20			
	5 mm LED x 10			
	IR Receiver Diode x 1			
	Mini-push Button x 4			
	Ambient light sensor x 1			
	Tilt switch sensor x 1			
	8-segment LED x 1			
	LM35 temperature sensor x 1			
	Relay x 1			
	Buzzer x 1			
	Fan x 1			
	130 Motor x 1			
	10K Potentiometer x 3			
	Micro Servo x 1			
	Mini control x1			
	6 AA Battery Holder x 1			
400 tie point interlocking solderless breadboard x 1				
Training Content:				
Blinking LED				
SOS beacon				
Traffic light				

#weENGAGE #weINNOVATE #weEMPOWER

	Fading light RGB LED Alarm Temperature alarm Detecting vibration Auto Light Moving servo Interact with servo RGB Light dimmer Motor fan Infrared controlled light Infrared controlled LED matrix With suppliers' warranty With ISO 17025 Certification			
8	LABORATORY EQUIPMENT, Multiple PLC Systems Trainer (3 different PLC) - General Specs: Compact type PLC training system Eight digital inputs Six digital outputs Six analog inputs Two analog outputs Can be connect and control SCADA Can be connect and control HMI Ladder simulation Analog and Digital sensor compatibility Technical Specifications: Eight digital inputs Six digital outputs Six Analog input Two analog outputs RS232 compatible RS485 compatible 24 Volts DC input Seven push button switches Two relays One DC motor Three pilot lights One photoelectric sensor 12V DC, NPN, 5mm, 1 KHz One photoelectric Sensor with Mirror feedback, 24 VDC, NC, NO Power: 220 Volts input/ 24V DC output/ 5 Amp Training Content: Emergency stop training Push On and Off Training Traffic light Control Training Relay Control Training Motor Control Training Sensor Control Training Analog input and output Control Training Counter Control Training Timer Control Training SCADA Interface Training PLC Programming Training Accessories included: Communication Cable	1	358,900.00	30 calendar days

	30 pcs connecting cables Power Cables PLC programming Software With suppliers' warranty With ISO 17025 Certification			
11	MACHINERY AND EQUIPMENT, Brake dynamometer Power range: 10-20 hp Max RPM: 2000 rpm Max Torque: 400 Nm With suppliers' warranty With ISO 17025 Certification	1	250,000.00	30 calendar days
12	MACHINERY AND EQUIPMENT, Diesel engine with common rail intercooler Educational Trainer 4 stroke engine; 4 in-line cylinders; 4 valves per cylinder Displacement: 2500/2800 cu. Cm Power: 150-170 hp At 4000 RPM Twin overhead camshaft (DOHC) with timing belt Vibration-damping balancing shafts Common rail-type direct injection with electro-injectors Turbo-supercharger with air-air intercooler Alternator-oil filter-oil pump With suppliers' warranty With ISO 17025 Certification	1	96,000.00	30 calendar days
13	MACHINERY AND EQUIPMENT, Gasoline engine with common rail Educational Trainer 4 stroke engine; 4 in-line cylinders; 4 valves per cylinder Displacement: 2500/2800 cu. Cm Power: 150-170 hp At 4000 RPM Twin overhead camshaft (DOHC) with timing belt Vibration-damping balancing shafts Common rail-type direct injection with electro-injectors Turbo-supercharger with air to air intercooler Alternator-oil filter-oil pump With suppliers' warranty With ISO 17025 Certification	1	96,000.00	30 calendar days
14	MACHINERY AND EQUIPMENT, Lab Mill/Husker Capacity: 250 grams paddy sample Capacity/hr: 50 kg/hr Power: 400 W (0.5 hp) single phase Head Power: 1,900 RPM Follow power: 1,000 RPM Size: 720x 480 x 1400 mm Weight: 49kg Power source: 220 V, 60 hz With suppliers' warranty With ISO 17025 Certification	1	118,000.00	
15	MACHINERY AND EQUIPMENT, Laboratory Oven (Forced Air-Drying Oven) Capacity: 54L Temp. Range: RT+10°C~300°C Temp. Precision: 0.1°C Temp. Uniformity: ≤Max Temp.±2.5% Circulation Mode: Back heating, forced convection	1	84,000.00	30 calendar days

	Timing Range: 0-9999min/h Shelves NO. (pc): 2 Display: LCD Power Supply: 220V±10% 50/60Hz or 110V±10% Gross Weight(kg): 40-45, with instructional/laboratory manual With suppliers' warranty With ISO 17025 Certification			
17	MACHINERY AND EQUIPMENT, Multiparameter Water Quality Meter, Portable Type, pH Range - 2.000-20.000pH Resolution 0001,0.01,0.1pH, selectable Accuracy 0.002pH Calibration Points 1 to 5 points pHBuffer Options USA, NIST, DIN, 2 custom buffers ORP Range ±1999.9mV Resolution 0.1, 1mV, selectable Accuracy ±0.2mV Calibration Points 1 point Ion Range 0.001~19999 (depending on the range of ISE) Resolution 0.001, 0.01, 0.1, 1 Accuracy ±0.5% F.S. (monovalent), ±1% F.S. (divalent) Measurement Units ppm, mg/L, mol/L, mmol/L Calibration Points 2 to 5 points (0.001, 0.01, 0.1, 1, 10, 100, 1000, 10000) Conductivity Range 0.01~20.00, 200.0, 2000µS/cm, 20.00, 200.0mS/cm Resolution 0001,0.01,0.1,1 Accuracy ±0.5% F.S. Calibration Points 1 to 5 points Calibration Solutions 10µS/cm, 84µS/cm, 1413µS/cm, 12.88mS/cm, 111.8mS/cm Temperature Coefficient Linear(0.0-10.0%/°C ). pure water Reference Temperature 20/25°C Cell Constant K=0.1, 1, 10 or custom TDS Range 0~10.00, 100.0, 1000ppm, 10.00, 200.0ppt Resolution 001,0.1,1 Accuracy ±1% F.S. TDS Factor 0.1~1.0 (default 0.5) Salinity Range 0.00~42.00psu, 0.00~80.00ppt Resolution 0.01 Accuracy ±1% F.S. Resistivity Range 0.00~20.00M? Resolution 0.01 Accuracy ±1% F.S. DO Range 0.00~20.00mg/L, 0.0~200.0% saturation Resolution 001mg/L,0.1% Accuracy ±0.2mg/L, ±2.0% Calibration Points 1 or 2 points With suppliers' warranty With ISO 17025 Certification	2	130,000.00	30 calendar days
20	MACHINERY AND EQUIPMENT, Portable Biogas Analyzer "Gases detected CH4, CO2, H2S, O2 Measuring range CH4: (0-100)%vol CO2: (0-100)%vol H2S: (0~1000) ppm O2: (0~30.0)%vol Resolution ratio CH4: 1%vol, CO2: 1%vol, H2S: 1ppm, O2: 0.1%vol Sensor Infrared sensor and electrochemical sensor Sensor lifetime: 5years( CH4, CO2) 2years( H2S, O2) Response time CH4: 45S ( T90 ) CO2: 45s (T90)	1	118,000.00	

	H2S: 45s (T90) O2: 45s (T90) Alarms Audible--buzzer with 80dB audible Visible--flashing red LED, 20m visible Alarm point Fully adjustable Data logging Continuous Data logging (1900 events at configurable 0.1-10 minutes intervals) Continuous working time is 13hours Display Liquid Crystal Display (LCD) Battery model PL123450, 3.7V/1500mA			
	Charging time 4-5 hours Dust and water resistance IP65			
	With suppliers' warranty			
	With ISO 17025 Certification			
	<b>GRAND TOTAL</b>		<b>1,458,333.00</b>	

## Section VII. TECHNICAL SPECIFICATIONS

Item	Specification	Statement of Compliance
		<p><i>[Add 2 columns if the award criterion to be used is MEARB, or MARB (one for parameters and one for rating)]</i></p> <p><b>Bidders must state “Comply” or “Not Comply” for each specification and provide the corresponding performance parameters for offered equipment.</b> Each response must be supported by a clear documentary support in the bid and properly cross-referenced. Acceptable evidence includes unaltered manufacturer sales brochures, official specification sheets, product samples, independent test results, and similar documents.</p> <p>Claims should be backed by documentary support. If the evidence contradicts the claim, the bid may be rejected. Any false statement—whether in the compliance form or supporting documents—found during evaluation, post-qualification, or contract implementation may be considered fraudulent in accordance with ITB Clause 3.1(a)(ii) and without prejudice to the imposition of appropriate administrative, civil, and criminal penalty in accordance with law.</p>
3	LABORATORY EQUIPMENT, Desktop for Intelligent Robotic Arm - Processor: 13th Gen i7 RAM: 16GRAM External Graphics Card: 12GB Storage: 512GB SSD Monitor: 23-25in Operating System: Windows 11 Note: Computer brand must be more than 15 years in the industry Free training/Installation and testing and training of employees/faculty members in the use of the above items. Calibration of all the items/ Installation and testing and training Manufactured under ISO 9001-2015 With suppliers' warranty	
7	LABORATORY EQUIPMENT, Microcontroller - Starter Learning Kit (Complete Laboratory Equipment Set, (1 bundle=10 sets) General Specs: Prototyping Shield Jumper Cables M/M x 30 Jumper cables F/M x 10 Resistor 220 R x 20 Resistor 4.7 K x 20 Resistor 10K x 20 Resistor 1K x 20 5 mm LED x 10 IR Receiver Diode x 1	

	Mini-push Button x 4 Ambient light sensor x 1 Tilt switch sensor x 1 8-segment LED x 1 LM35 temperature sensor x 1 Relay x 1 Buzzer x 1 Fan x 1 130 Motor x 1 10K Potentiometer x 3 Micro Servo x 1 Mini control x1 6 AA Battery Holder x 1 400 tie point interlocking solderless breadboard x 1 Training Content: Blinking LED SOS beacon Traffic light Fading light RGB LED Alarm Temperature alarm Detecting vibration Auto Light Moving servo Interact with servo RGB Light dimmer Motor fan Infrared controlled light Infrared controlled LED matrix With suppliers' warranty With ISO 17025 Certification	
8	LABORATORY EQUIPMENT, Multiple PLC Systems Trainer (3 different PLC) - General Specs: Compact type PLC training system Eight digital inputs Six digital outputs Six analog inputs Two analog outputs Can be connect and control SCADA Can be connect and control HMI Ladder simulation Analog and Digital sensor compatibility Technical Specifications: Eight digital inputs Six digital outputs Six Analog input Two analog outputs RS232 compatible RS485 compatible 24 Volts DC input Seven push button switches Two relays One DC motor Three pilot lights One photoelectric sensor 12V DC, NPN, 5mm, 1 KHz One photoelectric Sensor with Mirror feedback, 24 VDC, NC, NO Power: 220 Volts input/ 24V DC output/ 5 Amp Training Content:	

	Emergency stop training Push On and Off Training Traffic light Control Training Relay Control Training Motor Control Training Sensor Control Training Analog input and output Control Training Counter Control Training Timer Control Training SCADA Interface Training PLC Programming Training Accessories included: Communication Cable 30 pcs connecting cables Power Cables PLC programming Software With suppliers' warranty With ISO 17025 Certification	
11	MACHINERY AND EQUIPMENT, Brake dynamometer Power range: 10-20 hp Max RPM: 2000 rpm Max Torque: 400 Nm With suppliers' warranty With ISO 17025 Certification	
12	MACHINERY AND EQUIPMENT, Diesel engine with common rail intercooler Educational Trainer 4 stroke engine; 4 in-line cylinders; 4 valves per cylinder Displacement: 2500/2800 cu. Cm Power: 150-170 hp At 4000 RPM Twin overhead camshaft (DOHC) with timing belt Vibration-damping balancing shafts Common rail-type direct injection with electro-injectors Turbo-supercharger with air-air intercooler Alternator-oil filter-oil pump With suppliers' warranty With ISO 17025 Certification	
13	MACHINERY AND EQUIPMENT, Gasoline engine with common rail Educational Trainer 4 stroke engine; 4 in-line cylinders; 4 valves per cylinder Displacement: 2500/2800 cu. Cm Power: 150-170 hp At 4000 RPM Twin overhead camshaft (DOHC) with timing belt Vibration-damping balancing shafts Common rail-type direct injection with electro-injectors Turbo-supercharger with air to air intercooler Alternator-oil filter-oil pump With suppliers' warranty With ISO 17025 Certification	
14	MACHINERY AND EQUIPMENT, Lab Mill/Husker Capacity: 250 grams paddy sample Capacity/hr: 50 kg/hr Power: 400 W (0.5 hp) single phase Head Power: 1,900 RPM Follow power: 1,000 RPM Size: 720x 480 x 1400 mm Weight: 49kg Power source: 220 V, 60 hz With suppliers' warranty With ISO 17025 Certification	
15	MACHINERY AND EQUIPMENT, Laboratory Oven (Forced Air-Drying Oven) Capacity: 54L	

	Temp. Range: RT+10°C~300°C	
	Temp. Precision: 0.1°C	
	Temp. Uniformity: ≤Max Temp.±2.5% Circulation Mode: Back heating, forced convection	
	Timing Range: 0-9999min/h	
	Shelves NO. (pc): 2	
	Display: LCD	
	Power Supply: 220V±10% 50/60Hz or 110V±10%	
	Gross Weight(kg): 40-45, with instructional/laboratory manual	
	With suppliers' warranty	
	With ISO 17025 Certification	
17	<p>MACHINERY AND EQUIPMENT, Multiparameter Water Quality Meter, Portable Type, pH Range - 2.000-20.000pH Resolution 0001,0.01,0.1pH, selectable Accuracy 0.002pH</p> <p>Calibration Points 1 to 5 points pHBuffer Options USA, NIST, DIN, 2 custom buffers ORP Range ±1999.9mV Resolution 0.1, 1mV, selectable Accuracy ±0.2mV Calibration Points 1 point Ion Range 0.001~19999 (depending on the range of ISE) Resolution 0.001, 0.01, 0.1, 1 Accuracy ±0.5% F.S. (monovalent), ±1% F.S. (divalent)</p> <p>Measurement Units ppm, mg/L, mol/L, mmol/L Calibration Points 2 to 5 points (0.001, 0.01, 0.1, 1, 10, 100, 1000, 10000) Conductivity Range 0.01~20.00, 200.0, 2000µS/cm, 20.00, 200.0mS/cm Resolution 0001,0.01,0.1,1 Accuracy ±0.5% F.S. Calibration Points 1 to 5 points Calibration Solutions 10µS/cm, 84µS/cm, 1413µS/cm, 12.88mS/cm, 111.8mS/cm Temperature Coefficient Linear(0.0-10.0%/°C). pure water Reference Temperature 20/25°C Cell Constant K=0.1, 1, 10 or custom TDS Range 0~10.00, 100.0, 1000ppm, 10.00, 200.0ppt Resolution 001,0.1,1 Accuracy ±1% F.S. TDS Factor 0.1~1.0 (default 0.5) Salinity Range 0.00~42.00psu, 0.00~80.00ppt Resolution 0.01 Accuracy ±1% F.S. Resistivity Range 0.00~20.00M? Resolution 0.01 Accuracy ±1% F.S. DO Range 0.00~20.00mg/L, 0.0~200.0% saturation Resolution 001mg/L,0.1% Accuracy ±0.2mg/L, ±2.0% Calibration Points 1 or 2 points</p> <p>With suppliers' warranty</p> <p>With ISO 17025 Certification</p>	
20	<p>MACHINERY AND EQUIPMENT, Portable Biogas Analyzer "Gases detected CH4, CO2, H2S, O2</p> <p>Measuring range CH4: (0-100)%vol CO2: (0-100)%vol</p> <p>H2S: (0~1000) ppm</p> <p>O2: (0~30.0)%vol</p> <p>Resolution ratio CH4: 1%vol,</p> <p>CO2: 1%vol,</p> <p>H2S: 1ppm,</p> <p>O2: 0.1%vol</p> <p>Sensor Infrared sensor and electrochemical sensor</p> <p>Sensor lifetime: 5years( CH4, CO2) 2years( H2S, O2)</p> <p>Response time CH4: 45S ( T90 )</p> <p>CO2: 45s (T90)</p> <p>H2S: 45s (T90)</p>	

	<p>02: 45s (T90) Alarms Audible--buzzer with 80dB audible Visible--flashing red LED, 20m visible Alarm point Fully adjustable Data logging Continuous Data logging (1900 events at configurable 0.1-10 minutes intervals) Continuous working time is 13hours Display Liquid Crystal Display (LCD) Battery model PL123450, 3.7V/1500mA</p>	
	<p>Charging time 4-5 hours Dust and water resistance IP65</p>	
	<p>With suppliers' warranty</p>	
	<p>With ISO 17025 Certification</p>	

## Special Conditions of Contract

GCC Clause	
1(a)	The Procuring Entity is <i>Nueva Vizcaya State University</i>
1(b)	The Supplier is <i>[to be inserted at the time of contract award]</i> .
1(c)	<p>The Funding Source is:</p> <p>2.1 The GoP through the source of funding as indicated below for <i>[indicate funding year]</i> in the amount of <i>[indicate amount]</i></p> <p>2.2 The source of funding is:</p> <p><i>[If an early procurement activity, select one and delete others:]</i></p> <ul style="list-style-type: none"> <li>a) NGA, the National Expenditure Program.</li> <li>b) GOCC and GFIs, the proposed Corporate Operating Budget.</li> <li>c) LGUs, the proposed Local Expenditure Program.</li> </ul> <p><i>[If not an early procurement activity, select one and delete others:]</i></p> <ul style="list-style-type: none"> <li>a) NGA, the General Appropriations Act or Special Appropriations.</li> <li>b) GOCC and GFIs, the Corporate Operating Budget.</li> <li>c) LGUs, the Annual or Supplemental Budget, as approved by the <i>Sanggunian</i>.</li> </ul> <p>2.3 foreign funded.</p>
1(d)	The Project Site is <i>[insert full name and address of the delivery site]</i> . For multiple sites state "The Project sites are defined in Section VI. Schedule of Requirements"
2	No further instructions.
5.1	<p>The Procuring Entity's address for Notices is: <i>[Insert address including, name of contact, fax and telephone number]</i></p> <p>The Supplier's address for Notices is: <i>[Insert address including, name of contact, fax and telephone number]</i>.</p>
5.2	No further instructions.
6.2	<p><i>List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:</i></p> <p><b>Delivery and Documents</b></p> <p>For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p><i>For Goods Supplied from Abroad, state "The delivery terms applicable to the Contract are DDP delivered [insert place of destination]. In accordance with INCOTERMS." (DAP)</i></p> <p><i>For Goods Supplied from Within the Philippines, state "The delivery terms applicable to this Contract are delivered [insert place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."</i></p>
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI. Schedule of Requirements. The details of shipping and/or other documents to be furnished by the Supplier are as follows:

	<p><i>For Goods supplied from within the Philippines:</i></p> <p>Upon delivery of the Goods to the Project Site, the Supplier shall notify the Procuring Entity and present the following original documents to the Procuring Entity:</p> <ol style="list-style-type: none"> <li>i) Supplier’s invoice showing Goods’ description, quantity, unit price, and total amount;</li> <li>ii) Delivery receipt/note, railway receipt, or truck receipt;</li> <li>iii) Supplier’s factory inspection report;</li> <li>iv) Manufacturer’s and/or Supplier’s warranty certificate;</li> <li>v) Certificate of origin (for imported Goods);</li> <li>vi) Delivery receipt detailing number and description of items received signed by the authorized receiving personnel;</li> <li>vii) Certificate of Acceptance/Inspection Report signed by the Procuring Entity’s representative at the Project Site; and</li> <li>viii) Four copies of the Invoice Receipt for Property signed by the Procuring Entity’s representative at the Project Site.</li> </ol> <p><i>For Goods supplied from abroad:</i></p> <p>Upon shipment, the Supplier shall immediately communicate and notify the Procuring Entity and the insurance company the full details of the shipment, including Contract Number, description of the Goods, quantity, vessel, bill of lading number and date, port of loading, date of shipment, port of discharge etc. Upon delivery to the Project Site, the Supplier shall notify the Procuring Entity and present the following original documents as applicable with the documentary requirements of any letter of credit issued taking precedence:</p> <ol style="list-style-type: none"> <li>i) Supplier’s invoice showing Goods’ description, quantity, unit price, and total amount;</li> <li>ii) Negotiable, clean shipped on board bill of lading marked “freight prepaid”, as well as a copy of the non-negotiable bill of lading;</li> <li>iii) Supplier’s factory inspection report;</li> <li>iv) Manufacturer’s and/or Supplier’s warranty certificate;</li> <li>v) Certificate of origin (for imported Goods);</li> <li>vi) Delivery receipt detailing number and description of items received signed by the Procuring Entity’s representative at the Project Site;</li> <li>vii) Certificate of Acceptance/Inspection Report signed by the Procuring Entity’s representative at the Project Site; and</li> <li>viii) Invoice Receipt for Property signed by the Procuring Entity’s representative at the Project Site.</li> </ol> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is <i>[insert name(s)]</i>.</p> <p><b>Incidental Services</b></p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p>
	<p><i>[Select appropriate requirements and delete the rest.]</i></p> <ol style="list-style-type: none"> <li>a) performance or supervision of onsite assembly and/or startup of the supplied Goods;</li> </ol>

	<ul style="list-style-type: none"> <li>b) furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li> <li>c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;</li> <li>d) performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and</li> <li>e) training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</li> </ul> <p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p>
	<p><b>Spare Parts</b></p> <p>The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:</p> <p><i>[Select appropriate requirements and delete the rest]</i></p> <ul style="list-style-type: none"> <li>a) such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and</li> <li>b) in the event of termination of production of the spare parts:             <ul style="list-style-type: none"> <li>i) advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and</li> <li>ii) following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.</li> </ul> </li> </ul> <p>The spare parts required are listed in Section VI. Schedule of Requirements and the cost thereof are included in the Contract Price</p> <p>The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spares for the Goods for a period of <i>[insert here the time period specified. If not used insert time period of three times the warranty period]</i>.</p> <p>Other spare parts and components shall be supplied as promptly as possible, but in any case within <i>[insert appropriate time period]</i> months of placing the order.</p>
	<p><b>Packaging</b></p> <p>The Supplier shall meet packaging standards for Goods in accordance with existing laws and regulations, and as indicated in this Contract to prevent damage or deterioration during transit to their final destination.</p> <p>The packaging shall be durable enough to withstand rough handling, exposure to extreme temperatures, salt, precipitation, open storage, and other extreme conditions during transit. Packaging case sizes and weights shall consider the remoteness of the Goods' final destination and the potential absence of heavy handling facilities at all transit points.</p>

The packaging, labeling, and documentation within and outside the packages shall comply strictly with special requirements as shall be expressly provided for in this Contract, including additional requirements, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the

Supplier Contract Description

Final Destination Gross

weight

Any special lifting instructions Any special

handling instructions

Any relevant Hazardous Chemical classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging, if practical. Otherwise, the packaging list is to be placed outside the secondary packaging.

### Insurance

The Supplier shall fully insure the Goods supplied under this Contract in a currency, local or tradeable and accepted by the *Bangko Sentral ng Pilipinas* against loss or damage incidental to manufacture, acquisition, transportation, storage, and delivery. The risk and ownership of the Goods remain with the Supplier until their final acceptance by the Procuring Entity, unless otherwise specified in this Contract.

### Transportation

The Supplier shall arrange and pay for the delivery of the Goods, with the cost included in the Contract Price. When required under this Contract to deliver the Goods CIF, CIP, or DDP, the Supplier shall ensure the transport of the Goods to the port of destination or any other specified place of destination in the Philippines, as indicated in this Contract.

The Supplier shall arrange for transport, insurance, and storage to the specified destination with the related costs included in the Contract Price. When required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site.

The Goods must be transported using carriers registered in the Philippines when the Supplier is required under this Contract to deliver the Goods CIF (Cost, Insurance, and Freight), CIP (Carriage and Insurance Paid To), or DDP (Delivered Duty Paid). If no Philippine-registered carrier is available, the Goods may be shipped using a non-Philippine carrier, provided the Supplier obtains and presents certification from the nearest Philippine consulate at the port of dispatch. If Philippine-registered carriers are available but their schedules would impede timely delivery or cause delays in the Supplier's performance of this Contract, the period of delay from when the Goods were first ready for shipment to the actual date of shipment will be considered *force majeure* in accordance with **GCC** Clause 23.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP Deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers, risk and ownership will not be deemed transferred to the Procuring Entity until their receipt and final acceptance at the final destination.

### Patent Rights

	The Supplier shall indemnify the Procuring Entity against all third- party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
10.3	<p><i>State “Maintain the GCC Clause.”</i></p> <p><i>or</i></p> <p><i>State “The terms of payment shall be as follows: _____”</i></p>
11.4	<i>Maintain the GCC Clause and state here “Not applicable” or if procurement involves a foreign-denominated bid, state “Payment shall be made in [insert currency].”</i>
11.5	<p><i>State, “Payment using LoC is not allowed.” Or</i></p> <p><i>If payment using LoC is allowed, state “The amount of provisional sum is _____ Peso (PhP _____).” [Note: The provisional sum shall not exceed 10% of the ABC, and shall form part of the ABC.]</i></p>
13.4(c)	<p><i>Specify additional conditions, if any, that must be met</i></p> <p><i>prior to the release of the performance security,</i></p> <p><i>otherwise, state “No further instructions”.</i></p>
16.1	<p>The inspections and tests that will be conducted are:</p> <p><i>[Insert the applicable inspections and tests, if none,</i></p> <p><i>state “None”].</i></p>
17.3	<p><i>If the Goods pertain to Expendable Supplies:</i> Three (3) months after acceptance by the Procuring Entity of the delivered Goods or after the Goods are consumed, whichever is earlier.</p> <p><i>If the Goods pertain to Non-expendable Supplies:</i> One (1) year after acceptance by the Procuring Entity of the delivered Goods.</p> <p>The period for correction of defects in the warranty period is</p> <p><i>[insert number of days].</i></p>
17.3(c)	<i>State here other amount to cover the warranty, otherwise state, “Not applicable.”</i>
17.4	No further instructions.
17.5	No further instructions.
20.2	<i>State here the mode of arbitration that will be resorted, otherwise state, “Not applicable.”</i>
21.1	No further instructions.

## Omnibus Sworn Statement Form

*[Note: The duly accomplished form shall be submitted with the Bid]*

REPUBLIC OF THE PHILIPPINES )  
CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.

### OMNIBUS SWORN STATEMENT

I, **[Name of Affiant]**, of legal age, **[Civil Status]**, **[Nationality]**, and with residence at **[Address of Affiant]**, after having been duly sworn in accordance with law, do hereby depose and state that:

1) **Select one, delete the others:**

- *If sole proprietorship:* I am the sole proprietor or authorized representative of **[Name of Bidder]** with office address at **[Address of Bidder]**;
- *If partnership, corporation, cooperative, or joint venture:* I am the duly authorized and designated representative of **[Name of Bidder]** with office address at **[Address of Bidder]**;
- *If individual consultant not registered under a sole proprietorship, in case of Consulting Services:* I am the individual consultant or authorized representative of **[Name of Bidder]** with office address at **[Address of Bidder]**;

2) **Select one, delete the others:**

- *If sole proprietorship:* As the owner and sole proprietor or authorized representative of **[Name of Bidder]**, I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for **[Project Title]** of the **[Name of the Procuring Entity]** *[insert "as supported by the attached duly notarized Special Power of Attorney" for authorized representative]*;
- *If partnership, corporation, cooperative, or joint venture:* I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for **[Project Title]** of the **[Name of the Procuring Entity]**, as supported by the attached duly notarized Special Power of Attorney, Board/Partnership Resolution, or Secretary's Certificate, whichever is applicable;

*If individual consultant not registered under a sole proprietorship, in case of Consulting Services:* As the individual consultant or authorized representative of **[Name of Bidder]**, I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the

#weENGAGE #weINNOVATE #weEMPOWER

ensuing contract for **[Project Title]** of the **[Name of the Procuring Entity]**, as supported by the attached duly notarized Special Power of Attorney for *authorized representative*;

- 3) **[Name of Bidder]** is not “blacklisted” or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board; by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity;
- 4) Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5) **[Name of Bidder]** is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6) **Select one, delete the others:**
  - *If sole proprietorship* : The **[Name of Bidder]** and its spouse are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), End- User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;
  - *If partnership* : The partnership itself and the partners of **[Name of Bidder]** are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;
  - *If cooperative*: The cooperative itself and members of the board of directors, general manager, or chief executive officer of **[Name of Bidder]** are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;
  - *If corporation, or joint venture*: The corporation or joint venture itself, and officers, directors, and controlling stockholders of **[Name of Bidder]** are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;

#weENGAGE #weINNOVATE #weEMPOWER

- *If individual consultant not registered under a sole proprietorship, in case of Consulting Services:* The individual consultant and its spouse are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;
- 7) It is understood that failure to faithfully disclose its relationship with the HoPE, members of the BAC, the TWG, and the BAC Secretariat, the head of the PMO or the end-user unit or implementing unit, and the project consultants of the Procuring Entity, or of the procurement agent by consanguinity or affinity up to the third civil degree, as well as its submission of beneficial ownership information containing false entries shall be subject to blacklisting under Section 100 of the IRR of RA No. 12009, without prejudice to criminal and civil liabilities under applicable laws, including their accessory penalties, if any.

**[Select one, delete the rest:]**

- *In case of corporations: [Name of Bidder]* declares its beneficial ownership consistent with its updated General Information Sheet or Beneficial Ownership Declaration Form or any other document duly submitted to the SEC in accordance with its annual reportorial requirements.
  - *In case of Foreign Bidders: [Name of Bidder]* submitted an appropriate equivalent document in English issued by the country of the bidder concerned in accordance with Section 20.2.9.2 of the IRR of RA No. 12009.
- 8) **[Name of Bidder]** complies with existing labor laws and standards; and
- 9) **[Name of Bidder]** is aware of and has undertaken the following responsibilities as a Bidder:
- a) Carefully examine all of the Bidding Documents;
  - b) Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;
  - c) Made an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d) Inquire or secure Supplemental Bid Bulletin(s) issued for the **[Project Title]**.
10. **[Name of Bidder]** did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

10) In case advance payment was made or given to **[Name of Bidder]**, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability under existing laws.

**IN WITNESS WHEREOF**, I have hereunto set my hand this \_\_\_ day of \_\_\_, 20\_\_\_ at \_\_\_\_\_, Philippines.

Duly authorized to sign the Bid for and behalf of:

**[Insert Bidder's Name]**

**[Affiant's Signature over Printed Name]**

**[Position/Designation]**

**[Date]**

### JURAT

**SUBSCRIBED AND SWORN** to before me this \_\_\_ day of **[month] [year]** at **[place of execution]**, Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her **[insert type of government identification card used]**, with his/her photograph and signature appearing thereon, with no.

\_\_\_\_\_.

**WITNESS MY HAND AND SEAL** this \_\_\_ day of **[month] [year]**.

NAME OF NOTARY PUBLIC

Notarial Commission No. \_\_\_\_\_

Notary Public for \_\_\_\_\_ until \_\_\_\_\_

Roll of Attorneys No. \_\_\_\_\_

PTR No. \_\_, **[date issued]**, **[place issued]**

IBP No. \_\_, **[date issued]**, **[place issued]**

Doc. No. \_\_\_\_\_

Page No. \_\_\_\_\_

Book No. \_\_\_\_\_

Series of \_\_\_\_\_ 2026.

**STATEMENT OF SINGLE LARGEST COMPLETED CONTRACT**  
(within five (5) years from the date of submission and receipt of bids)

Name of Client	Name of the Contract	Date and Status of the Contract	Kind of Goods	Amount of Contract	Value of Outstanding Contracts	Date of Delivery

I hereby certify that the above-mentioned are correct.

\_\_\_\_\_  
Signature over the printed of the authorized representative

\_\_\_\_\_  
Company Name

\_\_\_\_\_  
Date

## Bid Securing Declaration Form

***[The duly accomplished form shall be submitted with the Bid if bidder opts to provide this type of bid security]***

REPUBLIC OF THE PHILIPPINES )  
CITY/MUNICIPALITY OF \_\_\_\_\_) S.S.

### BID SECURING DECLARATION

Project Identification No.: **2025-9E**

To: ***Nueva Vizcaya State University***

I/We, the undersigned, declare that:

- 1) I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration;

***[Insert paragraph for Unsolicited Offer with Bid Matching]***

I/We understand that upon conferment of the original offeror status under Section 30.6 of the Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 12009, the offeror shall submit a Bid Securing Declaration within ten (10) days from the receipt of the certificate of conferment;

- 2) Select one, delete the other:
  - I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any Procuring Entity upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the Procuring Entity for the commission of acts resulting to the enforcement of the Bid Securing Declaration under Sections 52.2 (a), 63.2, 69.1 and 100, except 100.3 (c), of the IRR of Republic Act No. 12009; without prejudice to other legal action the government may undertake; and

*(For Unsolicited Offer with Bid Matching)*

- I/We accept that: I/we will be automatically disqualified from any procurement opportunity of the Procuring Entity for a period of one (1) year on the first offense, two (2) years on the second offense, and perpetually on the third offense without prejudice to other legal action the government may undertake.
- 3) I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
    - a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;

**#weENGAGE #weINNOVATE #weEMPOWER**



- b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;

***[Insert this paragraph for Unsolicited Offer with Bid Matching]***

- c) Upon contract award and the LCCRB is not the original offeror; or
- d) I am/we are declared the bidder with the ***[Insert Award Criterion]*** and I/we have furnished the performance security and signed the Contract.

**IN WITNESS WHEREOF**, I/We have hereunto set my/our hand/s this \_\_\_\_ day of *[month]* *[year]* at *[place of execution]*.

Duly authorized to sign the Bid for and behalf of:

***[Insert Bidder's Name]***

***[Signature over Printed Name]***  
***[Position/Designation]***

***[Date]***

JURAT

**SUBSCRIBED AND SWORN** to before me this \_\_\_\_ day of *[month]* *[year]* at *[place of execution]*, Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her *[insert type of government identification card used]*, with his/her photograph and signature appearing thereon, with no.

\_\_\_\_\_.

**WITNESS MY HAND AND SEAL** this \_ day of *[month]* *[year]*.

NAME OF NOTARY PUBLIC

Notarial Commission No. \_\_\_\_\_  
Notary Public for \_\_\_\_\_ until \_\_\_\_\_  
Roll of Attorneys No. \_\_\_\_\_  
PTR No. \_\_, *[date issued]*, *[place issued]*  
IBP No. \_\_, *[date issued]*, *[place issued]*

Doc. No. \_\_\_\_\_  
Page No. \_\_\_\_\_  
Book No. \_\_\_\_\_  
Series of \_\_\_\_\_.

#weENGAGE #weINNOVATE #weEMPOWER

## Price Schedule for Goods

Name of Bidder \_\_\_\_\_ Project ID No. \_\_\_\_\_ Page \_ of \_\_\_\_\_  
 Pricing Details for Goods Offered from Within the Philippines

1	2	3	4	5	6	7	8	9	10
Item	Description	Source of Domestic Product, as certified by the Relevant Agency	Quantity	Unit price exw per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)

### Summary of Bid Prices

*The Procuring Entity may modify the table below as necessary to comply with the requirements of the Procurement Project.*

1	2	3	4	5	6
Item No.	Particulars / Description	Quantity	Unit	Total Amount	Bid Price
3	LABORATORY EQUIPMENT, Desktop for Intelligent	2	Set	148,000.00	
	Robotic Arm -				
	Processor: 13th Gen i7 RAM: 16GRAM				
	External Graphics Card: 12GB Storage: 512GB SSD				
	Monitor: 23-25in				
	Operating System: Windows 11				
	Note: Computer brand must be more than 15 years in the industry Free training/Installation and testing and training of employees/faculty members in the use of the above items.				
	Calibration of all the items/				

	Installation and testing and training				
	Manufactured under ISO 9001-2015				
	With suppliers' warranty				
7	LABORATORY EQUIPMENT, Microcontroller -Starter Learning Kit (Complete Laboratory Equipment Set, (1 bundle=10 sets)	1	Bundle	59,433.00	
	General Specs:				
	Prototyping Shield				
	Jumper Cables M/M x 30				
	Jumper cables F/M x 10				
	Resistor 220 R x 20				
	Resistor 4.7 K x 20				
	Resistor 10K x 20				
	Resistor 1K x 20				
	5 mm LED x 10				
	IR Receiver Diode x 1				
	Mini-push Button x 4				
	Ambient light sensor x 1				
	Tilt switch sensor x 1				
	8-segment LED x 1				
	LM35 temperature sensor x 1				
	Relay x 1				
	Buzzer x 1				
	Fan x 1				
	130 Motor x 1				
	10K Potentiometer x 3				
	Micro Servo x 1				
	Mini control x1				
	6 AA Battery Holder x 1				
	400 tie point interlocking solderless breadboard x 1				

	Training Content: Blinking LED SOS beacon Traffic light Fading light RGB LED Alarm Temperature alarm Detecting vibration Auto Light Moving servo Interact with servo RGB Light dimmer Motor fan Infrared controlled light Infrared controlled LED matrix With suppliers' warranty With ISO 17025 Certification				
8	LABORATORY EQUIPMENT, Multiple PLC Systems Trainer (3 different PLC) - General Specs: Compact type PLC training system Eight digital inputs Six digital outputs Six analog inputs Two analog outputs Can be connect and control SCADA Can be connect and control HMI Ladder simulation Analog and Digital sensor compatibility	1	Set	358,900.00	

Technical Specifications:				
Eight digital inputs				
Six digital outputs				
Six Analog input				
Two analog outputs				
RS232 compatible				
RS485 compatible				
24 Volts DC input				
Seven push button switches				
Two relays				
One DC motor				
Three pilot lights				
One photoelectric sensor 12V DC, NPN, 5mm, 1 KHz				
One photoelectric Sensor with Mirror feedback, 24				
VDC, NC, NO				
Power: 220 Volts input/ 24V DC output/ 5 Amp				
Training Content:				
Emergency stop training				
Push On and Off Training				
Traffic light Control Training				
Relay Control Training				
Motor Control Training				
Sensor Control Training				
Analog input and output Control Training				
Counter Control Training				
Timer Control Training				
SCADA Interface Training PLC Programming Training Accessories included:				
Communication Cable				

	30 pcs connecting cables				
	Power Cables				
	PLC programming Software				
	With suppliers' warranty				
	With ISO 17025 Certification				
11	MACHINERY AND EQUIPMENT, Brake dynamometer	1	Unit	250,000.00	
	Power range: 10-20 hp				
	Max RPM: 2000 rpm				
	Max Torque: 400 Nm				
	With suppliers' warranty				
	With ISO 17025 Certification				
12	MACHINERY AND EQUIPMENT, Diesel engine with common rail intercooler Educational Trainer 4 stroke engine; 4 in-line cylinders; 4 valves per cylinder	1	Unit	96,000.00	
	Displacement: 2500/2800 cu. Cm Power: 150-170 hp At 4000 RPM Twin overhead camshaft (DOHC) with timing belt				
	Vibration-damping balancing shafts				
	Common rail-type direct injection with electro-injectors Turbo-supercharger with air-air intercooler Alternator-oil filter-oil pump				
	With suppliers' warranty				
	With ISO 17025 Certification				
13	MACHINERY AND EQUIPMENT, Gasoline engine with common rail Educational Trainer 4 stroke engine; 4 in-line cylinders; 4 valves per cylinder	1	Unit	96,000.00	
	Displacement: 2500/2800 cu. Cm Power: 150-170 hp At 4000 RPM Twin overhead camshaft (DOHC) with timing belt				
	Vibration-damping balancing shafts				
	Common rail-type direct injection with electro-injectors				
	Turbo-supercharger with air to air intercooler Alternator-oil filter-oil pump				
	With suppliers' warranty				
	With ISO 17025 Certification				
14	MACHINERY AND EQUIPMENT, Lab Mill/Husker	1	Unit	118,000.00	
	Capacity: 250 grams paddy sample				
	Capacity/hr: 50 kg/hr				

	Power: 400 W (0.5 hp) single phase Head Power: 1,900 RPM Follow power: 1,000 RPM Size: 720x 480 x 1400 mm Weight: 49kg Power source: 220 V, 60 hz With suppliers' warranty With ISO 17025 Certification				
15	MACHINERY AND EQUIPMENT, Laboratory Oven (Forced Air-Drying Oven) Capacity: 54L Temp. Range: RT+10°C~300°C Temp. Precision: 0.1°C Temp. Uniformity: ≤Max Temp.±2.5% Circulation Mode: Back heating, forced convection Timing Range: 0-9999min/h Shelves NO. (pc): 2 Display: LCD Power Supply: 220V±10% 50/60Hz or 110V±10% Gross Weight(kg): 40-45, with instructional/laboratory manual With suppliers' warranty With ISO 17025 Certification	1	Unit	84,000.00	
17	MACHINERY AND EQUIPMENT, Multiparameter Water Quality Meter, Portable Type, pH Range -2.000-20.000pH Resolution 0001,0.01,0.1pH, selectable Accuracy 0.002pH Calibration Points 1 to 5 points pHBuffer Options USA, NIST, DIN, 2 custom buffers ORP Range ±1999.9mV Resolution 0.1, 1mV, selectable Accuracy ±0.2mV Calibration Points 1 point Ion Range 0.001~19999 (depending on the range of ISE) Resolution 0.001, 0.01, 0.1, 1 Accuracy ±0.5% F.S. (monovalent), ±1% F.S. (divalent) Measurement Units ppm, mg/L, mol/L, mmol/L Calibration Points 2 to	2	Unit	130,000.00	

	<p>5 points (0.001, 0.01, 0.1, 1, 10, 100, 1000, 10000) Conductivity Range 0.01~20.00, 200.0, 2000µS/cm, 20.00, 200.0mS/cm Resolution 0001,0.01,0.1,1 Accuracy ±0.5% F.S. Calibration Points 1 to 5 points Calibration Solutions 10µS/cm, 84µS/cm, 1413µS/cm, 12.88mS/cm, 111.8mS/cm Temperature Coefficient Linear(0.0-10.0%/°C ). pure water Reference Temperature 20/25°C Cell Constant K=0.1, 1, 10 or custom TDS Range 0~10.00, 100.0, 1000ppm, 10.00, 200.0ppt Resolution 001,0.1,1 Accuracy ±1% F.S. TDS Factor 0.1~1.0 (default 0.5) Salinity Range 0.00~42.00psu, 0.00~80.00ppt Resolution 0.01 Accuracy ±1% F.S. Resistivity Range 0.00~20.00M? Resolution 0.01 Accuracy ±1% F.S. DO Range 0.00~20.00mg/L, 0.0~200.0% saturation Resolution 001mg/L,0.1% Accuracy ±0.2mg/L, ±2.0% Calibration Points 1 or 2 points</p>				
	<p>With suppliers' warranty</p>				
<p>20</p>	<p>MACHINERY AND EQUIPMENT, Portable Biogas Analyzer "Gases detected CH4, CO2, H2S, O2</p> <p>Measuring range CH4: (0-100)%vol CO2: (0-100)%vol</p> <p>H2S: (0~1000) ppm</p> <p>O2: (0~30.0)%vol</p> <p>Resolution ratio CH4: 1%vol,</p> <p>CO2: 1%vol,</p> <p>H2S: 1ppm,</p> <p>O2: 0.1%vol</p> <p>Sensor Infrared sensor and electrochemical sensor</p> <p>Sensor lifetime: 5years( CH4, CO2) 2years( H2S, O2)</p> <p>Response time CH4: 45S ( T90 )</p> <p>CO2: 45s (T90)</p> <p>H2S: 45s (T90)</p> <p>O2: 45s (T90) Alarms Audible--buzzer with 80dB audible Visible--flashing red LED, 20m visible Alarm point Fully adjustable Data logging Continuous Data logging (1900 events at configurable 0.1-10 minutes intervals) Continuous working time</p>	<p>1</p>	<p>Unit</p>	<p>118,000.00</p>	



	is 13hours Display Liquid Crystal Display (LCD) Battery model PL123450, 3.7V/1500mA				
	Charging time 4-5 hours Dust and water resistance IP65				
	With suppliers' warranty				
	With ISO 17025 Certification				
	<b>GRAND TOTAL</b>			<b>1,458,333.00</b>	

Name: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_



## Price Schedule for Goods

Name of Bidder \_\_\_\_\_, Project ID No. \_\_\_\_\_, Page \_ of \_\_\_\_\_

### Pricing Details for Goods Offered from Abroad

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

### Summary of Bid Prices

*The Procuring Entity may modify the table below as necessary to comply with the requirements of a specific Project.*

1	2	3	4
Item No.	Item	Particulars / Description	Total Amount

Name: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

**Bid Form for Procurement of Goods**  
**[Note: The duly accomplished form shall be submitted with the Bid]**

**BID FORM**  
**Project Identification No.: [Insert number]**

To: **[Name of Procuring Entity]**

Having examined the Philippine Bidding Documents (PBD) including the Supplemental Bid Bulletin Numbers **[insert numbers]**, the receipt of which is hereby duly acknowledged, we, the undersigned, declare that:

- a) I/We have no reservation to the PBD, including the Supplemental Bid Bulletins, for the Procurement Project **[Project Title]**;
- b) Select one, delete the other
  - I/We undertake to deliver the Goods in accordance with the delivery schedule in the Schedule of Requirements;
  - I/We offer to execute the Works for this Contract in accordance with the PBD;
- c) The total price of our Bid in words and figures, excluding any discount offered below, is **[ insert information]**;
- d) The discounts offered and the methodology for their application are: **[insert information]**;
- e) The total bid price includes the cost of all taxes, such as, but not limited to **[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]**, which are itemized herein or in the **[Select one, delete the other: the Price Schedules/ Detailed Estimates]**;
- f) This Bid shall remain valid within a period stated in the PBD, and it shall be binding upon me/us at any time before the expiration of that period;
- g) If our bid is accepted, I/We commit to provide a performance security in the form, amounts, and within the times prescribed in the PBD.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon the Bidder.

I/We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

I/We certify/confirm that we comply with the eligibility requirements pursuant to the PBD.

The undersigned is authorized to submit the bid on behalf of **[Name of the Bidder]** as evidenced by the attached **[State the Written Authority]**.



I/We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Duly authorized to sign the Bid for and behalf of:

***[Insert Bidder's Name]***

***[Signature over Printed Name]***

***[Position/Designation]***

***[Date]***