# PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

# Procurement of INFRASTRUCTURE PROJECTS

Government of the Republic of the Philippines

For Project 2023-05i: IMPROVEMENT OF MINI-THEATER AND COMFORT ROOMS FOR BAYOMBONG CAMPUS

> Sixth Edition July 2020

#### **Preface**

These Philippine Bidding Documents (PBDs) for the procurement of Infrastructure Projects (hereinafter referred to also as the "Works") through Competitive Bidding have been prepared by the Government of the Philippines for use by all branches, agencies, departments, bureaus, offices, or instrumentalities of the government, including government-owned and/or -controlled corporations, government financial institutions, state universities and colleges, local government units, and autonomous regional government. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

The PBDs are intended as a model for admeasurements (unit prices or unit rates in a bill of quantities) types of contract, which are the most common in Works contracting.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract; (ii) the eligibility requirements of Bidders; (iii) the expected contract duration; and (iv) the obligations, duties, and/or functions of the winning Bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Works to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Infrastructure Projects. However, they should be adapted as necessary to the circumstances of the particular Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, BDS, General Conditions of Contract, Special Conditions of Contract, Specifications, Drawings, and Bill of Quantities are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the names of the Project, Contract, and Procuring Entity, in addition to date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

## TABLE OF CONTENTS

Gl	ossar	y of Terms, Abbreviations, and Acronyms	5
Se	ction	I. Invitation to Bid	8
Se	ction	II. Instructions to Bidders	9
	1.	Scope of Bid	12
	2.	Funding Information	12
	3.	Bidding Requirements	12
	4.	Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	13
	5.	Eligible Bidders	13
	6.	Origin of Associated Goods	13
	7.	Subcontracts	13
	8.	Pre-Bid Conference	14
	9.	Clarification and Amendment of Bidding Documents	14
	10.	Documents Comprising the Bid: Eligibility and Technical Components	
	11.	Documents Comprising the Bid: Financial Component	15
	12.	Alternative Bids	15
	13.	Bid Prices	15
	14.	Bid and Payment Currencies	16
	15.	Bid Security	16
	16.	Sealing and Marking of Bids	16
	17.	Deadline for Submission of Bids	16
	18.	Opening and Preliminary Examination of Bids	17
	19.	Detailed Evaluation and Comparison of Bids	17
	20.	Post Qualification	17
	21.	Signing of the Contract	17
Se	ction	III. Bid Data Sheet	18
Se	ction	IV. General Conditions of Contract	20
	1.	Scope of Contract	21
	2.	Sectional Completion of Works	
	3.	Possession of Site	
	4.	The Contractor's Obligations	21
	5.	Performance Security	22
	6.	Site Investigation Reports	

7.	Warranty	22
8.	Liability of the Contractor	22
9.	Termination for Other Causes	22
10.	Dayworks	23
11.	Program of Work	23
12.	Instructions, Inspections and Audits	23
13.	Advance Payment	23
14.	Progress Payments	23
15.	Operating and Maintenance Manuals	24
Section	V. Special Conditions of Contract	25
Section	VI. Specifications	27
Section	VII. Drawings	29
	VIII. Bill of Quantities	
	IX. Checklist of Technical and Financial Documents	

# Glossary of Terms, Abbreviations, and Acronyms

**ABC** – Approved Budget for the Contract.

**ARCC** – Allowable Range of Contract Cost.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**CDA** – Cooperative Development Authority.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**Contractor** – is a natural or juridical entity whose proposal was accepted by the Procuring Entity and to whom the Contract to execute the Work was awarded. Contractor as used in these Bidding Documents may likewise refer to a supplier, distributor, manufacturer, or consultant.

**CPI** – Consumer Price Index.

**DOLE** – Department of Labor and Employment.

**DTI** – Department of Trade and Industry.

**Foreign-funded Procurement or Foreign-Assisted Project** – Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PCAB** – Philippine Contractors Accreditation Board.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**UN** – United Nations.

#### Section I. Invitation to Bid


#### **Notes on the Invitation to Bid**

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria.

The IB should be incorporated into the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



#### INVITATION TO BID

# For Project 2023-05i: Improvement of Mini Theater and Comfort Rooms for Bayombong Campus

- 1. The *Nueva Vizcaya State University*, through the *Special Trust Fund (STF164)* intends to apply the sum of *Php3,500,000.00* being the Approved Budget for the Contract (ABC)to payments under the contract Project 2023-05i: Improvement of Mini Theater and Comfort Rooms for Bayombong Campus. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The *Nueva Vizcaya State University* now invites bids for the above Procurement Project. Completion of the Works is required 180 *calendar days*. Bidders should have completed within two (02) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
- 4. Interested bidders may obtain further information from *Nueva Vizcaya State University* and inspect the Bidding Documents at the address given below from *Mondays to Fridays*, 8:00AM to 5:00PM.
- 5. A complete set of Bidding Documents may be acquired by interested bidders starting on April 18, 2023 from given address and website/s below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Php5,000.00. The Procuring Entity shall allow the bidderto present its proof of payment for the fees through electronic means.
- 6. The NVSU will hold a Pre-Bid Conference¹ on April 26, 2023 @ 9:00am at the Function Room, 3/F New Administration Building, NVSU Bayombong, Campus and through videoconferencing/webcasting via Zoom, which shall be open to prospective bidders. To reduce the risks and hazards of community transmission of COVID-19, the BAC shall conduct meetings and conferences via ZOOM (Meeting ID: 237 313 4467; Password: nvsu@2023) until further notice, or until such time that the state of calamity, or implementation of community quarantine or similar government restrictions shall have been lifted by the proper government authorities.
- 7. Bids must be duly received by the BAC Secretariat through courier submission at the office address indicated below on or before May 5, 2023 at 5:00pm. Late bids shall not be accepted.

- 8. All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 16.
- 9. Bid opening shall be on *May 8, 2023 at 9:00am at the given address and via Zoom* (Meeting ID: 237 313 4467; Password: nvsu@2023). Bids will be opened in the presence of the bidders' representatives who choose to attendthe activity.
- 10. Submission of Bid Envelopes by the bidder's representative must be accompanied by an authorization through a Special Power of Attorney (SPA):

A limit of three (3) projects shall be awarded per contractor. In case that a contractorwon more than 03 projects, the BAC shall determine the 03 projects; and

In case a contractor wins more than one project, the contractor must detail specific manpower and equipment for every project.

- 11. The *Nueva Vizcaya State University* reserves the right to reject any and all bids, declarea failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised Implementing Rules and Regulations (IRR) of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. For further information, please refer to:

MS. ICY P. GARCIA

MS. JOVELYN M. GUILLERMO

MS. DIANNE MARGARETH B. TITO

MS. GLAYNORE TALINGDAN

MR. RICHARD JOHN GUZMAN

MS. JULIET S. SANCHEZ

**UBAC Secretariat** 

3<sup>rd</sup> floor UBAC Office, New Administration Building NVSU Bayombong Campus, Bayombong, Nueva Vizcaya Tel. No. 078-321-2112-138 (trunkline)

Email address: nvsubacinfra@gmail.com

**NVSU LANDBANK ACCOUNT No.: 0432-1028-82** 

13. You may visit the website:

For downloading of Bidding Documents: **www.nvsu.edu.ph** on April 18, 2023.

JONAR I. YAGO UBAC Chairperson, Infrastructure

## Section II. Instructions to Bidders

#### **Notes on the Instructions to Bidders**

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

#### 1. Scope of Bid

The Procuring Entity, *Nueva Vizcaya State University* Invites Bids for the *Improvement of Mini-Theater and Comfort Rooms for Bayombong Campus* with Project Identification Number *Project 2023-05i*.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is for the construction of Works, as described in Section VI (Specifications).

#### 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for *FY2023* Special Trust Fund (*STF164*) in the amount of *Php3,500,000.00*.
- 2.2. The source of funding is:

[If an early procurement activity, select one and delete others:]

- a. NGA, the National Expenditure Program.
- b. GOCC and GFIs, the proposed Corporate Operating Budget.
- c. LGUs, the proposed Local Expenditure Program.

[If not an early procurement activity, select one and delete others:]

- a. NGA, the General Appropriations Act or Special Appropriations.
- b. GOCC and GFIs, the Corporate Operating Budget.
- c. LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

#### 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manual and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or invitation to bid by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have inspected the site, determined the general characteristics of the contracted Works and the conditions for this Project, such as the location and the nature of the work; (b) climatic conditions;

(c) transportation facilities; (c) nature and condition of the terrain, geological conditions at the site communication facilities, requirements, location and availability of construction aggregates and other materials, labor, water, electric power and access roads; and (d) other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

#### 4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices

The Procuring Entity, as well as the Bidders and Contractors, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. The Bidder must have an experience of having completed a Single Largest Completed Contract (SLCC) that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC adjusted, if necessary, by the Bidder to current prices using the PSA's CPI, except under conditions provided for in Section 23.4.2.4 of the 2016 revised IRR of RA No. 9184.

A contract is considered to be "similar" to the contract to be bid if it has the major categories of work stated in the **BDS**.

- 5.3. For Foreign-funded Procurement, the Procuring Entity and the foreign government/foreign or international financing institution may agree on another track record requirement, as specified in the Bidding Document prepared for this purpose.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.2 of the 2016 IRR of RA No. 9184.

#### 6. Origin of Associated Goods

There is no restriction on the origin of Goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN.

#### 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than fifty percent (50%) of the Project.

The Procuring Entity has prescribed that:

[Select one, delete other/s]

- a. Subcontracting is allowed. The portions of Project and the maximum percentage allowed to be subcontracted are indicated in the **BDS**, which shall not exceed fifty percent (50%) of the contracted Works.
- b. Subcontracting is not allowed.
- 7.1. [If Procuring Entity has determined that subcontracting is allowed during the bidding, state:] The Bidder must submit together with its Bid the documentary requirements of the subcontractor(s) complying with the eligibility criterial stated in **ITB** Clause 5 in accordance with Section 23.4 of the 2016 revised IRR of RA No. 9184 pursuant to Section 23.1 thereof.
- 7.2. [If subcontracting is allowed during the contract implementation stage, state:] The Supplier may identify its subcontractor during the contract implementation stage. Subcontractors identified during the bidding may be changed during the implementation of this Contract. Subcontractors must submit the documentary requirements under Section 23.1 of the 2016 revised IRR of RA No. 9184 and comply with the eligibility criteria specified in ITB Clause 5 to the implementing or end-user unit.
- 7.3. Subcontracting of any portion of the Project does not relieve the Contractor of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Contractor's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

#### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address {[insert if applicable] and/or through videoconferencing/webcasting} as indicated in paragraph 6 of the **IB**.

#### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

# 10. Documents Comprising the Bid: Eligibility and Technical Components

10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.

- 10.2. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. For Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.
- 10.3. In joint ventures, a special PCAB License, and registration for the type and cost of the contract for this Project, shall be required. Any additional type of Contractor license or permit shall be indicated in the **BDS**.
- 10.4. A List of Contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen) assigned to the contract to be bid, with their complete qualification and experience data shall be provided. These key personnel must meet the required minimum years of experience set in the **BDS**.
- 10.5. A List of Contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership, certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be, must meet the minimum requirements for the contract set in the **BDS**.

#### 11. Documents Comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 11.2. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.3. For Foreign-funded procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

#### 12. Alternative Bids

Bidders shall submit offers that comply with the requirements of the Bidding Documents, including the basic technical design as indicated in the drawings and specifications. Unless there is a value engineering clause in the **BDS**, alternative Bids shall not be accepted.

#### 13. Bid Prices

All bid prices for the given scope of work in the Project as awarded shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances as determined by the NEDA

and approved by the GPPB pursuant to the revised Guidelines for Contract Price Escalation guidelines.

#### 14. Bid and Payment Currencies

- 14.1. Bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 14.2. Payment of the contract price shall be made in:

[Select one, delete other/s]

- a. Philippine Pesos.
- b. [indicate currency if procurement involves a foreign-denominated bid as allowed by the Procuring Entity, which shall be tradeable or acceptable by the BSP.]

#### 15. Bid Security

- 15.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 15.2. The Bid and bid security shall be valid until [one hundred twenty (120) calendar days from the bid opening]. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

#### 16. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission to the given website or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

#### 17. Deadline for Submission of Bids

The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

#### 18. Opening and Preliminary Examination of Bids

18.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

18.2. The preliminary examination of Bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

#### 19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "passed" using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, all Bids and combinations of Bids as indicated in the **BDS** shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid Security as required by **ITB** Clause 16 shall be submitted for each contract (lot) separately.
- 19.3. In all cases, the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184 must be sufficient for the total of the ABCs for all the lots participated in by the prospective Bidder.

#### 20. Post Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS), and other appropriate licenses and permits required by law and stated in the **BDS**.

#### 21. Signing of the Contract

The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

#### Section III. Bid Data Sheet

#### **Notes on the Bid Data Sheet (BDS)**

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

# **Bid Data Sheet**

_						
ITB Clause						
5.2	For this purpose, contracts similar to the Project refer to contracts which have					
	the same major categories of work, which shall be:					
	Improvement of Mini-Theater and Comfort Rooms for Bayombong Campus.					
	[provide description/clarification of what are major categories of work].					
7.1	Specify the portions of Works and the maximum percentage allowed to be					
	subcontracted, which shall not be significant or material components of the					
	roject as determined by the Procuring Entity.]					
10.3	[Specify if another Contractor license or permit is required.]					
10.4	key personnel must meet the required minimum years of experience set					
	elow: Key Personnel General Experience Relevant Experience					
	Reg 1 ersonner General Experience Refevant Experience					
10.5	The minimum major equipment requirements are the following:					
	<u>Equipment</u> <u>Capacity</u> <u>Number of Units</u>					
10						
12	[Insert Value Engineering clause if allowed.]					
15.1	Not applicable.					
15.1	The bid security shall be in the form of a Bid Securing Declaration or any of the					
	following forms and amounts:					
	a. The amount of not less than Seventy Thousand pesos only					
	(Php70,000.00) [Insert two percent (2%) of ABC], if bid security is in					
	cash, cashier's/manager's check, bank draft/guarantee or irrevocable					
	letter of credit;					
	h The success of model and Consider Constitution of model and consider Constitution of the constitution of					
	b. The amount of not less than One Hundred Seventy-Five Thousand pesos					
	only (Php175,000.00) [Insert five percent (5%) of ABC] if bid security					
10.2	is in Surety Bond.					
19.2	Partial bids are allowed, as follows:					
	[Insert grouping of lots by specifying the items and the quantity for every					
	identified lot.]					
20	Not Applicable					
20	[List licenses and permits relevant to the Project and the corresponding law					
	requiring it, e.g. Environmental Compliance Certificate, Certification that the					
	project site is not within a geohazard zone, etc.]					
21	Additional contract documents relevant to the Project that may be required by					
	existing laws and/or the Procuring Entity, such as construction schedule and S-					
	curve, manpower schedule, construction methods, equipment utilization					
	schedule, construction safety and health program approved by the DOLE, and					
	other acceptable tools of project scheduling.					

## Section IV. General Conditions of Contract

#### **Notes on the General Conditions of Contract**

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Contractor, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

#### 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

#### 2. Sectional Completion of Works

If sectional completion is specified in the **Special Conditions of Contract** (SCC), references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date shall apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).

#### 3. Possession of Site

- 4.1. The Procuring Entity shall give possession of all or parts of the Site to the Contractor based on the schedule of delivery indicated in the SCC, which corresponds to the execution of the Works. If the Contractor suffers delay or incurs cost from failure on the part of the Procuring Entity to give possession in accordance with the terms of this clause, the Procuring Entity's Representative shall give the Contractor a Contract Time Extension and certify such sum as fair to cover the cost incurred, which sum shall be paid by Procuring Entity.
- 4.2. If possession of a portion is not given by the above date, the Procuring Entity will be deemed to have delayed the start of the relevant activities. The resulting adjustments in contract time to address such delay may be addressed through contract extension provided under Annex "E" of the 2016 revised IRR of RA No. 9184.

#### 4. The Contractor's Obligations

The Contractor shall employ the key personnel named in the Schedule of Key Personnel indicating their designation, in accordance with **ITB** Clause 10.3 and specified in the **BDS**, to carry out the supervision of the Works.

The Procuring Entity will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are equal to or better than those of the personnel listed in the Schedule.

#### 5. Performance Security

- 5.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR.
- 5.2. The Contractor, by entering into the Contract with the Procuring Entity, acknowledges the right of the Procuring Entity to institute action pursuant to RA No. 3688 against any subcontractor be they an individual, firm, partnership, corporation, or association supplying the Contractor with labor, materials and/or equipment for the performance of this Contract.

#### 6. Site Investigation Reports

The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to in the SCC supplemented by any information obtained by the Contractor.

#### 7. Warranty

- 7.1. In case the Contractor fails to undertake the repair works under Section 62.2.2 of the 2016 revised IRR, the Procuring Entity shall forfeit its performance security, subject its property(ies) to attachment or garnishment proceedings, and perpetually disqualify it from participating in any public bidding. All payables of the GOP in his favor shall be offset to recover the costs.
- 7.2. The warranty against Structural Defects/Failures, except that occasioned-on force majeure, shall cover the period from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity. Specific duration of the warranty is found in the **SCC**.

#### 8. Liability of the Contractor

Subject to additional provisions, if any, set forth in the SCC, the Contractor's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Contractor is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

#### 9. Termination for Other Causes

Contract termination shall be initiated in case it is determined *prima facie* by the Procuring Entity that the Contractor has engaged, before, or during the implementation of the contract, in unlawful deeds and behaviors relative to contract acquisition and implementation, such as, but not limited to corrupt, fraudulent, collusive, coercive, and obstructive practices as stated in **ITB** Clause 4.

#### 10. Dayworks

Subject to the guidelines on Variation Order in Annex "E" of the 2016 revised IRR of RA No. 9184, and if applicable as indicated in the SCC, the Dayworks rates in the Contractor's Bid shall be used for small additional amounts of work only when the Procuring Entity's Representative has given written instructions in advance for additional work to be paid for in that way.

#### 11. Program of Work

- 11.1. The Contractor shall submit to the Procuring Entity's Representative for approval the said Program of Work showing the general methods, arrangements, order, and timing for all the activities in the Works. The submissions of the Program of Work are indicated in the **SCC**.
- 11.2. The Contractor shall submit to the Procuring Entity's Representative for approval an updated Program of Work at intervals no longer than the period stated in the SCC. If the Contractor does not submit an updated Program of Work within this period, the Procuring Entity's Representative may withhold the amount stated in the SCC from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program of Work has been submitted.

#### 12. Instructions, Inspections and Audits

The Contractor shall permit the GOP or the Procuring Entity to inspect the Contractor's accounts and records relating to the performance of the Contractor and to have them audited by auditors of the GOP or the Procuring Entity, as may be required.

#### 13. Advance Payment

The Procuring Entity shall, upon a written request of the Contractor which shall be submitted as a Contract document, make an advance payment to the Contractor in an amount not exceeding fifteen percent (15%) of the total contract price, to be made in lump sum, or at the most two installments according to a schedule specified in the **SCC**, subject to the requirements in Annex "E" of the 2016 revised IRR of RA No. 9184.

#### 14. Progress Payments

The Contractor may submit a request for payment for Work accomplished. Such requests for payment shall be verified and certified by the Procuring Entity's Representative/Project Engineer. Except as otherwise stipulated in the SCC, materials and equipment delivered on the site but not completely put in place shall not be included for payment.

#### 15. Operating and Maintenance Manuals

- 15.1. If required, the Contractor will provide "as built" Drawings and/or operating and maintenance manuals as specified in the **SCC**.
- 15.2. If the Contractor does not provide the Drawings and/or manuals by the dates stated above, or they do not receive the Procuring Entity's Representative's approval, the Procuring Entity's Representative may withhold the amount stated in the **SCC** from payments due to the Contractor.

## Section V. Special Conditions of Contract

#### **Notes on the Special Conditions of Contract**

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Works procured. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

# **Special Conditions of Contract**

GCC Clause	
2	[If different dates are specified for completion of the Works by section, i.e. "sectional completion," these dates should be listed here.]
4.1	[Specify the schedule of delivery of the possession of the site to the Contractor, whether full or in part.] 7 days after receipt of Notice to Proceed.
6	The site investigation reports are: [list here the required site investigation reports.]  Not Applicable
7.2	[Select one, delete the other.]
	[In case of permanent structures, such as buildings of types 4 and 5 as classified under the National Building Code of the Philippines and other structures made of steel, iron, or concrete which comply with relevant structural codes (e.g., DPWH Standard Specifications), such as, but not limited to, steel/concrete bridges, flyovers, aircraft movement areas, ports, dams, tunnels, filtration and treatment plants, sewerage systems, power plants, transmission and communication towers, railway system, and other similar permanent structures:] Fifteen (15) years.
10	[Select one, delete the other:]
	a. Dayworks are applicable at the rate shown in the Contractor's original Bid.
11.1	The Contractor shall submit the Program of Work to the Procuring Entity's Representative within <i>seven</i> (7) days of delivery of the Notice of Award.
11.2	The amount to be withheld for late submission of an updated Program of Work is [insert amount].  Not Applicable.
13	The amount of the advance payment is [insert amount as percentage of the contract price that shall not exceed 15% of the total contract price and schedule of payment].  15% advance payment.
14	[If allowed by the Procuring Entity, state:] Materials and equipment delivered on the site but not completely put in place shall be included for payment.  Not Applicable.
15.1	The date by which operating and maintenance manuals are required is <i>[date]</i> . Not Applicable.  The date by which "as built" drawings are required is <i>[date]</i> .  Upon final billing.
15.2	The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required is [amount in local currency].  Not Applicable.

# Section VI. Specifications

#### **Notes on Specifications**

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying or conditioning their Bids. In the context of international competitive bidding, the specifications must be drafted to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of economy, efficiency, and fairness in procurement be realized, responsiveness of Bids be ensured, and the subsequent task of bid evaluation facilitated. The specifications should require that all goods and materials to be incorporated in the Works be new, unused, of the most recent or current models, and incorporate all recent improvements in design and materials unless provided otherwise in the Contract.

Samples of specifications from previous similar projects are useful in this respect. The use of metric units is mandatory. Most specifications are normally written specially by the Procuring Entity or its representative to suit the Works at hand. There is no standard set of Specifications for universal application in all sectors in all regions, but there are established principles and practices, which are reflected in these PBDs.

There are considerable advantages in standardizing General Specifications for repetitive Works in recognized public sectors, such as highways, ports, railways, urban housing, irrigation, and water supply, in the same country or region where similar conditions prevail. The General Specifications should cover all classes of workmanship, materials, and equipment commonly involved in construction, although not necessarily to be used in a particular Works Contract. Deletions or addenda should then adapt the General Specifications to the particular Works.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for goods, materials, and workmanship, recognized international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that goods, materials, and workmanship that meet other authoritative standards, and which ensure substantially equal or higher quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the SCC.

#### Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Contract to specific standards and codes to be met by the goods and materials to be furnished, and work performed or tested, the provisions of the latest current edition or revision of the relevant standards and codes in effect shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national, or relate to a particular country or region, other authoritative standards that ensure a substantially equal or higher quality than the standards and codes specified will be accepted

subject to the Procuring Entity's Representative's prior review and written consent. Differences between the standards specified and the proposed alternative standards shall be fully described in writing by the Contractor and submitted to the Procuring Entity's Representative at least twenty-eight (28) days prior to the date when the Contractor desires the Procuring Entity's Representative's consent. In the event the Procuring Entity's Representative determines that such proposed deviations do not ensure substantially equal or higher quality, the Contractor shall comply with the standards specified in the documents.

These notes are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final Bidding Documents.

# Section VII. Drawings

[Insert here a list of Drawings. The actual Drawings, including site plans, should be attached to this section, or annexed in a separate folder.]

## Section VIII. Bill of Quantities

#### **Notes on the Bill of Quantities**

#### **Objectives**

The objectives of the Bill of Quantities are:

- a. to provide sufficient information on the quantities of Works to be performed to enable Bids to be prepared efficiently and accurately; and
- b. when a Contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed.

In order to attain these objectives, Works should be itemized in the Bill of Quantities in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and content of the Bill of Quantities should be as simple and brief as possible.

#### **Daywork Schedule**

A Daywork Schedule should be included only if the probability of unforeseen work, outside the items included in the Bill of Quantities, is high. To facilitate checking by the Entity of the realism of rates quoted by the Bidders, the Daywork Schedule should normally comprise the following:

- a. A list of the various classes of labor, materials, and Constructional Plant for which basic daywork rates or prices are to be inserted by the Bidder, together with a statement of the conditions under which the Contractor will be paid for work executed on a daywork basis.
- b. Nominal quantities for each item of Daywork, to be priced by each Bidder at Daywork rates as Bid. The rate to be entered by the Bidder against each basic Daywork item should include the Contractor's profit, overheads, supervision, and other charges.

#### **Provisional Sums**

A general provision for physical contingencies (quantity overruns) may be made by including a provisional sum in the Summary Bill of Quantities. Similarly, a contingency allowance for possible price increases should be provided as a provisional sum in the Summary Bill of Quantities. The inclusion of such provisional sums often facilitates

budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises. Where such provisional sums or contingency allowances are used, the SCC should state the manner in which they will be used, and under whose authority (usually the Procuring Entity's Representative's).

The estimated cost of specialized work to be carried out, or of special goods to be supplied, by other contractors should be indicated in the relevant part of the Bill of Quantities as a particular provisional sum with an appropriate brief description. A separate procurement procedure is normally carried out by the Procuring Entity to select such specialized contractors. To provide an element of competition among the Bidders in respect of any facilities, amenities, attendance, etc., to be provided by the successful Bidder as prime Contractor for the use and convenience of the specialist contractors, each related provisional sum should be followed by an item in the Bill of Quantities inviting the Bidder to quote a sum for such amenities, facilities, attendance, etc.

#### **Signature Box**

A signature box shall be added at the bottom of each page of the Bill of Quantities where the authorized representative of the Bidder shall affix his signature. Failure of the authorized representative to sign each and every page of the Bill of Quantities shall be a cause for rejection of his bid.

These Notes for Preparing a Bill of Quantities are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final documents.

# Bill of Quantities

Name of Project : <u>2023-05i IMPROVEMENT OF MINI-THEATER AND COMFORT</u>

**ROOMS** 

Location : NVSU Compound, Bayombong, Nueva Vizcaya

Mode of Implementation: By ContractApproved Budget for Contract: Php 3,500,000.00Duration: 180 Calendar Days

Source of Fund :

SUMMARY OF DETAILED COST ESTIMATES							
ITEM	DESCRIPTION OF WORK	%	UNIT	QTY	UNIT COST	AMOUNT	
A.1.1(8)	Provision for Field Office (Rental Basis)		LS	1.00			
B.5	Project Billboard		each	1.00			
B.3	Permits and Clearances		LS	1.00			
B.7(1)	Occupational Safety and Health Program		LS	1.00			
801 (1)	Removal of Structures and Obstruction		LS	1.00			
900 (1) a1	Structural Concrete		cu.m.	22.80			
1001 (8)	Sewer Line Works		LS	1.00			
1002 (4)	Plumbing Fixtures		LS	1.00			
1002 (24)	Cold Water Lines		LS	1.00			
1003 (2)h	Wall – (Decorative Dry Walls and Studs)		LS	1.00			
SPL 1	Conference Room Executive Chairs		set	78.00			
SPL 2	IT Equipment – Projector Screen & Projector		LS	1.00			
1003 (1) a1	Ceiling – Metal Frame		sq.m.	509.60			
1003 (22)	Modular Partition – Aluminum Partition and Doors		sq.m.	41.00			
1008 (1) a&d	Aluminum Glass Windows (awning and fixed)		sq.m.	7.20			
1007 (1) a&b	Aluminum Framed Glass Door (Swing and Sliding Type)		sq.m.	14.89			
1010 (2) (b)	Wooden Doors – Flush Door		sq.m.	14.28			
1018	Unglazed Tiles and Trims		sq.m.	110.40	•		
1018 (1)	Glazed Tiles and Trims		sq.m.	57.60			

1027 (1)	Cement Plaster Finish	sq.m.	90.40		
1032 (1) a	Painting Works, Masonry	sq.m.	234.95		
1032 (1) b	Painting Works, Wood	sq.m.	12.30		
1032 (1) c	Painting Works, Steel	sq.m.	35.55		
1046	CHB Non Load Bearing (including reinforcing steel)	sq.m.	45.20		
1053 (1) b	Carpet Floor Tiles	LS	1.00		
1100 (10)	Conduits Boxes & Fittings	LS	1.00		
1101 (33)	Wires & Wiring Devices	LS	1.00		
1102 (1)	Panelboard with Main & Branch Breakers	LS	1.00		
1103 (1)	Lighting Fixtures & Lamps	LS	1.00		
1200 (14)	Airconditioning and Ventilating System	LS	1.00		
				SUBTOTAL:	
	APPROVED BUDGET FOR CONTRACT (ABC):				

Prepared by:		
Civil Engineer		
PRC No. PTR No. TIN No. Submitted by:	Valid Until Date Issued Place Issued	:

Contract	or's Representative						
	DETAILED UNIT PRICE	E ANALYSI	S				
JOB:	IMPROVEMENT OF MINI-THEATER AND COM	MFORT ROC	OMS				
PAY ITEM:	()						
COST ID:	A.1.1(8)						
QUANTITY:	1.00 LS		PRODUC	CTION RATE:	LS		
			NUMBE	R OF HOURS:	Hrs.		
A. MATERIAL COST		UNIT	QUANTITY	UNIT PRICE	TOTAL COST		
	Construction of Temporary Field Office, Bunkhouse with C.R., wash area, water supply, electrical supply, and waste disposal pit.	LS	1				
	disposai pit.						
NOTE:	1.All materials to be used for this item shall be rental basis.						
	2. Field office location shall be identified by PPSDS-Infraconstruction.	a section upon	resume of the				
	3. Temporary field office shall be removed after the completion be free from waste/debris.	on of the project	. The area shall				
	4. Water supply line shall be provided with non-defective installed once the project commenced.	brand new wat	er meter to be				
	5. Power supply line shall be provided with non-defective ele	ectric meter.					
	6. Field office and bunkhouse shall be properly maintained a	t all times.	_				
	SUB	TOTAL (A) =					
B. LABOR COST		No. of Person/s	Total Hours	Hourly Rate	Total Cost		
	Leadman						

Skilled Laborer				
Unskilled Laborer				
	SUBTOTAL (B) =			
	SUBTOTAL (B) =			
C. EQUIPMENT COST	No. of Equipment/s	Total Hours	Hourly Rate	Total Cost
	SUBTOTAL (C) =			
D. DIRECT COST (A+B+C)				
E. INDIRECT COST			1	
	1. OCM			
	2. Contractor's Profit			
	3. VAT			
	SUBTOTAL (E) =			
		ITEM COST	(D+E)	
UNIT COST				

	DETAILED UNIT PRICE ANALYSIS					
JOB:	IOB: IMPROVEMENT OF MINI-THEATER AND COMFORT ROOMS					
PAY ITEM:	Permits and Clearances					
COST ID:	B.3					
QUANTITY:	1.00 LS					
			_			
A. MATERIAL (	A. MATERIAL COST UNIT QUANTITY UNIT PRICE TOTAL COST					
	This Includes payment of professional signatures/professional fees, Building Permit, Ancillary Permits & occupancy permit requirements Building Permit shall be secured first before commencing any construction activity. Permit Number shall be incorporated in the project billboards. The cost shall be based on Bayombong Engineering Office/Building Official.	LS	1.00			
NOTE:						
	Reproduction of Plans and other documents required for the said permits shall be C/O the contractor.					
As-built plan with signature of professional shall be submitted at the infrastructure section in two copies aside from the copies for the occupancy permits building before the approval of final billing.						
	All payment shall be shouldered by the contractor.					

	SUB	TOTAL (A) =				
B. LABOR CO	ST	No. of Person/s	Total Hours	Hourly Rate	Total Cost	
	Liaison Officer					
NOTE:	It shall be the liaison officer who will coordinate to PPSDS for all documents needed and submit to the building officials for the issuance of building permit and occupancy permit.					
	SUB	TOTAL (B) =				
C. EQUIPMEN	VT COST	No. of Equipment/s	Total Hours	Hourly Rate	Total Cost	
	SUB	TOTAL (C) =				
D. DIRECT CO	OST (A+B+C)					
E. INDIRECT	COST					
<u> </u>	1. OCM					
	2. Contractor's Profit					
	3. VAT					
	SUB	TOTAL (E) =				
			ITEM COST	(D+E)		
	UNIT COST					

DETAILED UNIT PRICE ANALYSIS						
JOB:	JOB: IMPROVEMENT OF MINI-THEATER AND COMFORT ROOMS					
PAY ITEM:	Project Billboard					
COST ID:	B.5					
QUANTITY:	1.00 each		PRODUC	CTION RATE:		
			NUMBEI	R OF HOURS:		
A. MATERIAL (	A. MATERIAL COST UNIT QUANTITY UNIT PRICE TOTAL COST					
	Framing and Installation of printed tarpaulin project billboard wit complete content. (see sample.) including consumables	LS	1.00			
NOTE:	NOTE: 1. Project billboard shall be installed prior to the start of the project. It shall be installed at place as per directed by PPSDS.					
2. Billboard/Signages shall be removed after the construction. All lumber materials shall be turned over to the PPSDS.						
	SUBTOTAL (A) =					

B. LABOR COST			No. of Person/s	Total Hours	Hourly Rate	Total Cost
	Skilled Laborer					
		SUBT	OTAL (B) =			
			No. of			
C. EQUIPMEN	C. EQUIPMENT COST		Equipment/s	Total Hours	Hourly Rate	Total Cost
		SUBT	TOTAL (C) =			
D. DIRECT C	OST (A+B+C)					
	COST					
	COST	1. OCM				
	COST		's Profit			
E. INDIRECT	COST	2. Contractor	's Profit			
	COST	2. Contractor 3. VAT				
	COST	2. Contractor 3. VAT	's Profit  FOTAL (E) =			
	COST	2. Contractor 3. VAT		ITEM COST	(D+E)	

DETAILED UNIT PRICE ANALYSIS							
JOB:	IMPROVEMENT OF MINI-THEATER AND COMFORT ROOMS						
PAY ITEM:	Occupational Safety and Health Program						
COST ID:	B.7 (1)						
QUANTITY:	1.00 LS		PRODUC	CTION RATE:			
			NUMBEI	R OF HOURS:			
A. MATERIAL O	COST	UNIT	QUANTITY	UNIT PRICE	TOTAL COST		
	PPE's						
	Safety Helmet, Rental Basis	MD	720.00				
	Safety Vest, Approved Color	MD	720.00				
_	Safety Shoes	MD	720.00				

	Safety Gloves	pair	15.00		
	Safety Signage & Barricades	set			
	PPE Signage (3'x4')	set	1.00		
	Safety First (4'x4')	set	1.00		
	Warning Signs (2'x3')	set	6.00		
	Caution Tape, 1000ft	roll	1.00		
NOTE:	1. All workers shall be provided with PPE's once they are on				
	2. Strict implementation of this item shall be observed from project.	n the start up to	the end of the		
	3. Laborer's without PPE's at site shall be not allowed to wor	·k.			
	SUB	BTOTAL (A) =			
B. LABOR COS	S.T.	No. of	Total Hours	Hourly Rate	Total Cost
B. LABOR CO.		Person/s	Total Hours	Hourry Kate	Total Cost
	Part Time Safety Officer				
NOTE:	Training Certificates of the safety officer shall be included.		S.		
	2. Schedule of site visitation shall be submitted at the PPSDS	S-Infra. Office.			
	SUE	BTOTAL (B) =			
C. EQUIPMEN	T COST	No. of Equipment/s	Total Hours	Hourly Rate	Total Cost
		Equipment			
	SUE	BTOTAL (C) =			
D. DIRECT CO	OST (A+B+C)				
E. INDIRECT	COST				
E. INDIRECT	1. OCM				
	2. Contracto	or's Profit			
	3. VAT				
		BTOTAL (E) =			
			ITEM COST	(D+E)	
			UNIT COST		
	DETAILED UNIT PRIC	E ANALYSI			
JOB:	IMPROVEMENT OF MINI-THEATER AND COM				
PAY ITEM:	Removal of Structures and Obstruction				
COST ID:	801 (1)				
QUANTITY:	1.00 LS				
A. MATERIAL O		UNIT	QUANTITY	UNIT PRICE	TOTAL COST
SCOPE OF WO	RK:				

PAY ITEM:	Structural Concrete	VIFORT ROC	ONIS		
JOB:	IMPROVEMENT OF MINI-THEATER AND COM				
	DETAILED UNIT PRIC	E ANAI VCI			
			UNIT COST		
			TIEWI COST	(D+E)	
			ITEM COST	( <b>D</b> + <b>F</b> )	
	SUE	BTOTAL (E) =			
	3. VAT	OTTOTAL (T)			
	2. Contracto	or's Profit			
	1. OCM				
E. INDIRECT	1		T		
			_		
D. DIRECT CO	OST (A+B+C)				
			•		
		BTOTAL (C) =			
	Minor Tools (Grinder, Chipping Gun, etc.)				
	Jack Hammer	1			
	Dump Truck (For debris disposal)	1			
C. EQUIPMEN	VT COST	No. of Equipment/s	Total Hours	Hourly Rate	Total Cost
	I SUE	BTOTAL (B) =			
	Unskilled Labor	TOTAL (D)			
	Skilled Labor				
	Leadman Skilled Labor				
D. LADOR CO	T	Person/s	10.01 110015	Tiouriy Nate	Total Cost
B. LABOR CO	ST	No. of	Total Hours	Hourly Rate	Total Cost
	1	(/	l	<u> </u>	<u> </u>
		BTOTAL (A) =			
	4. All work shall be done in safety manner.				
	3. Coordinate to PPSDS prior to the removal, demolition and		ties.		
1.012.	2. All salvage fixtures shall be turn over to the supply office.				
NOTE:	All sewer lines and pipelines shall be plug before removal	of fixtures			
	drainage pipes and water lines.				
	10. Cutting of the C.R flooring for the installation of new				
	9. Removal of existing electrical fixtures and wires to be replaced.				
	entrance area.				
	<ul><li>7. Removal of existing stage fixtures and other structures.</li><li>8. Removal of existing ceiling at the mini theater and on the</li></ul>				
	tiles on the existing female CR.				
	6. Removal of existing plumbing fixtures, wall and floor				
	condensate drain and power supply.				
	top lavatories.  5. Chipping of wall for the installation of split type aircon				
	4. Demolition of existing C.R. walls and concrete counter				
	at the waiting lounge.				
	<ul><li>2. Removal of entrance and exit doors including door jambs.</li><li>3. Chipping of wall for the installation doors and windows</li></ul>				
	and other movables including curtains.				
	1. Removal of the existing step ramp boards, tables, chairs				

COST ID:	900(1)a1						
QUANTITY:							
	NUMBER OF HO						
A. MATERIAL (	COST	UNIT	QUANTITY	UNIT PRICE	TOTAL COST		
	Portland Cement, 40kg/bag	bag	194.00				
	Screened & Washed Sand	cu.m.	12.00				
	Screened Gravel, G-1	cu.m.	23.00				
	Formworks (CWN, Phen. Board, lumber etc)	LS	1.00				
Scope of Work:							
scope of work.	1. concreting of the floor toping.						
	Concreting of the root toping.     Concreting of septic tank slab including manhole and slab on grade.						
	CITE	TOTAL (A) -					
	SUB	TOTAL (A) =					
B. LABOR COS		No. of Person/s	Total Hours	Hourly Rate	Total Cost		
	Leadman						
	Skilled Labor						
	Unskilled Labor						
	SUB	STOTAL (B) =					
C. EQUIPMEN	T COST	No. of Equipment/s	Total Hours	Hourly Rate	Total Cost		
	Concrete Mixer, 1 bagger	1					
	Minor Tools	1	LS				
	SUE	TOTAL (C) =					
D DIDECT CC	DCT (A. B. C)						
D. DIRECT CO	081 (A+B+C)						
E. INDIRECT					1		
	1. OCM	m'a Duafit					
	2. Contracto	or s Prom					
	3. VAT SUE	BTOTAL (E) =					
			ITEM COST	(D+E)			
			ITEM COST	(D+E)			
			UNIT COST				

	DETAILED UNIT PRIC	CE ANALYSIS	<u> </u>				
JOB:	IMPROVEMENT OF MINI-THEATER AND CO						
PAY ITEM:	Sewer Line Works						
COST ID:	1001 (8)						
QUANTITY:							
A. MATERIAL (		UNIT	QUANTITY	UNIT PRICE	TOTAL COST		
	4" dia. X 3m uPVC Pipe S1000	pcs	12.00				
	4" x 4" uPVC Wye S1000	pcs	11.00				
	4" dia. x 135° uPVC Elbow S1000	pcs	6.00				
	4" dia. x 90° uPVC Elbow S1000	pcs	11.00				
	4" dia. Clean Out with Plug	pcs	3.00				
	4" x 3" uPVC Wye Reducer S100	pcs	8.00				
	4" x 2" uPVC Tee Reducer S100	pcs	5.00				
	3" dia. X 3m uPVC Pipe S1000	pes	8.00				
	3" x 3" uPVC Wye S1000	pcs	9.00				
	3" dia. x 135° uPVC Elbow S1000	pcs	6.00				
	3" dia. x 90° uPVC Elbow S1000	pes	12.00				
	3" dia. Clean Out with Plug	pes	4.00				
	3" x 3" uPVC Sanitary Tee S1000	pes	3.00				
	3" x 2" uPVC Wye Reducer S100	pes	11.00				
	2" dia. X 3m uPVC Pipe S1000	pcs	18.00				
	2" x 2" uPVC Wye S1000	pcs	8.00				
	2" dia. x 135° uPVC Elbow S1000	pcs	12.00				
	2" dia. x 90° uPVC Elbow \$1000	pcs	12.00				
	2" x 2" uPVC Sanitary Tee S1000	pcs	10.00				
	2" dia. uPVC P-trap S1000	pcs	20.00				
	PVC Solvent, 100cc		10.00				
Scope of Work:	FVC Solvent, Toocc	can	10.00				
scope of work.	Installation of new drainage pipes of the comfort rooms to	ha man arratad					
	installation of new drainage pipes of the confloit rooms to     installation of P-trap on all sinks, including existing sinks						
			1				
	SUI	BTOTAL (A) =					
B. LABOR CO	ST	No. of Person/s	Total Hours	Hourly Rate	Total Cost		
	Leadman (RMP)	_ 01001110					
	Skilled Labor (Plumber)						
	Unskilled Labor						
		BTOTAL (B) =					
		NI_ C			<u> </u>		
C. EQUIPMEN	T COST	No. of Equipment/s	Total Hours	Hourly Rate	Total Cost		
	Minor Tools	1					
	SUI	BTOTAL (C) =					
D. DIRECT CO	OST (A+B+C)						
E. INDIRECT	COST						
E. INDIRECT	1. OCM						
	1. 001/1		1	<u> </u>	<u> </u>		

	2. Contracto	or's Profit					
	3. VAT						
	SUE	BTOTAL (E) =					
				(D. D)			
			ITEM COST UNIT COST	(D+E)			
	DETAIL ED LINE DIV	NEL A NIA E NZOTO					
· ·	DETAILED UNIT PRIC						
JOB: PAY ITEM:	IMPROVEMENT OF MINI-THEATER AND COMFORT ROOMS						
COST ID:	Plumbing Fixtures						
QUANTITY:	1002 (4) 1.00 LS						
QUANTIT I:	56.00 SET						
A. MATERIAL (		UNIT	QUANTITY	UNIT PRICE	TOTAL COST		
A. MATERIAL	COS1	UNII	QUANTITI	UNITERICE	TOTAL COST		
	Water Closet (elongated w/ flush tank and accessories,						
	American Standard)	set	9.00				
	Urinal (American Standard, waterless ceramic urinal)	set	6.00				
	Vessel Type Sink, Rectangle	set	8.00				
	Heavy Duty Stainless Steel Gooseneck Tap Faucet	pcs	9.00				
	Stainless Hand Bidet	set	9.00				
	Stainless Floor Drain 4"x4"	pcs	9.00				
	1" PPR- Gate Valve	set	3.00				
	1/2" PPR- Gate Valve	set	3.00				
	Miscellaneous (cement, sealant, teflon, Etc)	LS	1.00				
	SUE	STOTAL (A) =					
		1			1		
B. LABOR CO	ST	No. of Person/s	Total Hours	Hourly Rate	Total Cost		
	Leadman (RMP)						
	Skilled Labor (Plumber)						
	Unskilled Labor						
	SUE	BTOTAL (B) =					
~ TOVEN 573	W. COOK	No. of					
C. EQUIPMEN	NT COST	Equipment/s	Total Hours	Hourly Rate	Total Cost		
	Minor Tools						
	SHE	BTOTAL (C) =					
	301	TOTAL (C) =					
D. DIRECT CO	OST (A+B+C)						
E. INDIRECT	COST						
	1. OCM						
	2. Contracto	or's Profit					
	3. VAT				1		
		BTOTAL (E) =					
		· ·			<u> </u>		
			ITEM COST	( <b>D</b> + <b>E</b> )			

## UNIT COST

	DETAILED U	NIT PRICE ANALYSI	S		
JOB:	IMPROVEMENT OF MINI-THEATER	AND COMFORT ROC	OMS		
PAY ITEM:	Cold Water Lines				
COST ID:	1002 (24)				
QUANTITY:	1.00 LS				
A. MATERIAL	COST	UNIT	QUANTITY	UNIT PRICE	TOTAL COST
	1" dia. X 4m PP-r Pipe PN 20	pcs	6		
	1" dia. PP-r Elbow	pcs	6		
	1" dia. PP-r Coupling	pcs	5		
1	1"x1/2" dia. PP-r Tee Reducer	pcs	4		
	1" dia. PP-r Pipe Plug	pcs	3		
 [	1/2" dia. X 4m PP-r Pipe PN 20	pcs	16		
	1/2" dia. PP-r Coupling	pcs	10		
	1/2" dia. PP-r Threaded Tee	pcs	18		
	1/2" dia. PP-r Elbow	pcs	36		
	1/2" Pipe Clamp	pcs	44		
	PPR Cap, 1/2" Ø	pcs	32		
	Consumables	LS	1		
		SUBTOTAL (A) =			
B. LABOR CO	ST	No. of Person/s	Total Hours	Hourly Rate	Total Cost
	Leadman (Master Plumber)				
	Skilled Labor (Plumber)				
	Unskilled Labor				
		SUBTOTAL (B) =			
C. EQUIPMEN	NT COST	No. of Equipment/s	Total Hours	Hourly Rate	Total Cost
	Fushion Machine	1			
		SUBTOTAL (C) =			
D DIDECT C	OCT (A.B.C)				
D. DIRECT CO	UST (A+B+C)				


E. INDIRECT COST				
	1. OCM			
	2. Contractor's Profit			
	3. VAT			
	SUBTOTAL(E) =			
		ITEM COST	( <b>D</b> + <b>E</b> )	
		UNIT COST	ı	

	DETAILED UNIT PRIC	E ANALYSI	S		
JOB:	IMPROVEMENT OF MINI-THEATER AND COM	MFORT ROC	OMS		
PAY ITEM:	Wall (Decorative Dry Walls and Studs)				
COST ID:	1003(2)h				
QUANTITY:	1.00 LS				
A. MATERIAL (	COST	UNIT	QUANTITY	UNIT PRICE	TOTAL COST
	1.5mm x 2" x 3" Tubular	pcs	32.00		
	1.5mm x 2" x 2" Tubular	pcs	21.00		
	1/8" x 3/4" x 3/4" x 6m Aluminum Angle	pcs	16.00		
	3mm x 4' x 8' Aluminum Composite Panel (Wood Texture)	pcs	25.00		
	10mm x 3.5 m Polyethylene Foam Backer Rod	pcs	88.00		
	1/8" x 1/4" Blind Rivets, 1000pcs/box	box	1.00		
	Sealant (wood grain matched color)	tube	40.00		
	Gypsum Screw (for Metal)	pcs	1,500.00		
	Misc.(not& bolts, cutting disks, grinding stone, drill bits etc.)	LS	1.00		
Scope:	Construction of decorative wall studs that serves as ceiling	support columi	n.		
	SUB	TOTAL (A) =			
B. LABOR CO	ST	No. of Person/s	Total Hours	Hourly Rate	Total Cost
	Leadman				
	Skilled				
	Unskilled Labor				
	SUB	TOTAL (B) =			
C. EQUIPMEN	NT COST	No. of Equipment/s	Total Hours	Hourly Rate	Total Cost
	Welding Machine	1			
	Minor Tools (Electric Drill, etc.)				

	SUBTOTAL (C) =			
D. DIRECT COST (A+B+C)				
E. INDIRECT COST				
	1. OCM			
	2. Contractor's Profit			
	3. VAT			
	SUBTOTAL (E) =			
		ITEM COST	( <b>D</b> + <b>E</b> )	
		UNIT COST		

DETAILED UNIT PRICE ANALYSIS							
JOB:	IOB: IMPROVEMENT OF MINI-THEATER AND COMFORT ROOMS						
PAY ITEM:	Conference Room Executive Chairs						
COST ID:	SPL 1						
QUANTITY:	78.00 SET						
A. MATERIAL (	COST	UNIT	QUANTITY	UNIT PRICE	TOTAL COST		
	Furnishing of Ergodynamic Slacken Executive High Back Chair with armrest. as per sample or provide brochure for selection & approval	set	78.00				
Specifications:	Dimension: W-68.0cm, D-64.0cm, H-120.0cm						
•	Warranty Description: 3 years						
Materials:	, ,						
Back & Seat Sponge:	High-density Polyurethane molded by Cold foaming		•				
Back & Seat Cover:	Premium deformation resistant high-density hard plywood, hi	gh-standard s	urface treatment	processes			
Leg:	Made from top quality steel after pressing and welding. Gon spraying and powder coating. 360 mm Chrome Steel Starbase			ing, anti-rusting,			
	Solid Timber Applied with polyester coating						
Fabric:	High quality leather cover.						
Other Mechani	sms:						
	1. With pneumatic height adjustment						
	2. Tilt-lock mechanism						
	3. 360 degrees swivel function						
	SUBT	ΓΟΤΑL (A) =					

B. LABOR COST		Person/s	Total Hours	Hourly Rate	Total Cost
	Leadman				
	Skilled				
	Unskilled Labor				
Note:	Labor was included in the unit costs				
	SU	BTOTAL (B) =			
C. EQUIPMEN	T COST	No. of Equipment/s	Total Hours	Hourly Rate	Total Cost
	SU	BTOTAL(C) =			
D. DIRECT CO	OST (A+B+C)				
E. INDIRECT			T		
	1. OCM				
	2. Contrac	tor's Profit			
	3. VAT				
	SU	BTOTAL (E) =			
			ITEM COST	( <b>D</b> + <b>E</b> )	
			UNIT COST		



DETAILED UNIT PRICE ANALYSIS			
JOB:	IMPROVEMENT OF MINI-THEATER AND COMFORT ROOMS		
PAY ITEM:	I.T. Equipment-Projector Screen & Projector		
COST ID:	SPL 2		
QUANTITY:	1.00 LS		

A. MATERIAL COST		QUANTITY	UNIT PRICE	TOTAL COST
Motorized Screen Projector-120" Diagonal with remote control	set	1.00		
Remote Controlled Projector, including bracket for ceiling mounted	set	1.00		
Specifications for the Motorized Screen projector:				
Viewing Area (WxH): 96" x 72"				
Diagonal: 120"				
with Remote Control (wired and wireless remote)				
Good for conference room				
with Light Weight Casing				
Specifications for the Remote Controlled Projector:				
1. LCD screen: BOE 6 inch HTPS LCD				
2. Resolution: 1920 x 1080				
3. Brightness: 6500 lumens				
4. Contrast ratio: 20000:1				

	5. Color gamut: 95%						
	6. Display ratio: 4:3/16:9						
	7. Projection size: 35-200 inches						
	8. Projection distance: 1.5-6.5 meters						
	9. Recommended projection size: 80-120 inches						
	10. Keystone: +/-15 vertical (manual)						
	11. Lens focus: manual adjustment						
	12. Chip: Hisilicon 351						
	13. Dolby: Dolby Surround 7.1						
	14. System configuration:						
	-Android 9.0 OS						
	-4-core 64-bit low power ARM A35 GPU						
	-2G DDR3 SDRAM, 16G Flash ROM						
	-2.4G single frequency WiFi						
	-Bluetooth: Bluetooth 4.0						
	-WIFI-DISPLAY						
	15. Interface: 1 x VGA, 2 x HDMI, 1 x USB, 1 x AV, 1 x Au	dio Out 1X R I	15 port				
	16. size: 320 x 240 x 110mm	dio Out, 174 KJ	+5 port				
	10. SIZC. 320 X 240 X 110Hilli						
NOTE:	The ceiling projector bracket was included in the set of projector	ctor for its comr	oatibility				
NOIE.	The centing projector bracket was included in the set of project	ctor for its comp	ationity.				
	CIIR	TOTAL (A) =					
	300	TOTAL (A) =					
		No. of					
B. LABOR COS	ST	Person/s	Total Hours	Hourly Rate	Total Cost		
Note:	Labor for installation was included in the unit costs						
		TOTAL (B) =					
C. EQUIPMEN	TOOST	No. of	Total Hours	Handy Data	Total Cost		
C. EQUIFMEN	1 COS1	Equipment/s	Total Hours	Hourly Rate	Total Cost		
	SUB	TOTAL(C) =					
D. DIRECT CO	ST (A+B+C)						
E. INDIRECT							
	1. OCM						
	2. Contracto	r's Profit					
	3. VAT						
	SUB	TOTAL(E) =	`				
			ITEM COST	( <b>D</b> + <b>E</b> )			
			UNIT COST				

	DETAILED UNIT PRIC	E ANALYSI	S				
JOB:	IMPROVEMENT OF MINI-THEATER AND COMFORT ROOMS						
PAY ITEM:	Ceiling- Metal Frame						
COST ID:	1003(1)a1						
QUANTITY:	509.60 sq.m.			CTION RATE:			
			NUMBE	R OF HOURS:			
A. MATERIAL C	COST	UNIT	QUANTITY	UNIT PRICE	TOTAL COST		
	2.0mm x 2" x 6" Tubular	pcs	26.00				
	1.5mm x 2" x 3" Tubular	pcs	26.00				
	1.2mm x 2" x 2" Tubular	pcs	44.00				
	1.2mm x 2" x 3" C-Purlins	pcs	34.00				
	1mmx 12mmx 38mm x 5m Carrying Channel	pcs	270.00				
	0.6mm x 19mm x 50mm x 5m Double Metal Furring	pcs	360.00				
	Wall Angle	pcs	78.00				
	1/8" x 3/4" x 3/4" x 6m Aluminum Angle	pcs	16.00				
	3mm x 4' x 8' Aluminum Composite Panel (Wood Texture)	pcs	22.00				
	4.5mm x 4' x 8' Cement Fiber Board	pcs	75.00				
	10mm x 3.5 m Polyethylene Foam Backer Rod	pcs	125.00				
	Sealant (wood grain matched color)	tube	24.00				
	PVC Wood Texture Plain Ceiling Panels, Texture 1	sq.m.	133.00				
	PVC Wood Texture Plain Ceiling Panels, Texture 2	sq.m.	24.00				
	PVC Wood Texture Fluted Ceiling Panels, Texture 3		72.00				
	Ť	sq.m.					
	10mm Full Threaded Ceiling Suspension Rod 3/16" x 2" x 6m Flat Bar for Fabricated C-purlins	pcs	420.00				
	Anchorage.	pcs	6.00				
	1/2" Expansion Bolts.	pcs	340.00				
	Gypsum Screw (for Metal)	pcs	2,500.00				
	1/8" x 1/4" Blind Rivets, 1000pcs/box	box	3.00				
	W-Clip	pcs	1,230.00				
	Misc. (not& bolts, cutting disks, grinding stone, drill bits	_	·				
	etc.)	LS	1.00				
	,						
Scope:	Replacement of ceiling at the mini-theater hall, hallway entra	nce, and ceiling	g of CR's.				
NOTE:	1. C-purlins shall have a minimum of 5 pcs. flat bar anhorage						
	2. The Aluminum Composite Panel will be the continuation of	of the decorative	e wall to droppe	d ceiling inside th	e mini-theater		
	3. The PVC ceiling panels have different textures designs, please see details.						
	4. Ceiling area of C.R. was included in the quantity of PVC wood texture plain ceiling panels of texture 1.						
	5. All metal shall be subject for inspection before it shall be a	llowed for used	l. Thickness sha	ll be as specified.	1		
	OV.D	TOTAL (4)					
	SUB	TOTAL (A) =					
B. LABOR COS	ST	No. of	Total Hours	Hourly Rate	Total Cost		
	Leadman	Person/s					

Skilled				
Unskilled Labor				
	SUBTOTAL (B) =			
C. EQUIPMENT COST	No. of Equipment/s	Total Hours	Hourly Rate	Total Cost
Cut-off Machine	1.00			
Welding Machine	1.00			
Minor Tools (Electric Drill, grinder, etc)				
	SUBTOTAL (C) =			
E. INDIRECT COST				
	OCM			
2.	Contractor's Profit			
3.	VAT			
	SUBTOTAL (E) =			
		ITEM COST	(D+E)	
		UNIT COST		

	DETAILED UNIT PRIC	E ANALYSI	S				
JOB:	IMPROVEMENT OF MINI-THEATER AND COM	MFORT ROC	OMS				
PAY ITEM:	Modular Partition- Aluminum Partition and Doors						
COST ID:	1003(22)						
QUANTITY:	: 41.00 sq.m. PRODUCTION RATE:						
	-		NUMBEI	R OF HOURS:			
A. MATERIAL (	COST	UNIT	QUANTITY	UNIT PRICE	TOTAL COST		
D7-8 set	0.8m x 1.8m Aluminum Cubicle Door, Powder Coated, Including catches, b.bolts and handle.	sq.m.	11.52				
	Aluminum Framed Powder Coated, Aluminum Sheet Partition for Water Closet Cubicle	sq.m.	10.88				
8 set	Aluminum Framed Powder Coated, Aluminum Sheet Partition for Urinal Partition	sq.m.	4.80				
	2m x 2.6m Aluminum Framed Powder Coated Fixed Two Way Mirror Glass Partition with Transom, (Located at lounge room along D3)	sq.m.	5.20				
	Aluminum Framed Aluminum Composite Panel 3mm thick, Wood Texture. Including 1/4" safety Glass Panels.	sq.m.	8.60				
Scope:	1. Construction of C.R. doors, cubicles and urinal partition.						
	2. Construction/Installation of control room partition using a	luminum compo	osite panels.				
NOTE:	1. The control room partition shall be the same size/area of the						
	2. Sizes of the safety glasses to be installed shall be of the safety	me size of the e	xisting installed	glasses.	T		
	SUB	TOTAL (A) =					
B. LABOR CO	ST	No. of Person/s	Total Hours	Hourly Rate	Total Cost		
	Labor cost is included in the Material Cost						
	SUB	TOTAL (B) =					
C. EQUIPMEN	T COST	No. of Equipment/s	Total Hours	Hourly Rate	Total Cost		

	SUE	TOTAL (C) =			
D. DIRECT CO	ST(A+B+C)				
E. INDIRECT	COST				
	1. OCM				
	2. Contracto	or's Profit			
	3. VAT				
	SUE	BTOTAL (E) =			
			ITEM COST	( <b>D</b> + <b>E</b> )	
			UNIT COST		

	DETAILED UNIT PRIC	E ANALYSIS	S				
JOB:	JOB: IMPROVEMENT OF MINI-THEATER AND COMFORT ROOMS						
PAY ITEM:	Aluminum Framed Glass Door (Swing and Sliding Type)						
COST ID:	1007(1)a&b						
QUANTITY:	14.89 sq.m.		PRODU	CTION RATE:			
			NUMBE	R OF HOURS:			
A. MATERIAL (	COST	UNIT	QUANTITY	UNIT PRICE	TOTAL COST		
2	set-1.9m x 2.3m (D2) Aluminum Framed Glass Door (Swing Type), Powder Coated, with Transom and complete accessories such as consealed door closer, lockset and grab bar	sq.m.	8.74				
1	set-1.9m x 2.3m (D3) Aluminum Framed Glass Door (Sliding Type), Powder Coated with Transom and complete accessories such as consealed door closer, lockset and grab bar	sq.m.	6.15				
	SUB	TOTAL (A) =					
B. LABOR CO	ST	No. of Person/s	Total Hours	Hourly Rate	Total Cost		
	Labor cost is included in the Material Cost						
	av.	TOTAL (D)					
	SUB	STOTAL (B) =					
		NI C	I	1			
C. EQUIPMEN	T COST	No. of Equipment/s	Total Hours	Hourly Rate	Total Cost		
	SUB	STOTAL (C) =					
	20m (1 - D - G)						
D. DIRECT CO	OST (A+B+C)						

E. INDIRECT COST					
	1. OCM				
	2. Contractor's Profit				
	3. VAT				
	SUBTOTAL (E) =				
	ITEM COST (D+E)				
UNIT COST					

	DETAILED UNIT PRIC	E ANALYSIS	8			
JOB:	IMPROVEMENT OF MINI-THEATER AND COM	MFORT ROC	OMS			
PAY ITEM:	Aluminum Glass Windows (awning and fixed)					
COST ID:	1008(1) a&d					
QUANTITY:	7.20 sq.m.			CTION RATE:		
			NUMBEI	R OF HOURS:		
A. MATERIAL (	COST	UNIT	QUANTITY	UNIT PRICE	TOTAL COST	
6	set-0.6m x 2m Aluminum Framed Awning Window, Powder Coated	dow, sq.m. 7.20				
SCOPE:	Construction/Installation of awning windows					
	2. Installation of Aluminum Framed Double Sided Mirror at lounge room.					
	SUB	TOTAL (A) =				
B. LABOR CO	ST	No. of Person/s	Total Hours	Hourly Rate	Total Cost	
	Labor cost is included in the Material Cost					
	SUB	TOTAL (B) =				
C. EQUIPMEN	T COST	No. of Equipment/s	Total Hours	Hourly Rate	Total Cost	

	SUBTOTAL(C) =					
D. DIRECT COST (A+B+C)						
E. INDIRECT COST						
	1. OCM					
	2. Contractor's Profit					
	3. VAT					
	SUBTOTAL (E) =					
				_		
ITEM COST (D+E)						
		UNIT COST				

DVEMENT OF MINI-THEATER AND COME DOORS-Flush Door (b) (q.m.	MFORT RO	PRODUC	CTION RATE:				
0(b)			CTION RATE:				
			CTION RATE:				
q.m.			CTION RATE:				
		NUMBEI					
			NUMBER OF HOURS:				
	A. MATERIAL COST UNIT QUANTITY UNIT PRICE TOTA						
m x 2.1m (D4) Pre-Fabricated Panel Door Including mb with complete accessories such as Door knob, olt, circular hinges, padlock and must be painted w/ brown	sq.m.	3.78					
m x 2.1m (D5) Pre-Fabricated Panel Door Including mb with complete accessories such as Door knob, olt, circular hinges, padlock and must be painted w/ brown	sq.m.	8.40					
m x 2.1m (D6) Pre-Fabricated Panel Door Including mb with complete accessories such as Door knob, olt, circular hinges, padlock and must be painted w/ orown	sq.m.	2.10					
	TOTAL (A) =						
ol m m	t, circular hinges, padlock and must be painted w/own x 2.1m (D6) Pre-Fabricated Panel Door Including b with complete accessories such as Door knob, t, circular hinges, padlock and must be painted w/own	t, circular hinges, padlock and must be painted w/ own  x 2.1m (D6) Pre-Fabricated Panel Door Including bb with complete accessories such as Door knob, t, circular hinges, padlock and must be painted w/ own  sq.m. sq.m.	t, circular hinges, padlock and must be painted w/ own  x 2.1m (D6) Pre-Fabricated Panel Door Including b with complete accessories such as Door knob, t, circular hinges, padlock and must be painted w/  2.10	t, circular hinges, padlock and must be painted w/ own  x 2.1m (D6) Pre-Fabricated Panel Door Including bb with complete accessories such as Door knob, t, circular hinges, padlock and must be painted w/ own  sq.m.  2.10			

B. LABOR COST		Total Hours	Hourly Rate	Total Cost
Labor cost is included in the Material Cost				
	SUBTOTAL (B) =			
C. EQUIPMENT COST	No. of Equipment/s	Total Hours	Hourly Rate	Total Cost
	SUBTOTAL (C) =			
D. DIRECT COST (A+B+C)				
E. INDIRECT COST				
	1. OCM			
	2. Contractor's Profit			
	3. VAT			
	SUBTOTAL (E) =			
		ITEM COST	(D+E)	
		UNIT COST		

DETAILED UNIT PRICE ANALYSIS								
JOB: IMPROVEMENT OF MINI-THEATER AND COMFORT ROOMS								
PAY ITEM:	PAY ITEM: Unglazed Tiles and Trims							
COST ID:	1018							
QUANTITY:	110.40 sq.m. PRODUCTION RATE:							
			NUMBEI	R OF HOURS:				
A. MATERIAL (	A. MATERIAL COST		QUANTITY	UNIT PRICE	TOTAL COST			
	60cm x 60cm Ceramic Unglazed Tiles	pcs	330.00					
	Portland Cement, 40kg/bag	bag	38.00					
	Tile Adhesive, 25kg/bag	bag	16.00					
	Tile Grout, 2kg/bag	bag	14.00					
	Screened & Washed Sand, S-1	cu.m	3.00					
SCOPE:	Tiling of CR flooring							

		SUB	TOTAL (A) =			
B. LABOR C	COST		No. of Person/s	Total Hours	Hourly Rate	Total Cost
	Leadman					
	Skilled					
	Unskilled Labor					
		SUB	TOTAL (B) =			
C. EQUIPMI	ENT COST		No. of Equipment/s	Total Hours	Hourly Rate	Total Cost
	Tile Cutter		1			
		SUB	TOTAL (C) =			
	COST (A+B+C)					
E. INDIREC	T COST			T	Ī	
		1. OCM				
		2. Contracto	r's Profit			
		3. VAT				
		SUB	TOTAL(E) =			
		ВСВ				
		502		ITEM COST	(D+E)	

DETAILED UNIT PRICE ANALYSIS						
JOB:	IMPROVEMENT OF MINI-THEATER AN	ND COMFORT RO	OMS			
PAY ITEM:	Glazed Tiles and Trims					
COST ID:	1018 (1)					
QUANTITY:	<b>57.60 sq.m.</b> PRODUCTION RATE:					
		NUMBER OF HOURS:				
A. MATERIAL (	COST	UNIT	QUANTITY	UNIT PRICE	TOTAL COST	
	60cm x 60cm Ceramic Glazed Tiles	pcs	165.00			
	Portland Cement, 40kg/bag	bag	19.00			
	Tile Adhesive, 25kg/bag	bag	9.00			
	Tile Grout, 2kg/bag	bag	7.00			

	Tile Trim, 12mm x 2.44m	pcs	12.00		
	Screened & Washed Sand, S-1	cu.m	2.00		
SCOPE:	Tiling of CR walls at 1.6m height				
		SUBTOTAL (A) =			
B. LABOR CO	ST	No. of Person/s	Total Hours	Hourly Rate	Total Cost
	Leadman				
	Skilled				
	Unskilled Labor				
		SUBTOTAL (B) =			
C. EQUIPMEN	VT COST	No. of Equipment/s	Total Hours	Hourly Rate	Total Cost
	Minor Tools (Tile Cutter, etc.)	1			
		SUBTOTAL (C) =			
D. DIRECT CO	OST (A+B+C)				
E. INDIRECT	COST				
	1.0	OCM			
	2. C	Contractor's Profit			
	3. V	'AT			
		SUBTOTAL (E) =			
			ITEM COST	( <b>D</b> + <b>E</b> )	
			UNIT COST		

DETAILED UNIT PRICE ANALYSIS						
JOB: IMPROVEMENT OF MINI-THEATER AND COMFORT ROOMS						
PAY ITEM:	Cement Plaster Finish					
COST ID:	1027(1)					
QUANTITY:	90.40 sq.m.		PRODUC	CTION RATE:		
NUMBER OF HOURS:						
A. MATERIAL COST UNIT QUAN			QUANTITY	UNIT PRICE	TOTAL COST	

Portland Cement, 40kg/bag	bag	20.00		
Screened & Washed Sand	cu.m	2.00		
SCOPE OF WORK:				
1. Plastering of CR walls				
2. Plastering of interior surface of septic tank.				
	SUBTOTAL (A) =			
		T		
B. LABOR COST	No. of Person/s	Total Hours	Hourly Rate	Total Cost
Leadman				
Skilled				
Unskilled Labor				
	SUBTOTAL (B) =			
C. EQUIPMENT COST	No. of Equipment/s	Total Hours	Hourly Rate	Total Cost
	SUBTOTAL (C) =			
DIDECT COST (A. R. C)				
D. DIRECT COST (A+B+C)				
E. INDIRECT COST	\	1		
1. OC				
	2. Contractor's Profit 3. VAT			
3. VA	SUBTOTAL (E) =			
		ITEM COST	(D+E)	
		UNIT COST		

	DETAILED UNIT PRICE ANALYSIS
JOB:	IMPROVEMENT OF MINI-THEATER AND COMFORT ROOMS
PAY ITEM:	Painting Works, Masonry

COST ID:	1032(1)a				
QUANTITY:	234.95 sq.m.	PRODUCTION RATE:			
		_	NUMBE	R OF HOURS:	
A. MATERIAL (	COST	UNIT	QUANTITY	UNIT PRICE	TOTAL COST
	Concrete Puty/Skimcoat (3mm-25kg/bag)	bag	40.00		
	Flat Latex Primer Paint	pail	3.00		
	Semi-Gloss Latex White (two coatings)	pail	6.00		
	Tinting Color	lit.	6.00		
	7" Paint roller w/ handle	pcs	4.00		
	9" Paint roller w/ handle	pcs	2.00		
	4" Paint Brush	pcs	8.00		
	2" Paint Brush	pcs	2.00		
	Paint Tray	pcs	4.00		
	7" Paint roller Foam (Cloth)	pcs	4.00		
	9" Paint roller Foam (Cloth)	pcs	4.00		
	Consumables (scraper, protective tapes, newspaper, etc)	LS	1.00		
SCOPE OF WO	ORK:				
	1. Painting of CR partitions				
	2. Painting of cement fiber board ceiling at the entrance and	inside the mini t	heater.		
NOTE:	all cement fiber board joints shall be thoroughly covered wit	th concrete putty	before painting		
	SUI	BTOTAL (A) =			
		1	1	T	1
B. LABOR CO	ST	No. of Person/s	Total Hours	Hourly Rate	Total Cost
	Leadman	1 CISOII/S			
	Skilled Labor				
	Unskilled Labor				
		BTOTAL (B) =			
	50.	BIOTILE (B)			
C FOLUE C	TITE CLOCKE	No. of	m . 177	II 1 5 :	m . 1 C
C. EQUIPMEN	T COST	Equipment/s	Total Hours	Hourly Rate	Total Cost
	Minor Tools	1	LS		
	SUI	BTOTAL (C) =			
D. DIRECT CO	OST (A+B+C)				
E. INDIRECT			1	T	T
	1. OCM				
	2. Contract	or's Profit			
	3. VAT				
	SU	BTOTAL(E) =			
			ITEM COST	(D+E)	
			UNIT COST		

	DETAILED UNIT PRIC	CE ANALYSI	S		
JOB:	IMPROVEMENT OF MINI-THEATER AND CO	MFORT ROC	OMS		
PAY ITEM:	Painting Works, Wood				
COST ID:	1032(1)b				
QUANTITY:	12.30 sq.m.		PRODUC	CTION RATE:	
			NUMBEI	R OF HOURS:	
A. MATERIAL (	COST	UNIT	QUANTITY	UNIT PRICE	TOTAL COST
	QDE Paint, Copper Brown	lit.	6.00		
	Lacquer Sanding Sealer	gal	2.00		
	Polyurethane Varnish Topcoat (Husdson) w/ Catalyst	gal	2.00		
	Polyurethane Thinner Reducer	lit.	2.00		
	4" Paint Brush	pcs	6.00		
	2" Paint Brush	pcs	6.00		
	Paint Thinner	lit.	2.00		
	7" Paint roller w/ handle	pcs	1.00		
	4" Paint Brush	pcs	1.00		
	2" Paint Brush	pcs	1.00		
	Assorted Sand Paper	ln.ft	5.00		
	Consumables (scraper, protective tapes, newspaper,etc)	LS	1.00		
	Consumables (scraper, protective tapes, newspaper,etc)	Lo	1.00		
SCOPE OF WO	NDV.				
SCOPE OF WC	Finishing touches of the panel doors.				
	Repair of the conference tables.				
	3. Re-sizing of 12 unit tables.				
NOTE	4. Reconditioning/revarnish of all the conference tables.				
NOTE:	this item is re-painting of panel door scratches after installati	on.	T		
	OT IT	TOTAL (A)			
	SUE	BTOTAL (A) =			
		No. of	1		
B. LABOR CO	ST	Person/s	Total Hours	Hourly Rate	Total Cost
	Leadman	T CISON 5			
	Skilled Labor				
	Unskilled Labor				
		BTOTAL (B) =			
	502	310111L (D)	I		
G FOLUDI (FIX	TT COCT	No. of	m . 111		m . 1 G .
C. EQUIPMEN	TCOST	Equipment/s	Total Hours	Hourly Rate	Total Cost
	SUE	BTOTAL (C) =			
D. DIRECT CO	OST (A+B+C)				
E. INDIRECT	COST				
	1. OCM				
	2. Contracto	or's Profit			
	3. VAT				

SUBTOTAL (E) =					
ITEM COST (D+E)					
UNIT COS	Γ				

	DETAILED UNIT PRIC	CE ANALYSIS	8		
JOB:	IMPROVEMENT OF MINI-THEATER AND CO	MFORT ROC	OMS		
PAY ITEM:	Painting Works, Steel				
COST ID:	1032(1)c				
QUANTITY:	35.55 sq.m.		PRODU	CTION RATE:	
			NUMBE	R OF HOURS:	
A. MATERIAL O	COST	UNIT	QUANTITY	UNIT PRICE	TOTAL COST
	QDE Paint (Black)	gal			
	Primer Paint, gray w/ A@B	gal			
	Paint Thinner	gal			
	4" Paint Brush	pcs			
	2" Paint Brush	pcs			
	Assorted Sand Paper	ln.ft			
	Consumables (scraper, protective tapes, newspaper, etc)	LS			
GGODE OF W	ODW.				
SCOPE OF WO					
	1. Painting of tubular frames and steel doors (Two Coatings	)		1	
	SUI	BTOTAL (A) =			
			L	L	
B. LABOR CO	ST	No. of Person/s	Total Hours	Hourly Rate	Total Cost
	Leadman				
	Skilled Labor				
	SU	BTOTAL (B) =			
				•	
C. EQUIPMEN	TT COST	No. of Equipment/s	Total Hours	Hourly Rate	Total Cost
	SU	BTOTAL (C) =			
D. DIRECT CO	OST (A+B+C)				
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
E. INDIRECT	COST				
	1. OCM				
	2. Contract	or's Profit			
	3. VAT				
	SU	BTOTAL (E) =			
			ITEM COST	( <b>D</b> + <b>E</b> )	

TINIT	COST
	1.1.51

	DETAILED U	NIT PRICE ANALYSI	S		
JOB:	IMPROVEMENT OF MINI-THEATER	AND COMFORT ROO	OMS		
PAY ITEM:	CHB Non Load Bearing (including reinforc				
COST ID:	1046	,			
QUANTITY:	45.20 sq.m.			CTION RATE:	
	-		NUMBE	R OF HOURS:	
A. MATERIAL (	COST	UNIT	QUANTITY	UNIT PRICE	TOTAL COST
	Portland Cement, 40kg/bag	bag	18.00		
	4" CHB	pcs	580.00		
	Screen & Washed Sand S-1	cu.m.	2.00		
40	pcs - 10mm Ø RSB x 6	kg	147.84		
40	Tie wire #16	kg	4.00		
SCOPE OF WO	ORK:				
	1. Construction of additional septic tank.		1	l	
	2. Construction of new CR partition walls.				
	-				
		SUBTOTAL (A) =			
B. LABOR CO	ST	No. of Person/s	Total Hours	Hourly Rate	Total Cost
	Leadman				
	Skilled Labor				
	Unskilled Labor				
		SUBTOTAL (B) =			
C. EQUIPMEN	T COST	No. of Equipment/s	Total Hours	Hourly Rate	Total Cost
		SUBTOTAL (C) =			
D. DIRECT CO	OST (A+B+C)				
E. INDIRECT	COST				
		1. OCM			
		2. Contractor's Profit			

3. VAT			
SUBTOTAL(E) =			
	ITEM COST	( <b>D</b> + <b>E</b> )	
	ITEM COST	(D+E)	

	DETAILED UNIT PRIC	E ANALYSI	S		
JOB:	IMPROVEMENT OF MINI-THEATER AND COM	MFORT ROC	OMS		
PAY ITEM:	Carpet Floor Tiles				
COST ID:	1053 (1)b				
QUANTITY:	1.00 LS				
A. MATERIAL (	COST	UNIT	QUANTITY	UNIT PRICE	TOTAL COST
	3D Printed Theater Carpet, costumed cinema carpet, (modern reflectorized classic design) & Fire Resistant	sq.m	216.00		
	3 in 1 Wet and Dry Vacuum Cleaner	set	1.00		
	Vacuum cleaner specifications:				
	Type: vertical (including barrel)				
	Dust Storage: Dust box				
	Line Length: 5 meters				
	Power: 230 V, 1000 watts				
	Special Suction Nozzles (shall be included): round brush, flat nozzle suction brush, combo anti-static floor brush pet brush wiper brush				
	-16 meters working diameter				
	- high density wear resistance, corrosion resistance, double noise reduction and high power suction.				
	- water proof power switch, waterproof shockproof bottom w/ 360 degrees bottom pulley rotation.				
SCOPE OF WO	ORK:				
	1. Installation and furnishing of flooring carpet				
	2. Furnishing of one sets wet and dry vacuum cleaner				
NOTE:	1. The area of carpet per set is $108 \text{ sq.m.} \times 2 \text{ sets} = 216 \text{ sq.m.}$				
	2. There will be two set of carpet with different design but of materials.	the same quali	ty of		
	SUB	TOTAL (A) =			
B. LABOR CO	ST	No. of Person/s	Total Hours	Hourly Rate	Total Cost
	Leadman				

	Skilled Labor				
	Unskilled Labor				
	S	UBTOTAL (B) =			
C. EQUIPMEN	NT COST	No. of Equipment/s	Total Hours	Hourly Rate	Total Cost
	S	UBTOTAL (C) =			
D. DIRECT CO	OST (A+B+C)				
E. INDIRECT	COST				
	1. OCM				
	2. Contra	ctor's Profit			
	3. VAT				
	S	UBTOTAL (E) =			
			ITEM COST	(D+E)	
			UNIT COST		

	DETAILED UNIT PRICE ANALYSIS					
JOB:	IMPROVEMENT OF MINI-THEATER AND C	COMFORT RO	OMS			
PAY ITEM:	Conduits Boxes & Fittings					
COST ID:	1100(10)					
QUANTITY:	1.00 LS			CTION RATE:		
			NUMBEI	R OF HOURS:	hr.	
A. MATERIAL O	COST	UNIT	QUANTITY	UNIT PRICE	TOTAL COST	
	20mmØ uPVC Thick Wall (3meters)	pcs	161.00			
	20mmØ uPVC Male Thread Adaptor w/ lock nut	pcs	8.00			
	20mmØ uPVC Connector	pcs	20.00			
	25mmØ uPVC Thick Wall (3meters)	pcs	70.00			
	25mmØ uPVC Male Thread Adaptor w/ lock nut	pcs	6.00			
	25mmØ uPVC Connector	pcs	5.00			
	32mmØ uPVC Thick Wall (3meters)	pcs	10.00			
	32mmØ uPVC Male Thread Adaptor w/ lock nut	pcs	1.00			
	32mmØ uPVC Long Elbow	pcs	8.00			
	32mmØ uPVC Connector	pcs	2.00			
	32mmØ Entrance Cap with adaptor	pcs	1.00			
	40mmØ uPVC Thick Wall (3meters)	pcs	10.00			
	40mmØ uPVC Male Thread Adaptor w/ lock nut	pcs	1.00			
	40mmØ uPVC Long Elbow	pcs	8.00			
	40mmØ uPVC Connector	pcs	2.00			
	40mmØ Entrance Cap with adaptor	pcs	1.00			
	Junction Box w/ cover and screw	pcs	163.00			
	2 x 4 Utility Box	pcs	25.00			
	Consumables (400 ml. PVC Solvent, Tie Wire)					
	400 ml. PVC Solvent	can	6.00			

Tie Wire		kg	4.00		
Butane gas (270 ml)		can	6.00		
Blow torch (for butane gas)		pcs	2.00		
	SUBT	OTAL (A) =			
B. LABOR COST		No. of Person/s	Total Hours	Hourly Rate	Total Cost
Leadman (REE/RME)					
Electrician (Skilled)					
Unskilled Labor					
	SUBT	TOTAL (B) =			
C. EQUIPMENT COST		No. of Equipment/s	Total Hours	Hourly Rate	Total Cost
	SUBT	TOTAL (C) =			
D. DIRECT COST (A+B+C)					
E. INDIRECT COST					
	1. OCM				
	2. Contractor	's Profit			
	3. VAT				
	SUBT	TOTAL (E) =			
			ITEM COST	( <b>D</b> + <b>E</b> )	
			UNIT COST		

	DETAILED UNIT PRICE ANALYSIS					
JOB:	IMPROVEMENT OF MINI-THEATER AND COM	MFORT ROC	OMS			
PAY ITEM:	Wires & Wiring Devices					
COST ID:	1101(33)					
QUANTITY:	1.00 LS		PRODUC	CTION RATE:		
			NUMBEI	R OF HOURS:	hr.	
A. MATERIAL (	COST	UNIT	QUANTITY	UNIT PRICE	TOTAL COST	
	2.0mm² THHN Cu. Wire	ln.m	1,120.00			
	3.5mm <sup>2</sup> THHN Cu. Wire	ln.m	244.00			
	2.0mm² THWN Cu. Wire	ln.m	122.00			
	5.5mm² THHN Cu. Wire	ln.m	313.00			
	3.5mm² THWN Cu. Wire	ln.m	157.00			
	14mm² THHN Cu. Wire	ln.m	90.00			
	5.5mm² THWN Cu. Wire	ln.m	30.00			
	38mm² THHN Cu. Wire	ln.m	90.00			
	8.0mm² THWN Cu. Wire	ln.m	30.00			
	1-gang, switch wide series	set	2.00			
	2-gang, switch wide series	set	2.00			
	3-gang, switch wide series	set	9.00			
	Air-conditioning Unit Outlet	set	6.00			
	2 Gang Universal Outlet w/ ground	set	22.00			
	2 Gang Floor Outlet w/ ground	set	24.00			

		UNIT COST					
		ITEM COST	(D+E)				
	SUBTOTAL (E) =						
3.	3. VAT						
	Contractor's Profit						
	OCM						
E. INDIRECT COST							
Diblined Cool (III 2 To)							
D. DIRECT COST (A+B+C)							
	SUBTOTAL (C) =						
C. EQUIPMENT COST	No. of Equipment/s	Total Hours	Hourly Rate	Total Cost			
<u> </u>	_	1					
Ulskined Labor	SUBTOTAL (B) =						
Electrician (Skilled) Unskilled Labor							
Leadman (REE/RME)							
	Person/s	Total Hours	Hourly Rate	Total Cost			
B. LABOR COST	No. of	Total Hours	II I D (	T ( 1.C. )			
	SUBTOTAL (A) =						
consumables	LS	1.00					
solderless connector	pcs	6.00					
Ground Clamp 5/8	pcs	1.00					
Copper Coated Ground Rod 5/8 x 10	pcs	1.00					
Electric Tape (Big)	roll	15.00					
Rubber Tape	roll	4.00					

	DETAILED UNIT PRICI	E ANALYS	IS				
JOB:	IMPROVEMENT OF MINI-THEATER AND COMFORT ROOMS						
PAY ITEM:	Panelboard with Main & Branch Breakers						
COST ID:	1102(1)						
QUANTITY:	1.00 LS		PRODUC	CTION RATE:			
			NUMBEI	R OF HOURS:	hr		
A. MATERIAL O	COST	UNIT	QUANTITY	UNIT PRICE	TOTAL COST		
	12 branches Panel Board, 2P, Center Main, BOLT-ON MAIN AND BRANCHES, w/copper hot and ground busbars	set	2.00				
	15AT Circuit Breaker, 2 Pole	pcs	8.00				
	20AT Circuit Breaker, 2 Pole	pcs	4.00				
	30AT Circuit Breaker, 2 Pole	pcs	8.00				
	40AT Circuit Breaker, 3 Pole	pcs	1.00				
	60AT Circuit Breaker, 3 Pole	pcs	1.00				
	NEMA 3R enclosure with 30AT Circuit Breaker	set	6.00				

SCOPE OF WORK:					
1. Connect to existing panel board					
	SUBTO	TAL(A) =			
B. LABOR COST		No. of Person/s	Total Hours	Hourly Rate	Total Cost
Leadman (REE/RME)					
Electrician (Skilled)					
Unskilled Labor					
	SUBTO	TAL(B) =			
C. EQUIPMENT COST	E	No. of quipment/s	Total Hours	Hourly Rate	Total Cost
Minor tools					
	SUBTO	TAL(C) =			
D. DIRECT COST (A+B+C)					
E. INDIRECT COST					
	1. OCM				
	2. Contractor's	Profit			
	3. VAT				
	SUBTO	OTAL(E) =			
			ITEM COST	(D+E)	
			UNIT COST		

DETAILED UNIT PRICE ANALYSIS					
JOB:	IMPROVEMENT OF MINI-THEATER AND COMFORT ROOMS				
PAY ITEM:	Lighting Fixtures & Lamps				
COST ID:	1103(1)				
QUANTITY:	: 1.00 LS PRODUCTION RATE:				
		NUMBER OF HOURS:hr			
A. MATERIAL COST UNIT QUANTIT		QUANTITY	UNIT PRICE	TOTAL COST	
	T5 LED Tube Light 16W Industrial, daylight, 4ft pcs 72.00				
	18Watts LED Bulb, Daylight with Vertical Downlight				
	Recessed Type, E27, with Partial Frosted Glass, round	pcs	55.00		
	shape				

12Watts LED Bulb, Daylight with Vertical Downlight Recessed Type, E27, with Partial Frosted Glass, square shape	pcs	17.00		
10Watts LED Bulb, Daylight with Vertical Downlight Recessed Type, E27, with Partial Frosted Glass, round shape	pcs	49.00		
14Watts LED Bulb, Daylight with Vertical Downlight Recessed Type, E27, with Partial Frosted Glass, square shape	pcs	6.00		
22W, T9 LED Ceiling, Circline Light Bulb, 12 Inch 2700LM, 6000K Daylight includes fixture and Clear Cover	set	2.00		
18W, T9 LED Ceiling, Circline Light Bulb, 12 Inch 2700LM, 6000K Daylight includes fixture and Clear Cover	set	4.00		
LED Swivel Automatic Emergency Lights, (2x3W High Power, 48 hours charging time, minimum of 8 hours performance time for two bulbs at full charge)	set	11.00		
SUB	TOTAL (A) =			
502	1011L (11) =			
B. LABOR COST	No. of Person/s	Total Hours	Hourly Rate	Total Cost
Leadman (REE/RME)				
Electrician (Skilled)				
Unskilled Labor				
SUB	TOTAL (B) =			
C. EQUIPMENT COST	No. of Equipment/s	Total Hours	Hourly Rate	Total Cost
Minor tools				
SUB	TOTAL (C) =			
D. DIRECT COST (A+B+C)				
E. INDIRECT COST			1	
1. OCM	1 D C:			
2. Contracto	r's Protit			
3. VAT	TOTAL (E) =			
	TOTAL (E) =			
		ITEM COST	( <b>D</b> + <b>E</b> )	
		UNIT COST		

DETAILED UNIT PRICE ANALYSIS					
JOB: IMPROVEMENT OF MINI-THEATER AND COMFORT ROOMS					
PAY ITEM:	Airconditioning and Ventilating System				
COST ID:	1200(14)				
QUANTITY:	1.00 LS PRODUCTION RATE:				
	NUMBER OF HOURS:hr				
A. MATERIAL COST		UNIT	QUANTITY	UNIT PRICE	TOTAL COST

	2HP Air Conditioning Unit, WindFree™ Premium Plus Inverter, split type, inverter, Air Purifier PM 1.0 Filter WindFree™ Technology SmartThings Power Source(1Ф/220V-240V/60Hz), Power Consumption(1520W), full Installation including Condensate Drain System and Refrigerant Piping Misc (for Anchorage)	set LS	2.00		
NOTE:	This unit price of the ACU shall include excess length of condensate drain system and refrigerant piping to the location of the compressor and blower.				
	Refer to the plan for the location of ACU installation.				
	SUB	TOTAL (A) =			
		No. of			T
B. LABOR CO	ST	Person/s	Total Hours	Hourly Rate	Total Cost
NOTE:	for Air Conditioning				
	(materials, installation, equipment and labor cost are included in material cost for Air Conditioning)				
	SUB	TOTAL (B) =			
C. EQUIPMEN	TT COST	No. of Equipment/s	Total Hours	Hourly Rate	Total Cost
	Minor tools	1 1			
	SUB	TOTAL (C) =			
D. DIRECT CO	OST (A+B+C)				
E. INDIRECT					T
	1. OCM	. D. C.			
	2. Contracto 3. VAT	r's Profit			
		STOTAL (E) =			
	J SUE	TOTAL (E) –			<u> </u>
			ITEM COST	(D+E)	
			112 0051	(~ 1 <u>~</u> )	
			UNIT COST		

## SUMMARY SHEET

MATERIALS DESCRIPTION	UNIT	UNIT PRICE
Safety Helmet, Rental Basis	MD	
Safety Vest, Approved Color	MD	
Safety Shoes	MD	
Safety Gloves	pair	
PPE Signage (3'x4')	set	
Safety First (4'x4')	set	
Warning Signs (2'x3')	sets	
Caution Tape, 1000ft	roll	
Portland Cement, 40kg/bag	bag	
Screened & Washed Sand, S-1	cu.m	
Screened Gravel, G-1	cu.m	
4" dia. X 3m uPVC Pipe S1000	pcs	
4" x 4" uPVC Wye S1000	pcs	
4" dia. x 135° uPVC Elbow S1000	pcs	
4" dia. x 90° uPVC Elbow S1000	pcs	
4" dia. Clean Out with Plug	pcs	
4" x 3" uPVC Wye Reducer S100	pcs	
4" x 2" uPVC Tee Reducer S100	pcs	
3" dia. X 3m uPVC Pipe S1000	pcs	
3" x 3" uPVC Wye S1000	pcs	
3" dia. x 135° uPVC Elbow S1000	pcs	
3" dia. x 90° uPVC Elbow S1000	pcs	
3" dia. Clean Out with Plug	pcs	
3" x 3" uPVC Sanitary Tee S1000	pcs	
3" x 2" uPVC Wye Reducer S100	pcs	
2" dia. X 3m uPVC Pipe S1000	pcs	
2" x 2" uPVC Wye S1000	pcs	
2" dia. x 135° uPVC Elbow S1000	pcs	
2" dia. x 90° uPVC Elbow S1000	pcs	
2" x 2" uPVC Sanitary Tee S1000	pcs	
2" dia. uPVC P-trap S1000	pcs	
PVC Solvent, 100cc	can	
Water Closet (elongated w/ flush tank and		
accessories, American Standard)	set	
Urinal (American Standard, waterless ceramic urinal)	set	
Vessel Type Sink, Rectangle	set	
Heavy Duty Stainless Steel Gooseneck Tap Faucet	pcs	
Stainless Hand Bidet	set	
Stainless Floor Drain 4"x4"	pcs	
1" PPR- Gate Valve	set	

1/2" PPR- Gate Valve	set	
1" dia. X 4m PP-r Pipe PN 20	pcs	
1" dia. PP-r Elbow	pcs	
1" dia. PP-r Coupling	pcs	
1"x1/2" dia. PP-r Tee Reducer	pcs	
1" dia. PP-r Pipe Plug	pcs	
1/2" dia. X 4m PP-r Pipe PN 20	pcs	
1/2" dia. PP-r Coupling	pcs	
1/2" dia. PP-r Threaded Tee	pcs	
1/2" dia. PP-r Elbow	pcs	
1/2" Pipe Clamp	pcs	
PPR Cap, 1/2" Ø	pcs	
1.5mm x 2" x 3" Tubular	pcs	
1.5mm x 2" x 2" Tubular	pcs	
1/8" x 3/4" x 3/4" x 6m Aluminum Angle	pcs	
3mm x 4' x 8' Aluminum Composite Panel (Wood Texture)	pcs	
10mm x 3.5 m Polyethylene Foam Backer Rod	pcs	
1/8" x 1/4" Blind Rivets, 1000pcs/box	box	
Sealant (wood grain matched color)	tube	
Gypsum Screw(for Metal)	pcs	
Furnishing of Ergodynamic Slacken Executive High Back		
Chair with armrest. as per sample or provide brochure for	set	
selection & approval		
Motorized Screen Projector-120" Diagonal	set	
Remote Controlled Projector, including bracket for ceiling	set	
mounted 2.0mm x 2" x 6" Tubular	nce	
1.2mm x 2" x 2" Tubular	pcs pcs	
1.2mm x 2" x 3" C-Purlins	pcs	
1mm x 12mm x38mm x 5m Carrying Channel	pcs	
Double Metal Furring	pcs	
Wall Angle	pcs	
1/8" x 3/4" x 3/4" x 6m Aluminum Angle	pcs	
4.5mm x 4' x 8' Cement Fiber Board	pcs	
PVC Wood Texture Plain Ceiling Panels, Texture 1	sq.m	
PVC Wood Texture Plain Ceiling Panels, Texture 2	sq.m	
PVC Wood Texture Fluted Ceiling Panels, Texture 3	sq.m	
10mm Full Threaded Ceiling Suspension Rod	pcs	
3/16" x 2" x 6m Flat Bar for Fabricated C-purlins Anchorage.	pcs	
1/2" Expansion Bolts	pcs	
	P00	

W-Clip	pcs	
0.8m x 1.8m Aluminum Cubicle Door, Powder Coated, Including	sq.m	
catches, bolts and handle.		

Mater Closet Cubicle Aluminum Framed Powder Coated, Aluminum Sheet Partition for Urinal Partition Way Mirror Glass Partition with Transom, (Located at lounge room Aluminum Framed Aluminum Composite Panel Mirror Glass Partition with Transom, (Located at lounge room Aluminum Framed Aluminum Composite Panel Mirror Glass Partition with Transom, (Located at lounge room Aluminum Framed Aluminum Composite Panel Mirror Glass Partition with Transom, (Located at lounge room Aluminum Framed Aluminum Composite Panel Mirror Glass Partition Mirror Glass Panels.  1.9m x 2.3m (D2) Aluminum Framed Glass Door (Swing Type), Powder Coated, with Transom and complete accessories such as consealed door closer, lockset and grab bar  1.9m x 2.3m (D3) Aluminum Framed Glass Door (Sliding Type), Powder Coated with Transom and complete accessories such as consealed door closer, lockset and grab bar  0.6m x 2.7m Aluminum Framed Awning Window, Powder Coated  0.9m x 2.1m (D4) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as	Aluminum Framed Powder Coated, Aluminum Sheet Partition for	sq.m	
Partition for Uninal Partition 2m x 2.5m Aluminum Framed Powder Coated Fixed Two Way Mirror Glass Partition with Transom, (Located at lounge room Alumuminum Framed Aluminum Composite Panel 3mm thick, Wood Texture. Inlcuding 1/4* safety Glass Panels.  1.9m x 2.3m (D2) Aluminum Framed Glass Door (Swing Type), Powder Coated, with Transom and complete accessories such as consealed door closer, lockset and grab bar  1.9m x 2.3m (D3) Aluminum Framed Glass Door (Sliding Type), Powder Coated with Transom and complete accessories such as consealed door closer, lockset and grab bar  0.6m x 2m Aluminum Framed Awning Window, Powder Coated  0.9m x 2.1m (D4) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.8m x 2.1m (D5) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door Knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door Knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door Knob, barrel bolt, circular			
2m x 2.6m Aluminum Framed Powder Coated Fixed Two Way Mirror Glass Partition with Transom, (Located at lounge room Alumuminum Framed Aluminum Composite Panel 3mm thick, Wood Texture. Inlcuding 1/4" safety Glass Panels.  1.9m x 2.3m (D2) Aluminum Framed Glass Door (Swing Type), Powder Coated, with Transom and complete accessories such as consealed door closer, lockset and grab bar  1.9m x 2.3m (D3) Aluminum Framed Glass Door (Sliding Type), Powder Coated with Transom and complete accessories such as consealed door closer, lockset and grab bar  0.6m x 2m Aluminum Framed Awning Window, Powder Coated  0.9m x 2.1m (D4) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.8m x 2.1m (D5) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown	Partition for	sq.m	
Two Way Mirror Glass Partition with Transom, (Located at lounge room Alumuminum Framed Aluminum Composite Panel 3mm thick, Wood Texture. Inlcuding 1/4" safety Glass Panels.  1.9m x 2.3m (D2) Aluminum Framed Glass Door (Swing Type), Powder Coated, with Transom and complete accessories such as consealed door closer, lockset and grab bar  1.9m x 2.3m (D3) Aluminum Framed Glass Door (Sliding Type), Powder Coated with Transom and complete accessories such as consealed door closer, lockset and grab bar  0.6m x 2m Aluminum Framed Awning Window, Powder Coated  0.9m x 2.1m (D4) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.8m x 2.1m (D5) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.0m x 60cm Ceramic Unglazed Tiles  Tile Adhesive, 25kg/bag  Door x 60cm Ceramic Glazed Tiles  Door x 60cm Ceramic Glazed Tiles			
lounge room	Two Way	sq.m	
Alumininum Framed Aluminum Composite Panel 3mm thick, Wood Texture. Inlcuding 1/4" safety Glass Panels.  1.9m x 2.3m (D2) Aluminum Framed Glass Door (Swing Type), Powder Coated, with Transom and complete accessories such as consealed door closer, lockset and grab bar  1.9m x 2.3m (D3) Aluminum Framed Glass Door (Sliding Type), Powder Coated with Transom and complete accessories such as consealed door closer, lockset and grab bar  0.6m x 2.1m (D4) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.8m x 2.1m (D5) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles  Tile Adhesive, 25kg/bag  Tile Grout, 2kg/bag  60cm x 60cm Ceramic Glazed Tiles  pcs	·		
3mm thick, Wood Texture. Inlcuding 1/4" safety Glass Panels.  1.9m x 2.3m (D2) Aluminum Framed Glass Door (Swing Type), Powder Coated, with Transom and complete accessories such as consealed door closer, lockset and grab bar  1.9m x 2.3m (D3) Aluminum Framed Glass Door (Sliding Type), Powder Coated with Transom and complete accessories such as consealed door closer, lockset and grab bar  0.6m x 2m Aluminum Framed Awning Window, Powder Coated  0.9m x 2.1m (D4) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.8m x 2.1m (D5) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown	lounge room		
Wood Texture. InIcuding 1/4" safety Glass Panels.  1.9m x 2.3m (D2) Aluminum Framed Glass Door (Swing Type), Powder Coated, with Transom and complete accessories such as consealed door closer, lockset and grab bar  1.9m x 2.3m (D3) Aluminum Framed Glass Door (Sliding Type), Powder Coated with Transom and complete accessories such as consealed door closer, lockset and grab bar  0.6m x 2m Aluminum Framed Awning Window, Powder Coated  0.9m x 2.1m (D4) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.8m x 2.1m (D5) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  6.0cm x 60cm Ceramic Unglazed Tiles  Tile Adhesive, 25kg/bag  Tile Grout, 2kg/bag  5.cm sq.m	3mm thick,	sq.m	
(Swing Type), Powder Coated, with Transom and complete accessories such as consealed door closer, lockset and grab bar  1.9m x 2.3m (D3) Aluminum Framed Glass Door (Sliding Type), Powder Coated with Transom and complete accessories such as consealed door closer, lockset and grab bar  0.6m x 2m Aluminum Framed Awning Window, Powder Coated  0.9m x 2.1m (D4) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.8m x 2.1m (D5) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles pcs  Tile Adhesive, 25kg/bag bag  Tile Grout, 2kg/bag  60cm x 60cm Ceramic Glazed Tiles pcs	Wood Texture. Inlcuding 1/4" safety Glass Panels.	·	
(Swing Type), Powder Coated, with Transom and complete accessories such as consealed door closer, lockset and grab bar  1.9m x 2.3m (D3) Aluminum Framed Glass Door (Sliding Type), Powder Coated with Transom and complete accessories such as consealed door closer, lockset and grab bar  0.6m x 2m Aluminum Framed Awning Window, Powder Coated  0.9m x 2.1m (D4) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.8m x 2.1m (D5) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles pcs  Tile Adhesive, 25kg/bag bag  Tile Grout, 2kg/bag  60cm x 60cm Ceramic Glazed Tiles pcs			
(Swing Type), Powder Coated, with Transom and complete accessories such as consealed door closer, lockset and grab bar  1.9m x 2.3m (D3) Aluminum Framed Glass Door (Sliding Type), Powder Coated with Transom and complete accessories such as consealed door closer, lockset and grab bar  0.6m x 2m Aluminum Framed Awning Window, Powder Coated  0.9m x 2.1m (D4) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.8m x 2.1m (D5) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles  Tile Adhesive, 25kg/bag  Tile Grout, 2kg/bag  60cm x 60cm Ceramic Glazed Tiles  pcs	1.9m x 2.3m (D2) Aluminum Framed Glass Door	ea m	
closer, lockset and grab bar  1.9m x 2.3m (D3) Aluminum Framed Glass Door (Sliding Type), Powder Coated with Transom and complete accessories such as consealed door closer, lockset and grab bar  0.6m x 2m Aluminum Framed Awning Window, Powder Coated  0.9m x 2.1m (D4) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.8m x 2.1m (D5) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles  Tile Adhesive, 25kg/bag  Tile Grout, 2kg/bag  60cm x 60cm Ceramic Glazed Tiles  pcs	(Swing Type), Powder Coated, with Transom and	5 <b>q</b> .111	
1.9m x 2.3m (D3) Aluminum Framed Glass Door (Sliding Type), Powder Coated with Transom and complete accessories such as consealed door closer, lockset and grab bar 0.6m x 2m Aluminum Framed Awning Window, Powder Coated  0.9m x 2.1m (D4) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.8m x 2.1m (D5) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles  Tile Adhesive, 25kg/bag  Tile Grout, 2kg/bag  60cm x 60cm Ceramic Glazed Tiles  pcs	complete accessories such as consealed door		
(Sliding Type), Powder Coated with Transom and complete accessories such as consealed door closer, lockset and grab bar  0.6m x 2m Aluminum Framed Awning Window, Powder Coated  0.9m x 2.1m (D4) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.8m x 2.1m (D5) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles  Tile Adhesive, 25kg/bag  Tile Grout, 2kg/bag  60cm x 60cm Ceramic Glazed Tiles  pcs	closer, lockset and grab bar		
(Sliding Type), Powder Coated with Transom and complete accessories such as consealed door closer, lockset and grab bar  0.6m x 2m Aluminum Framed Awning Window, Powder Coated  0.9m x 2.1m (D4) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.8m x 2.1m (D5) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles  Tile Adhesive, 25kg/bag  Tile Grout, 2kg/bag  60cm x 60cm Ceramic Glazed Tiles  pcs			
(Silding Type), Powder Coated with Transom and complete accessories such as consealed door closer, lockset and grab bar  0.6m x 2m Aluminum Framed Awning Window, Powder Coated  0.9m x 2.1m (D4) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.8m x 2.1m (D5) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles  Tile Adhesive, 25kg/bag  Tile Grout, 2kg/bag  60cm x 60cm Ceramic Glazed Tiles  pcs	` '	sa.m	
lockset and grab bar  0.6m x 2m Aluminum Framed Awning Window, Powder Coated  0.9m x 2.1m (D4) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.8m x 2.1m (D5) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.5m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles  Tile Adhesive, 25kg/bag  Tile Grout, 2kg/bag  60cm x 60cm Ceramic Glazed Tiles  pcs			
0.6m x 2m Aluminum Framed Awning Window, Powder Coated  0.9m x 2.1m (D4) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.8m x 2.1m (D5) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles  Tile Adhesive, 25kg/bag  50cm x 60cm Ceramic Glazed Tiles  pcs	•		
Powder Coated  0.9m x 2.1m (D4) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.8m x 2.1m (D5) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles  Tile Adhesive, 25kg/bag  Tile Grout, 2kg/bag  60cm x 60cm Ceramic Glazed Tiles  pcs			
Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.8m x 2.1m (D5) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles  Tile Adhesive, 25kg/bag  Tile Grout, 2kg/bag  60cm x 60cm Ceramic Glazed Tiles  pcs	Powder Coated	sq.m	
Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.8m x 2.1m (D5) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles  Tile Adhesive, 25kg/bag  Tile Grout, 2kg/bag  60cm x 60cm Ceramic Glazed Tiles  pcs			
Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.8m x 2.1m (D5) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles  Tile Adhesive, 25kg/bag  Tile Grout, 2kg/bag  60cm x 60cm Ceramic Glazed Tiles  pcs	0.9m x 2.1m (D4) Pre-Fabricated Panel Door		
such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.8m x 2.1m (D5) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles  Tile Adhesive, 25kg/bag  Tile Grout, 2kg/bag  60cm x 60cm Ceramic Glazed Tiles  pcs		sq.m	
0.8m x 2.1m (D5) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles Tile Adhesive, 25kg/bag Tile Grout, 2kg/bag  60cm x 60cm Ceramic Glazed Tiles pcs			
Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles  Tile Adhesive, 25kg/bag  Tile Grout, 2kg/bag  60cm x 60cm Ceramic Glazed Tiles  pcs	padlock and must be painted w/ copper brown		
Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles  Tile Adhesive, 25kg/bag  Tile Grout, 2kg/bag  60cm x 60cm Ceramic Glazed Tiles  pcs			
Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles  Tile Adhesive, 25kg/bag  Tile Grout, 2kg/bag  60cm x 60cm Ceramic Glazed Tiles  pcs	0.8m x 2.1m (D5) Pre-Fabricated Panel Door		
such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles  Tile Adhesive, 25kg/bag  Tile Grout, 2kg/bag  60cm x 60cm Ceramic Glazed Tiles  pcs	` '	sq.m	
0.1m x 2.1m (D6) Pre-Fabricated Panel Door Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles  Tile Adhesive, 25kg/bag  Tile Grout, 2kg/bag  60cm x 60cm Ceramic Glazed Tiles  pcs			
Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles  Tile Adhesive, 25kg/bag  Tile Grout, 2kg/bag  60cm x 60cm Ceramic Glazed Tiles  pcs	padlock and must be painted w/ copper brown		
Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles  Tile Adhesive, 25kg/bag  Tile Grout, 2kg/bag  60cm x 60cm Ceramic Glazed Tiles  pcs			
Including Door Jamb with complete accessories such as Door knob, barrel bolt, circular hinges, padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles  Tile Adhesive, 25kg/bag  Tile Grout, 2kg/bag  60cm x 60cm Ceramic Glazed Tiles  pcs	0.1m x 2.1m (D6) Pre-Fabricated Panel Door	98.50	
padlock and must be painted w/ copper brown  60cm x 60cm Ceramic Unglazed Tiles  Tile Adhesive, 25kg/bag  Tile Grout, 2kg/bag  60cm x 60cm Ceramic Glazed Tiles  pcs  pcs	` '	Sq.m	
60cm x 60cm Ceramic Unglazed Tiles pcs Tile Adhesive, 25kg/bag bag Tile Grout, 2kg/bag bag 60cm x 60cm Ceramic Glazed Tiles pcs	such as Door knob, barrel bolt, circular hinges,		
Tile Adhesive, 25kg/bag bag Tile Grout, 2kg/bag bag 60cm x 60cm Ceramic Glazed Tiles pcs	padlock and must be painted w/ copper brown		
Tile Grout, 2kg/bag bag 60cm x 60cm Ceramic Glazed Tiles pcs	60cm x 60cm Ceramic Unglazed Tiles	pcs	
60cm x 60cm Ceramic Glazed Tiles pcs	Tile Adhesive, 25kg/bag	bag	
'	Tile Grout, 2kg/bag	bag	
Tile Trim, 12mm x 2.44m pcs	60cm x 60cm Ceramic Glazed Tiles	pcs	
	Tile Trim, 12mm x 2.44m	pcs	

Concrete Putty/Skimcoat (3mm-25kg/bag) bag		
Flat Latex Primer Paint	pail	
Semi-Gloss Latex White (two coatings)	pail	
Tinting Color	lit.	
7" Paint roller w/ handle	pcs	
9" Paint roller w/ handle	pcs	
4" Paint Brush	pcs	
2" Paint Brush	pcs	
Paint Tray	pcs	
7" Paint roller Foam (Cloth)	pcs	

9" Paint roller Foam(Cloth)	pcs	
QDE Paint, Copper Brown	li	
Lacquer Sanding Sealer		
Polyurethane Varnish Topcoat (Husdson) w/ Catalyst	gal	
Polyurethane Thinner Reducer	gal li	
Glazing Putty	li ::	
Paint Thinner	li La fi	
Assorted Sand Paper	ln.ft	
QDE Paint (Black)	gal	
Primer Paint, gray w/ A@B	gal	
4" CHB	pcs	
10mm Ø RSB x 6	kg	
Tie wire #16	kg	
3D Printed Theater Carpet, costumed cinema carpet,(modern reflectodized classic design) & Fire Resistant	sq.m	
3 in 1 Wet and Dry Vacuum Cleaner	set	
20mmØ uPVC Thick Wall (3meters)	pcs	
20mmØ uPCV Male Thread Adaptor w/ lock nut	pcs	
20mmØ uPVC Connector	pcs	
25mmØ uPVC Thick Wall (3meters)	pcs	
25mmØ uPCV Male Thread Adaptor w/ lock nut	pcs	
25mmØ uPVC Connector	pcs	
32mmØ uPVC Thick Wall (3meters)	pcs	
32mmØ uPCV Male Thread Adaptor w/ lock nut	pcs	
32mmØ uPVC Long Elbow	pcs	
32mmØ uPVC Connector	pcs	
32mmØ Entrance Cap with adaptor	pcs	
40mmØ uPVC Thick Wall (3meters)	pcs	
40mmØ uPCV Male Thread Adaptor w/ lock nut	pcs	
40mmØ uPVC Long Elbow	pcs	
40mmØ uPVC Connector	pcs	
40mmØ Entrance Cap with adaptor	pcs	
Junction Box w/ cover and screw	pcs	
2 x 4 Utility Box	pcs	
400 ml.PVC Solvent	can	
Tie Wire	kg	
Butane gas (270 ml)	can	
Blow torch (for butane gas)	pcs	
= : : : : : : : (. : : : : : : : : : : :	F 35	

2.0mm <sup>2</sup> THHN Cu. Wire	ln m	
3.5mm <sup>2</sup> THHN Cu. Wire	ln m	
2.0mm <sup>2</sup> THWN Cu. Wire	ln m	
5.5mm <sup>2</sup> THHN Cu. Wire	ln m	

3.5mm <sup>2</sup> THWN Cu. Wire	In m	
14mm <sup>2</sup> THHN Cu. Wire	In m	
5.5mm² THWN Cu. Wire	In m	
38mm² THHN Cu. Wire	In m	
8.0mm <sup>2</sup> THWN Cu. Wire	In m	
1-gang, switch wide series	set	
2-gang, switch wide series	set	
3-gang, switch wide series	set	
Air-conditioning Unit Outlet	set	
2 Gang Universal Outlet w/ ground	set	
2 Gang Floor Outlet w/ ground	set	
Rubber Tape	roll	
Electric Tape (Big)	roll	
Copper Coated Ground Rod 5/8 x 10	pcs	
Ground Clamp 5/8	pcs	
solderless connector	pcs	
12 branches Panel Board, 2P, Center Main, BOLT- ON MAIN AND BRANCHES, w/copper hot and ground busbars	set	
15AT Circuit Breaker, 2 Pole	pcs	
20AT Circuit Breaker, 2 Pole	pcs	
30AT Circuit Breaker, 2 Pole	pcs	
40AT Circuit Breaker, 3 Pole	pcs	
60AT Circuit Breaker, 3 Pole	pcs	
NEMA 3R enclosure with 30AT Circuit Breaker	set	
T5 LED Tube Light 16W Industrial, daylight, 4ft	pcs	
18Watts LED Bulb, Daylight with Vertical Downlight Recessed Type, E27, with Partial Frosted Glass, round shape	pcs	
12Watts LED Bulb, Daylight with Vertical Downlight Recessed Type,E27, with Partial Frosted Glass, square shape	pcs	
10Watts LED Bulb, Daylight with Vertical Downlight Recessed Type, E27, with Partial Frosted Glass, round shape	pcs	

14Watts LED Bulb, Daylight with Vertical Downlight Recessed Type, E27, with Partial Frosted Glass, square shape	pcs	
22W,T9 LED Ceiling, Circline Light Bulb, 12 Inch 2700LM, 6000K Daylight includes fixture and Clear Cover	set	
18W,T9 LED Ceiling, Circline Light Bulb, 12 Inch 2700LM, 6000K Daylight includes fixture and Clear Cover	set	

LED Swivel Automatic Emergency Lihgts,(2x3W High Power, 48 hours charging time, minimum of 8 hours set performance time for two bulbs at full charge)		
2HP Air Conditioning Unit, WindFree™ Premium Plus Inverter, split type, inverter, Air Purifier PM 1.0 Filter WindFree™ Technology SmartThings Power Source(1Φ/220V-240V/60Hz), Power Consumption(1520W), full Installation including Condensate Drain System and Refrigerant Piping	set	

DESCRIPTION OF MANPOWER	Rate / Hour
Part Time Safety Officer	
Liason Officer	
Leadman	
Skilled Labor (Plumber)	
Semiskilled Labor	
Unskilled Labor	

DESCRIPTION OF EQUIPMENTS	RENTAL RATES/Hour
Dump Truck, 5.0 cu.m	
Jack Hammer	
Concrete Mixer, 1 bagger	
Fuschion Machine	
Welding Machine	
Cut-off Machine	
Tile Cutter	

INDIRECT COST	%
OCM	
profit	
tax	

## Section IX. Checklist of Technical and Financial Documents

### **Notes on the Checklist of Technical and Financial Documents**

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

### **Checklist of Technical and Financial Documents**

#### I. TECHNICAL COMPONENT ENVELOPE

#### Class "A" Documents

Lega	al Do	<u>cuments</u>
П	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in
		accordance with Section 8.5.2 of the IRR;
<u>Tecl</u>	<u>hnica</u>	<u>l Documents</u>
		tatement of the prospective bidder of all its ongoing government and private
	c	ontracts, including contracts awarded but not yet started, if any, whether similar
	O	r not similar in nature and complexity to the contract to be bid; and
	(c)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar
		to the contract to be bid, except under conditions provided under the rules;
		<u>and</u>
	(d)	Special PCAB License in case of Joint Ventures;
		<b>and</b> registration for the type and cost of the contract to be bid; <b>and</b>
	(e)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a
		certification issued by the Insurance Commission;
		<u>or</u>
		Original copy of Notarized Bid Securing Declaration; and
	(f)	Project Requirements, which shall include the following:
		a. Organizational chart for the contract to be bid;
		b. List of contractor's key personnel (e.g., Project Manager, Project
		Engineers, Materials Engineers, and Foremen), to be assigned to the
		contract to be bid, with their complete qualification and experience
		data;
		c. List of contractor's major equipment units, which are owned, leased,
		and/or under purchase agreements, supported by proof of ownership or
		certification of availability of equipment from the equipment
		lessor/vendor for the duration of the project, as the case may be; <b>and</b>
	(g)	Original duly signed Omnibus Sworn Statement (OSS);
		and if applicable, Original Notarized Secretary's Certificate in case of a
		corporation, partnership, or cooperative; or Original Special Power of
		Attorney of all members of the joint venture giving full power and authority
		to its officer to sign the OSS and do acts to represent the Bidder.
E:		I Do com outs
$\frac{\Gamma l l l l}{\Box}$		Documents  The presenctive hidden's commutation of Net Financial Contracting Conscitu
Ш	(h)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC).
		(NPCC).
		Class "B" Documents
	(i)	If applicable, duly signed joint venture agreement (JVA) in accordance with
Ш	(-)	RA No. 4566 and its IRR in case the joint venture is already in existence;
		or

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANC	IAL COMPONENT ENVELOPE
(j)	Original of duly signed and accomplished Financial Bid Form; and
Other do	cumentary requirements under RA No. 9184
(k)	Original of duly signed Bid Prices in the Bill of Quantities; and
$\Box$ (1)	Duly accomplished Detailed Estimates Form, including a summary shee
	indicating the unit prices of construction materials, labor rates, and equipment
	rentals used in coming up with the Bid; and
	Cash Flow by Quarter.

#### **Omnibus Sworn Statement (Revised)**

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES	)
CITY/MUNICIPALITY OF)	
S.S.	

#### **AFFIDAVIT**

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
  - 1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary toparticipate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority todo, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting:
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct:
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorizedrepresentative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the

Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - Making an estimate of the facilities available and needed for the contract to be bid, if any;
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
  - 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
  - 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF,	I have hereunto set my hand this_	day of	, 20	_at	
Philippines.	_				

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

#### [Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

#### **Performance Securing Declaration (Revised)**

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

REPUBLIC OF THE PI	HILIPPINES)	
CITY OF	) S.S.	

#### PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents]To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
- 2. I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the firstoffense, or two (2) years **for the second offense**, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
- 3. I/We understand that this Performance Securing Declaration shall cease to be validupon:
  - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
    - i. Procuring Entity has no claims filed against the contract awardee;
    - ii. It has no claims for labor and materials filed against the contractor; and
    - iii. Other terms of the contract: or
  - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revisedIRR of RA No. 9184 as required by the end-user.

**IN WITNESS WHEREOF,** I/We have hereunto set my/our hand/s this\_day of [month][year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

#### [Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

#### **Bid Form for the Procurement of Infrastructure Projects**

[shall be submitted with the Bid]

BID FORM	
Date :	
Project Identification No. :	

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, declare that:

- a. We have no reservation to the PBDs, including the Supplemental or Bid Bulletins, for the Procurement Project: [insert name of contract];
- b. We offer to execute the Works for this Contract in accordance with the PBDs;
- c. The total price of our Bid in words and figures, excluding any discounts offeredbelow is: [insert information];
- d. The discounts offered and the methodology for their application are: [insertinformation];
- e. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein andreflected in the detailed estimates,
- f. Our Bid shall be valid within the a period stated in the PBDs, and it shall remainbinding upon us at any time before the expiration of that period;
- g. If our Bid is accepted, we commit to obtain a Performance Security in the amount of [insert percentage amount] percent of the Contract Price for the due performance of the Contract, or a Performance Securing Declaration in lieu of the allowable forms of Performance Security, subject to the terms and conditions of issued GPPB guidelines<sup>2</sup> for this purpose;
- h. We are not participating, as Bidders, in more than one Bid in this bidding process, other than alternative offers in accordance with the Bidding Documents;
- We understand that this Bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract betweenus, until a formal Contract is prepared and executed; and
- j. We understand that you are not bound to accept the Lowest Calculated Bid orany other Bid that you may receive.

85

<sup>&</sup>lt;sup>2</sup> currently based on GPPB Resolution No. 09-2020

- k. We likewise certify/confirm that the undersigned, is the duly authorized representative of the bidder, and granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to signand execute the ensuing contract for the [Name of Project] of the [Name of the Procuring Entity].
- I. We acknowledge that failure to sign each and every page of this Bid Form, including the Bill of Quantities, shall be a ground for the rejection of our bid.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	

# Contract Agreement Form for the Procurement of Infrastructure Projects (Revised)

[not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the Notice of Award]

#### **CONTRACT AGREEMENT**

THIS AGREEMENT, made this [insert date] day of [insert month], [insert year] between [name and address of PROCURING ENTITY] (hereinafter called the "Entity") and [name andaddress of Contractor] (hereinafter called the "Contractor").

WHEREAS, the Entity is desirous that the Contractor execute [name and identificationnumber of contract] (hereinafter called "the Works") and the Entity has accepted the Bid for [contract price in words and figures in specified currency] by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

#### NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- 2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be readand construed as part of this Agreement, *viz.*:
  - a. Philippine Bidding Documents (PBDs);
    - i. Drawings/Plans;
    - ii. Specifications:
    - iii. Bill of Quantities;
    - iv. General and Special Conditions of Contract;
    - v. Supplemental or Bid Bulletins, if any;
  - **b.** Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's biddingenvelopes, as annexes, and all other documents submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- c. Performance Security;
- d. Notice of Award of Contract and the Bidder's conforme thereto; and
- e. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.

- 3. In consideration for the sum of [total contract price in words and figures] or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.
- 4. The [Name of the procuring entity] agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties thereto have caused this Agreement to be executed the day and year first before written.

[Insert Name and Signature]
[Insert Signatory's Legal
Capacity]
for:

[Insert Procuring Entity]

[Insert Name and Signature]
[Insert Signatory's Legal
Capacity]
for:

[Insert Name of Supplier]

#### **Acknowledgment**

[Format shall be based on the latest Rules on Notarial Practice]

#### **Bid Securing Declaration Form**

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)	
CITY OF	) S.S.

# BID SECURING DECLARATION Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a BidSecurity, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b),34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on thefollowing circumstances:
  - Upon expiration of the bid validity period, or any extension thereof pursuant to yourrequest;
  - I am/we are declared ineligible or post-disqualified upon receipt of your notice to sucheffect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
  - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN	WITNESS	WHEREOF,	I/We	have	hereunto	set	my/our		
har	nd/s this						-		day of
[month][year] at [place of execution].									

[Insert NAME OF BIDDER OR
ITS AUTHORIZED
REPRESENTATIVE]
[Insert signatory's legal capacity]

### Affiant

[Jurat]
[Format shall be based on the latest Rules on Notarial Practice]

