



Republic of the Philippines
NUENA VIZCAYA STATE UNIVERSITY
 Bayombong, Nueva Vizcaya

SUPPLEMENTAL BID BULLETIN No. 2023-08-007

PROJECT: 2023-16G: SUPPLY AND DELIVERY OF APPLIANCE FOR BOTH CAMPUSES

This Bid Bulletin/Addendum No. 2023-08-007 is issued to modify or amend items in the Bidding Documents of the abovementioned project of the University.
 This shall form an integral part of the Bidding Documents of the said project.

Please be informed of the changes in the project:

PARTICULARS	CHANGES										
	From			To							
Section VII. Technical Specifications	Item No.	Particulars	Qty	Unit of Measurement	Unit Cost	Total ABC	Particulars	Qty	Unit of Measurement	Unit Cost	Total ABC
	1	AIR PURIFIER, Air Purifier, Power Supply mode: AC, Filter function: primary/HEPA/activated carbon/negative ion Function: sterilization, air purification Touch mode: remote control/touch Application area: 41 m ² -75 m ² Rated power: 45W, Rated voltage: 220V, 50Hz Particulate matter clean air quality Cadr: 170m2/h Formaldehyde purification air quality Cadr: 40m2/h Noise: <62db Air purifier: effectively capture PM2.5, dust, allergens,	14	Unit	2,500.00	35,000.00	AIR PURIFIER, Air Purifier, Power Supply mode: AC, Filter function: primary/HEPA/activated carbon/negative ion Function: sterilization, air purification Touch mode: remote control/touch Application area: 41 m ² -75 m ² Rated power: 45W, Rated voltage: 220V, 50Hz Particulate matter clean air quality Cadr: 170m2/h Formaldehyde purification air quality Cadr: 40m2/h Noise:	14	Unit	2,500.00	35,000.00

	1500BTU Air flow rate of 250m ³ /h Horsepower of 1.5HP Noise level is 50dB for indoor					1050W Cooling capacity of 1500BTU Air flow rate of 250m ³ /h Horsepower of 1.5HP Noise level is 50dB for indoor including installation				
5	ELECTRIC FAN, Smart Electric Fan Number of blades: 5 Speed adjustment gear: eighth gear Rated voltage: 220 (V) Rated power: 40 (W) Intelligent remote control, LED display screen Five Leaf Cyclone Powerful motor	17	Unit	1,200.00	20,400.00	ELECTRIC FAN, Smart Electric Fan Number of blades: 5 Speed adjustment gear: eighth gear Rated voltage: 220 (V) Rated power: 40 (W) Intelligent remote control, LED display screen Five Leaf Cyclone Powerful motor	17	Unit	1,200.00	20,400.00
6	ELECTRIC FAN, Stand fan, plastic blade 17.72 cm, 90W, 230V - 60Hz	14	Unit	1,500.00	21,000.00	ELECTRIC FAN, Stand fan, plastic blade 17.72 cm, 90W, 230V - 60Hz	14	Unit	1,500.00	21,000.00
7	ELECTRIC FAN, Stand fan, With thermal fuse protection, 3-speed push button switch, Round stable plastic base, Easy height adjustment, Tilting head with oscillation, 65W, 230V, 3 or more blades size 16in.	5	Unit	2,000.00	10,000.00	ELECTRIC FAN, Stand fan, With thermal fuse protection, 3-speed push button switch, Round stable plastic base, Easy height adjustment, Tilting head with oscillation, 65W, 230V, 3 or more blades size 16in.	5	Unit	2,000.00	10,000.00
8	ELECTRIC FAN, Stand type 10" metal aluminum blade 3 speed industrial, 220 volts, 750 watts	2	Piece	1,500.00	3,000.00	ELECTRIC FAN, Stand type 10" metal aluminum blade 3 speed industrial, 220 volts, 750 watts	2	Piece	1,500.00	3,000.00
9	ELECTRIC FAN, storage folding fan aluminum ABS plastic steel plate (motor) PP material (fan blade) Battery capacity: 3.7V 7200mAh Product size: closed state: 197 * 92.5 MM, extended status: 197* 197* 974MM Wind	1	Set	1,300.00	1,300.00	ELECTRIC FAN, storage folding fan aluminum ABS plastic steel plate (motor) PP material (fan blade) Battery capacity: 3.7V 7200mAh Product size: closed state: 197 * 92.5 MM, extended status: 197 * 92.5 MM, extended	1	Set	1,300.00	1,300.00

		(Mini Jack), Ethernet (LAN), Composite in (AV) power consumption 200W input voltage 100-240V 50/60Hz AC warranty 2 Years with complete accessories					(Mini Jack), Ethernet (LAN), Composite in (AV) power consumption 200W input voltage 100-240V 50/60Hz AC warranty 2 Years with complete accessories					
14	TELEVISION, Smart TV 50 inches 4K UHD LED resolution of 3840 x 2160, DTS audio, any cast, connectivity Bluetooth 3X HDMI 2.0 USB WIFI LAN with wall bracket	20	Set	35,000.00	700,000.00	TELEVISION, Smart TV 50 inches 4K UHD LED resolution of 3840 x 2160, DTS audio, any cast, connectivity Bluetooth 3X HDMI 2.0 USB WIFI LAN with wall bracket	20	Set	35,000.00	700,000.00		
15	WATER DISPENSER, hot, normal and cold water, fast cooling, low noise, free standing, bottom loading	8	Unit	11,000.00	88,000.00	WATER DISPENSER, hot, normal and cold water, fast cooling, low noise, free standing, bottom loading	8	Unit	11,000.00	88,000.00		
16	WATER DISPENSER, Power 220V-50Hz Heating Power 425W Cooling Power 75W Working ambient 10-32C Hot water supply 5L/h (>=90C) Cold water supply 3L/h (<=15C) Product size 790mmx265mmx225mm Hot and warm water dispenser Three working modes-cold, normal, hot	1	Unit	3,960.00	3,960.00	WATER DISPENSER, Power 220V-50Hz Heating Power 425W Cooling Power 75W Working ambient 10-32C Hot water supply 5L/h (>=90C) Cold water supply 3L/h (<=15C) Product size 790mmx265mmx225mm Hot and warm water dispenser Three working modes-cold, normal, hot	1	Unit	3,960.00	3,960.00		
17	WATER DISPENSER, Standing water dispenser (hot, normal and cold), compressor type cooling with mini cabinet and 2 round water gallon	5	Set	10,000.00	50,000.00	WATER DISPENSER, Standing water dispenser (hot, normal and cold), compressor type cooling with mini cabinet and 2 round water gallon	5	Set	10,000.00	50,000.00		

	<p>18</p> <p>AIR PURIFIER, Air Purifier, Power Supply mode: AC, Filter function: primary//HEPA/activated carbon/negative ion Function: sterilization, air purification Touch mode: remote control/touch Application area: 41 m²-75 m² Rated power: 45W, Rated voltage: 220V, 50Hz Particulate matter clean air quality Cadr: 170m2/h Formaldehyde purification air quality Cadr: 40m2/h Noise: <62db Air purifier: effectively capture PM2.5, dust, allergens, pollen, mold, smoke, and reduce HCHO and peculiar smell in the air Bring fresh and healthy air to your home. The sterilization rate is almost as high as 99.97% Three wind speed: normal; quiet; efficient mode. -Timer setting: 2H, 4H, 6H, 8H with indicator lights respectively. Set up scheduled tasks to save energy and money. -Low noise: silent operation, timer function up to 12 hours. Provide a comfortable and pleasant environment.</p>	1	Unit	2,500.00	2,500.00	<p>AIR PURIFIER, Air Purifier, Power Supply mode: AC, Filter function: primary//HEPA/activated carbon/negative ion Function: sterilization, air purification Touch mode: remote control/touch Application area: 41 m²-75 m² Rated power: 45W, Rated voltage: 220V, 50Hz Particulate matter clean air quality Cadr: 170m2/h Formaldehyde purification air quality Cadr: 40m2/h Noise: <62db Air purifier: effectively capture PM2.5, dust, allergens, pollen, mold, smoke, and reduce HCHO and peculiar smell in the air Bring fresh and healthy air to your home. The sterilization rate is almost as high as 99.97% Three wind speed: normal; quiet; efficient mode. -Timer setting: 2H, 4H, 6H, 8H with indicator lights respectively. Set up scheduled tasks to save energy and money. -Low noise: silent operation, timer function up to 12 hours. Provide a comfortable and pleasant environment.</p>	1	Unit	2,500.00	2,500.00
19	<p>AIRCON, 2.5 HP window type, full DC inverter, at least EER 11.2, R32 refrigerant, multi-</p>	1	Unit	60,000.00	60,000.00	<p>AIRCON, 2.5 HP window type, full DC inverter, at least EER 11.2, R32 refrigerant, multi-</p>	1	Unit	60,000.00	60,000.00

	stage filtration, remote control, self diagnostic					stage filtration, remote control, self diagnostic				
20	AIRCON, Wall Mounted Split Type Aircon, Cooling power of 1050W Cooling capacity of 1500BTU Air flow rate of 250m ³ /h Horsepower of 1.5HP Noise level is 50dB for indoor	2	Unit	43,000.00	86,000.00	AIRCON, Wall Mounted Split Type Aircon, Cooling power of 1050W Cooling capacity of 1500BTU Air flow rate of 250m ³ /h Horsepower of 1.5HP Noise level is 50dB for indoor including installation	2	Unit	43,000.00	86,000.00
21	ELECTRIC FAN, Stand fan, With thermal fuse protection, 3-speed push button switch, Round stable plastic base, Easy height adjustment, Tilting head with oscillation, 65W, 230V, 3 or more blades size 16in.	3	Unit	2,000.00	6,000.00	ELECTRIC FAN, Stand fan, With thermal fuse protection, 3-speed push button switch, Round stable plastic base, Easy height adjustment, Tilting head with oscillation, 65W, 230V, 3 or more blades size 16in.	3	Unit	2,000.00	6,000.00
22	ELECTRIC FAN, storage folding fan aluminum ABS plastic steel plate (motor) PP material (fan blade) Battery capacity: 3.7V 7200mAH Product size: closed state: 197 * 92.5 MM, extended status: 197* 197* 974MM Wind speed gear: 3+1 Product color: white power cord length: 1.5m Net weight of single product: 829.5g	12	Set	1,300.00	15,600.00	ELECTRIC FAN, storage folding fan aluminum ABS plastic steel plate (motor) PP material (fan blade) Battery capacity: 3.7V 7200mAH Product size: closed state: 197 * 92.5 MM, extended status: 197* 197* 974MM Wind speed gear: 3+1 Product color: white power cord length: 1.5m Net weight of single product: 829.5g	12	Set	1,300.00	15,600.00
23	OVEN, Microwave Oven, 20L, Digital Control and Defrost Function; 230V 60Hz; 255 mm Turntable; 700 Watts; Dimension: 440mmx330mmx259mm	2	Unit	5,000.00	10,000.00	OVEN, Microwave Oven, 20L, Digital Control and Defrost Function; 230V 60Hz; 255 mm Turntable; 700 Watts;	2	Unit	5,000.00	10,000.00

							Dimension: 440mmx330mmx259mm					
							REFRIGERATOR, Compact Design Thick insulation layers for energy consumption Advance compressor for quicker refrigeration Unique drainage design Ease for cleaning the lining CFC Free Environmental friendly 1.8 Cubic ft. Wattage: 100 W Voltage: 230V a.c. 60Hz					
	24	REFRIGERATOR, Office refrigerator, Mechanical temperature control with adjustable thermostat, Manual defrost / Direct cold, Adjustable feet High density foaming, Low noise design, Fast freezing function Energy saving, Rated voltage: 220V, rated frequency: 50Hz Rated current: 1.05a Rated power: 53w Gross capacity: 48L Freezing capacity: 16L Refrigerator capacity: 32L Product size: 344 x405 x698mm	1	Unit	6,600.00	6,600.00	REFRIGERATOR, Compact Design Thick insulation layers for energy consumption Advance compressor for quicker refrigeration Unique drainage design Ease for cleaning the lining CFC Free Environmental friendly 1.8 Cubic ft. Wattage: 100 W Voltage: 230V a.c. 60Hz	1	Unit	6,600.00	6,600.00	
	25	REFRIGERATOR, Office refrigerator, Mechanical temperature control with adjustable thermostat, Manual defrost / Direct cold, Adjustable feet High density foaming, Low noise design, Fast freezing function Energy saving, Rated voltage: 220V, rated frequency: 50Hz Rated current: 1.05a Rated power: 53w Gross capacity: 48L Freezing capacity: 16L Refrigerator capacity: 32L Product size: 344 x405 x698mm	1	Unit	5,950.00	5,950.00	REFRIGERATOR, Office refrigerator, Mechanical temperature control with adjustable thermostat, Manual defrost / Direct cold, Adjustable feet High density foaming, Low noise design, Fast freezing function Energy saving, Rated voltage: 220V, rated frequency: 50Hz Rated current: 1.05a Rated power: 53w Gross capacity: 48L Freezing capacity: 16L Refrigerator capacity: 32L Product size: 344 x405 x698mm	1	Unit	5,950.00	5,950.00	
	26	WATER DISPENSER, hot, normal and cold water, fast cooling, low noise, free standing, bottom loading	3	Unit	11,000.00	33,000.00	WATER DISPENSER, hot, normal and cold water, fast cooling, low noise, free standing, bottom loading	3	Unit	11,000.00	33,000.00	

OPENING OF BIDS	September 5, 2023 at 9:00AM	September 5, 2023 at 1:30PM
Delivery days	30 calendar days	40 calendar days

For guidance and information of all concerned.

for & later
ELMA P. APOSTOL
8/24
 UBAC Chairperson

Received by the Bidder:

